

QL
566
B89
V.
ENT

A SYNONYMIC CATALOGUE
OF
ORTHOPTERA.

BY
W. F. KIRBY.

VOL. I.

ORTHOPTERA EUPLEXOPTERA, CURSORIA,
ET GRESSORIA.

(FORFICULIDÆ, HEMIMERIDÆ, BLATTIDÆ, MANTIDÆ,
PHASMIDÆ.)

LONDON:

PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & CO., 43 GERRARD STREET, W.;

AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1904.

All rights reserved.

ALERE FLAMMAM.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.



P R E F A C E.

DURING the last few years the Orthoptera of the British Museum have been rearranged throughout by Mr. W. F. Kirby, and now fill 38 cabinets, exclusive of the British collection. In order to carry out this work, Mr. Kirby found it necessary to prepare a complete Catalogue of the Order, which the Trustees have decided to publish in its entirety, believing that it will be found extremely useful to students of Entomology, especially as no recent or complete catalogues of most of the families exist.

In 1892 the number of described species of Orthoptera was estimated at 8000, but this number has since been largely increased ; and Mr. Kirby has himself described numerous new species, chiefly in the 'Annals and Magazine of Natural History' and in the 'Transactions' of the Zoological and Entomological Societies, during the progress of his work. The types of these species are all in the British Museum, with the exception of a few (chiefly African) in the collection of Mr. W. L. Distant.

The most important special collections of Orthoptera in the British Museum are those formed for the preparation of the 'Biologia Centrali-Americana,' of which the families *Forficulidae*, *Blattidae*, *Mantidae*, *Gryllidae*, and *Phasgonuridae* have already been received ; the De Bormans collection of

Forficulidae; and the collections formed by the collectors attached to scientific expeditions to Christmas Island, the Hawaiian Islands, Socotra, and the West Indies (especially St. Vincent and Grenada), and described in the Reports published relative to those expeditions.

The present volume includes five families of Orthoptera, and it is expected that the remaining three will be completed in one (or at most two) more volumes.

The pattern adopted for this Catalogue has been that of Mr. Kirby's unofficial 'Catalogue of Neuroptera Odonata,' published in 1890.

Special thanks are due to Prof. E. B. Poulton for allowing the types of *Blattidae* described by Walker from the collection of the late W. W. Saunders, and now in the Hope Museum at Oxford, to be compared with the British Museum Collection, which has made it possible to determine at least the generic position of nearly the whole of Walker's *Blattidae*.

Mr. Kirby also wishes to thank Messrs. Bolivar, Bruner, Burr, Caudell, and Rehn for early copies of their papers, some of which might otherwise not have reached him in time to be quoted in this volume.

E. RAY LANKESTER,
Director.

BRITISH MUSEUM (NATURAL HISTORY),
London, S.W.
November 7th, 1904.

INTRODUCTION.

In submitting the first volume of a general Catalogue of Orthoptera to the Entomological public, it appears desirable to make some remarks on the most important recent works on the families included in it, and on the general arrangement of the Collection.

Eight principal families of Orthoptera are recognized in the present work, of which the first five—*Forficulidae*, *Hemimeridae*, *Blattidae*, *Mantidae*, and *Phasmidae* (or Earwigs, Cockroaches, Praying Insects or Soothsayers, and Stick Insects or Spectre Insects, including the so-called Walking Leaves)—are catalogued in this volume. Of these the *Forficulidae*, *Blattidae*, and *Mantidae* of Mexico and Central America have been monographed by De Bormans, De Saussure, and Zehntner in the ‘Biologia Centrali-Americana.’

The whole of the Orthoptera in the British Museum were arranged, in the first instance, by Adam White.

The *Forficulidae* were subsequently rearranged by J. O. Westwood, who, however, published little of importance on the family. They are frequently regarded as a distinct order, to which the names Dermaptera and Euplexoptera have been applied. The former name, however, has sometimes been used for the Orthoptera in general. Till recently the *Forficulidae* have been somewhat neglected by Entomologists; but in 1900 a monograph on the *Forficulidae* and *Hemimeridae*, by H. de Bormans and H. Krauss, was published as a volume of the series of

publications edited by F. E. Schulze, under the general title of 'Das Tierreich.' A revised system of classification, by K. W. Verhoeff, was partly sketched out in 1902, in papers in the 'Zoologische Anzeiger,' vol. xxv., and in the 'Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin'; but it has been too incompletely developed to be taken into consideration in the present work.

The Collembola and Thysanura have been included by some authors with the Orthoptera, but are now usually regarded either as small independent orders, or as aberrant families of Neuroptera. I have therefore excluded them from the present Catalogue, with the exception of the genus *Iapyx* (or *Japyx*), belonging to the Thysanura, the species of which are all so deceptively similar to *Forficulidae* that I considered it almost necessary to add them as an Appendix to that family.

The small West-African genus *Hemimerus* was originally described by Walker as belonging to the *Gryllidae* (*Achetidae*), but is now considered to form a distinct family allied to the *Forficulidae*.

The *Blattidae* form a distinct section of the Orthoptera, sometimes called Cursoria; but are not usually regarded as entitled to the rank of a distinct order.

Previous to the publication of the 'Biologia Centrali-Americana,' De Saussure issued a series of important works on the Orthoptera of Central America, especially 'Orthoptères de l'Amérique Moyenne : Blattides' (1864); 'Synopsis des Mantides Américaines' (1871); and 'Recherches Zoologiques pour servir à l'histoire de la Faune de l'Amérique Centrale et du Mexique,' 6^{me} partie (1870-1879). The latter work includes *Blattidae*, *Mantidae*, *Phasmidae*, and *Gryllidae*. He has also published a valuable series of synopses and descriptive papers on various families of Orthoptera, especially on the four families already mentioned, in various periodicals; but chiefly under the title of "Mélanges Orthoptérologiques," in the 'Mémoires de la Société de Physique et d'Histoire Naturelle de Genève,' vol. xviii. (1863-4), and in subsequent volumes.

In 1865 Brunner von Wattenwyl published his ‘Nouveau Système des Blattaires,’ and in 1868 F. Walker, having rearranged the British Museum Collection, published his ‘Catalogue of the Specimens of Blattariae in the British Museum’ (1868), Supplements to which appeared at intervals from 1869 to 1871. Unfortunately, he was unable to consult Brunner’s work while preparing his own.

The *Mantidae* and *Phasmidae* are sometimes treated as a separate section of Orthoptera, called Gressoria.

The *Mantidae* were rearranged by H. W. Bates, and a series of plates were prepared to illustrate them ; but these were not published till 1889, when they were issued accompanied by a complete Catalogue of the Family, and descriptions of new species, by J. O. Westwood, under the title of ‘Revisio Insectorum Familiæ Mantidarum.’

Westwood had previously rearranged the *Phasmidae* in the British Museum ; and in 1859 the Trustees published a monograph on the family, by Westwood, under the title of ‘Catalogue of Orthopterous Insects in the Collection of the British Museum : Part I. Phasmidæ.’

In 1893 Brunner von Wattenwyl published a “Révision des Système des Orthoptères” in the ‘Annali del Museo Civico di Storia Naturale di Genova,’ ser. 2, vol. xiii. The *Forficulidae* and *Hemimeridae* were omitted ; but otherwise the work is the most comprehensive yet published on the Orthoptera as a whole, and includes synopses of the families and genera of the greater part of the order, with the exception of the *Gryllidae* and some families of the *Phasgonuridae*, which had already been monographed by Brunner, De Saussure, and others.

The remaining portion of the present Catalogue will be devoted to the Orthoptera Saltatoria, comprising the families *Achetidae* (or *Gryllidae*), *Phasgonuridae*, and *Locustidae*, or Crickets, Grass-hoppers, and Locusts.

These have been previously catalogued by F. Walker in his

' Catalogue of the Specimens of Dermaptera Saltatoria [and Supplement to the Blattariæ] in the Collection of the British Museum' (5 parts, 1869-1871).

At the conclusion of the work it is proposed to add a Supplement including new genera and species published too late for insertion in their proper places in the Catalogue.

W. F. KIRBY.

NATURAL HISTORY MUSEUM,
SOUTH KENSINGTON.
November, 1904.

N.B.—Species marked with an asterisk in the Catalogue are represented in the Natural History Museum by one or more specimens, and those of which the Museum possesses the types with a double asterisk; ||, as usual, denotes a preoccupied name.

F A M. IV.

M A N T I D E.

S U B F A M. I.

A M O R P H O S C E L I N E.

Genus 1. **Paraoxypilus.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 227 (1870); Mém. Soc. Genève, xxi. p. 153 (1871).
Phthersigena, Stål, (Efsv. Vet.-Akad. Förh. xxviii. p. 400 (1871).
 (Type no. 5.)

- *1. **P. Kraussii**, Sauss. (*Haania K.*) Mém. | Australia.
 Soc. Genève, xxiii. p. 75, pl. 9, f. 26
 (1872); Wood-Mason, Mant. p. 2 (1889).
- 2. **P. Lobifrons**, Stål, Bihang Svenska Akad. | Queensland.
 iv. (10) p. 8 (1877).
- *3. **P. Tasmaniensis**, Sauss. Mitth. Schweiz. Tasmania.
 Ent. Ges. iii. p. 227 (1870); Mém. Soc.
 Genève, xxi. p. 155, pl. 6, ff. 49, 49 A, 50
 (1871).
- *4. **P. Verreauxii**, Sauss. ll. cc. p. 227 | id.
 (1870); p. 157 (1871).
- 5. **P. Conspersus**, Stål, (*Phthersigena Con-* | Cape York.
spersa) (Efsv. Vet.-Akad. Förh. xxviii.
 p. 401 (1871).)

Genus 2. **Discothera.**

Bonnet & Finot, Bull. Soc. Ent. France, (6) iv. p. xxvi (1884);
 Rev. Sci. Nat. Montpellier, (3) iv. p. 202 (1885).

- 1. **D. Tunetana**, Bonnet & Finot, ll. cc. Tunis.
 p. xxvi (1884); p. 202, pl. 7, ff. 1-6 (1885).

Genus 3. **Amorphoscelis.** (*Type* no. 3.)

Stål, (Efsv. Vet.-Akad. Förh. xxviii. p. 401 (1871);
 Wood-Mason, Cat. Mant. p. 4 (1889).

- 1. **A. Annulipes**, Karsch, Ent. Nachr. xviii. | Cameroons.
 p. 145 (1892); Berlin. Ent. Zeitschr.
 xxxix. p. 269, pl. 19, f. 6 (1894).

2. **A. Laxeretis, Karsch,** Berlin. Ent. Togo.
Zeitschr. xxxix. p. 270 (1894).
3. **A. Annulicornis, Stål,** l. c. p. 401 (1871); India.
Wood-Mason, Journ. Asiatic Soc. Bengal,
li. p. 21 (1882); Cat. Mant. p. 4, ff. 1-3
(1889).
- *4. **A. Pellucida, Westw.** Rev. Mant. p. 28 Ceyl., Sing.,
(1889). Australia.
5. **A. Costalis, Westw.** l. c. (1889). Dorey.

Genus 4. **Compsothespis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxiii. p. 64 (1872).

1. **C. Anomala, Sauss.** l. c. pl. 7. f. 13 Cape.
(1872).
2. **C. Falcifera, Rehn,** Proc. Acad. Nat. Galla Land.
Sci. Philadelphia, liii. p. 280 (1901).
3. **C. Tumidiceps, Bol.** An. Soc. Espan. xix.
p. 303 (1890). Philippines.
4. **C. Australiensis, Wood-Mason,** Cat. Australia.
Mant. p. 7, f. 4 (1889).

S U B F A M. II.

EREMIAPHILINÆ.

Genus 5. **Metallyticus.** (*Type* no. 1.)

Westw. Zool. Journ. v. p. 441 (1837).

Metalleutica, Burm. Handb. Ent. ii. p. 526 (1838); Sauss.
Mém. Soc. Genève, xxi. p. 265 (1871); Wood-Mason, Cat.
Mant. p. 9 (1889).

- *1. **M. Splendidus, Westw.** l. c. p. 442, Malabar,
pl. 22, f. 1 (1837). Singapore,
Metalleutica Splendida, Burm. l. c. p. 527. Sumatra,
n. 1 (1838); Sauss. l. c. p. 268 (1871). &c.
M. Splendidus, var. *Viridi-auratus*, Westw.
Rev. Mant. p. 1 (1889).
- *2. **M. Violacea, Burm.** (*Metalleutica V.*) l. c. Java,
p. 527, n. 2 (1838); Charp. Orth. pl. 3 Sumatra.
(1841); Sauss. l. c. p. 267 (1871).
♂. *Metalleutica Vitripennis*, Burm. l. c.
n. 3 (1838).

- Mantis Chalybea*, Serr. Ins. Orth. p. 202 (1839).
 || *Metalleutica Splendida*, Huan, Temminck, Verhandel., Orth. p. 83 (1842).
M. Splendidus, var., Westw. Zool. Journ. v. p. 442 (1837) ; Brit. Cycl. Nat. Hist. p. 359, fig. (1837).
M. Splendidus, var. *Purpureus*, Westw. Rev. Mant. p. 1 (1889).
 *3. **M. Semiaeonus**, Westw. l. c. p. 28, Sarawak.
 pl. 14. f. 3 (1889) ; Shelf. Zoologist, (4) vii. p. 299 (1903).

Genus 6. **Chæteessa.** (*Type* no. 3.)

Burm. Handb. Ent. ii. p. 527 (1838) ; Sauss. Miss. Mex., Orth. p. 230 (1870) ; Mém. Mex., Mant. p. 9 (1871).
Chætessa, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 52 (1869).
 || *Hoplophora*, Perty, Del. Anim. Art. p. 126 (1833) ; Westw. Mod. Classif. Ins. pp. 412, 413 note (1839).

- *1. **C. Caudata**, Sauss. Miss. Mex., Orth. Brazil.
 p. 230 (1870) ; Mém. Mex., Mant. p. 11 (1871) ; Westw. Rev. Mant. p. 1, pl. 14. f. 1 (1889).
 *2. **C. Valida**, Perty, (*Hoplophora V.*) l. c. id.
 p. 126, pl. 25. f. 6 (1833).
C. Valida, Sauss. Mém. Mex., Mant. p. 13 (1871).
 *3. **C. Filata**, Burm. l. c. p. 528 (1838) ; id.
 Sauss. l. c. p. 13 (1871).

Genus 7. **Mantoida.** (*Type* no. 4.)

Newm. Ent. Mag. v. p. 178 (1838) ; Westw. Mod. Classif. Ins. i. p. 413 & note (1839). (*Type* no. 4.)
Annia, Stål, Bihang Svenska Akad. iv. (10) p. 10 (1877). (*Type* no. 5.)

- **1. **M. Maya**, Sauss. & Zehntn. Biol. Yucatan.
 Centr.-Amer., Orth. i. p. 125, pl. 10. ff. 26, 27 (1894).
 *2. **M. Tenuis**, Perty, (*Hoplophora T.*) Del. Brazil.
 Anim. Art. p. 127, pl. 25. f. 7 (1833).
Chætessa Tenuis, Sauss. Mém. Mex., Mant. p. 15 (1871).

<i>M. Luteola</i> , Westw. Rev. Mant. p. 28, pl. 14, f. 14 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 251, f. 141 (1895).	
3. M. Fulgidipennis , Westw. l. c. p. 28, pl. 14, f. 9 (1889).	Amazons.
4. M. Nitida , Newm. l. c. p. 179 (1838).	Para.
5. M. Brunneriana , Sauss. (<i>Charreissa B.</i>) l. c. p. 14 (1871).	Brazil.
6. M. Burmeisteri , Gieb. (<i>Charreissa B.</i>) Zeitschr. ges. Naturw. xx. p. 316 (1862). <i>Annia Burmeisteri</i> , Wood-Mason, Cat. Mant. p. 11 (1889).	Brazil (N. Freiburg).

Genus 8. **Charieis.**

Burr, Proc. Zool. Soc. Lond. 1900, p. 36.

1. C. Peeli , Burr, l. c. p. 37, pl. 2. f. 4 (1900).	Somali Land.
--	-----------------

Genus 9. **Eremiaphila.** (*Type no. 6.*)

Lef. Ann. Soc. Ent. France, iv. p. 468 (1835); Serv. Ins. Orth. p. 209 (1839); Sauss. Mém. Soc. Genève, xxi. p. 244 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 145 (1902).

| *Eremophila*, Burm. Handb. Ent. ii. p. 524 (1838).

*1. E. Typhon , Lef. l. c. p. 499, pl. 12. f. 5 (1835); Sauss. l. c. p. 247, pl. 7. f. 55 (1871); Jacobs. & Bianki, l. c. p. 145 (1902). <i>Eremophila Ehrenbergii</i> , Burm. l. c. p. 525. n. 6 (1838).	Egypt.
--	--------

**2. E. Rotundipennis (<i>Bates, MS.</i>), Kirb., n. n. <i>E. Typhon</i> , var., Sauss. l. c. p. 248 (1871). <i>E. Typhon</i> , Westw. Rev. Mant. p. 28, pl. 14. f. 11 (1890).	id.
--	-----

*2 a. E. Petit[i] , Lef. l. c. p. 500 (1835); Sauss. l. c. p. 265 (1871), <i>larva</i> .	id.
--	-----

3. E. Audouin[i] , Lef. l. c. p. 482, pl. 12. ff. 1, 1 a, b (1835); Serv. l. c. p. 211 (1839); Sauss. l. c. p. 248 (1871). <i>Eremophila Audouini</i> , Burm. l. c. p. 525. n. 1 (1838).	id.
---	-----

4. E. Marchali , Reiche & Fairmaire, Ferret & Galinier, Voy. Abyssinie, iii. p. 421, pl. 27. f. 5 (1847); Sauss. l. c. p. 248 (1871).	Abyssinia.
---	------------

- *5. **E. Cerisy[i], Lef.** l. c. p. 484, pl. 13. ff. 1, 1 a, b (1835); Serv. l. c. p. 211 (1839); Sauss. l. c. p. 249 (1871). Egypt, Arabia.
6. **E. Gene[i], Lef.** l. c. p. 486, pl. 12. ff. 2, 2 a, b (1835); Serv. l. c. p. 212, pl. 3. f. 8 (1839); Sauss. l. c. p. 250 (1871); Jacobs. & Bianki, l. c. p. 145 (1902). Lebanon.
Eremophila Genei, Burm. l. c. p. 525, n. 2 (1838).
- *7. **E. Burmeisteri, Sauss.** l. c. p. 252 (1871). || *Eremophila Zetterstedtii*, Burm. l. c. p. 525, n. 3 (1838). Arabia.
- **8. **E. Turcica, Westw.** l. c. p. 29, pl. 14. f. 2 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 253, f. 144 (1895); Jacobs. & Bianki, l. c. p. 145 (1902). Baghdad.
9. **E. Denticollis, Luc.** Rev. Zool. (2) vii. p. 103 (1855); Sauss. l. c. p. 252 (1871); Vosseler, Zool. Jahrb. Syst. xvi. p. 347 (1902). Algeria.
10. **E. Moreti, Bol.** An. Soc. Espan. xv. p. 513 (1886). W. Sahara.
- *11. **E. Arabica, Sauss.** l. c. p. 254, pl. 7. f. 56 (1871); Wood - Mason, Journ. Asiatic Soc. Bengal. li. p. 22 (1882); Jacobs. & Bianki, l. c. p. 145 (1902). Jeddah, Quetta, N.W. India.
- *12. **E. Somalica, Rehn.** Proc. Acad. Nat. Sci. Philadelphia, liii. p. 276 (1902). Somali Land.
13. **E. Numida, Sauss.** l. c. xxiii. p. 6 (1872); Vosseler, l. c. p. 349 (1902). Algeria.
14. **E. Luxor[i], Lef.** l. c. p. 491, pl. 13. ff. 2, 2 a, b (1835); Serv. l. c. p. 213 (1839); Sauss. l. c. xxi. p. 256 (1871). Egypt (Luxor).
15. **E. Bove[i], Lef.** l. c. p. 492, pl. 12. ff. 4, 4 a, b (1835); Serv. l. c. p. 213 (1839); Sauss. l. c. p. 257 (1871). Suez.
- *16. **E. Hebraica, Lef.** l. c. p. 501 (1835); Sauss. l. c. p. 258 (1871). Egypt.
Sarigny, Deser. Égypte, Orth. pl. 2. f. 4 (1809).
- *17. **E. Lefebvrii, Brunn.** (*Eremophila L.*) l. c. p. 525, n. 5 (1839). *E. Lefebvrii*, Sauss. l. c. p. 264 (1871). id.
18. **E. Spinulosa, Krauss,** Jahresh. Ver. Naturk. Württemb. xlix. p. xcv (1893); Zool. Jahrb. Syst. ix. p. 525, pl. 7. ff. 1. 1 a-d (1896). Algeria.

19. E. Kheych[i] , Lef. l. c. p. 498 (1835). <i>E. Kheychi</i> , <i>Sauss.</i> l. c. p. 262 (1871).	Egypt.
20. E. Savigny[i] , Lef. l. c. p. 494 (1835); <i>Sauss.</i> l. c. p. 259 (1871). —, <i>Savigny</i> , l. c. Orth. pl. 2. f. 3 (1809).	id.
21. E. Hedenborgii , Stål , (<i>Eremophila H.</i>) (Efsv. Vet.-Akad. Förh. xxviii. p. 396 (1871). <i>E. Hedenborgii</i> , <i>Sauss.</i> l. c. xxiii. p. 5 (1872).	Nubia.
22. E. Dentata , Sauss. l. c. xxi. p. 264 (1871). <i>Eremophila Borei</i> , <i>Burm.</i> l. c. p. 525. n. 4 (1838).	Egypt.
23. E. Barbara , Bris. Bull. Soc. Ent. France, (3) ii. p. lxx (1854); <i>Sauss.</i> l. c. p. 262 (1871); <i>Krauss</i> , Verh. zool.-bot. Ges. Wien, lii. p. 234, f. 1 (1902).	Algeria.
24. E. Brevipennis , Sauss. l. c. p. 259 (1871). —, <i>Savigny</i> , l. c. pl. 2. f. 6 (1809).	Egypt.
25. E. Anubis , Lef. l. c. p. 501 (1835); <i>Sauss.</i> l. c. p. 260 (1871). —, <i>Savigny</i> , l. c. pl. 2. f. 2 (1809).	id.
*26. E. Khamsin[i] , Lef. l. c. p. 496, pl. 13. f. 3 (1835); <i>Sauss.</i> l. c. p. 260 (1871).	id., Suez.
27. E. Hralil[i] , Lef. l. c. p. 497 (1835); <i>Sauss.</i> l. c. p. 261 (1871).	Egypt.
28. E. Nilotica , Sauss. l. c. p. 262 (1871). —, <i>Savigny</i> , l. c. pl. 2. f. 1 (1809). <i>E. Hralil</i> (?), <i>Lef.</i> l. c. p. 497, pl. 11. ff. 1, 3–10 (1835).	id.
29. E. Sabulosa , Sauss. l. c. p. 263 (1871).	Suez.
30. E. Aristidis , Luc. Bull. Soc. Ent. France, (5) x. p. lxxv (1880). ○-3415.	id.
31. E. Zetterstedt[ii] , Lef. l. c. p. 489, pl. 12. ff. 3, 3a, b (1835); <i>Serv.</i> l. c. p. 212 (1839); <i>Sauss.</i> l. c. p. 253 (1871).	id., Arabia.

Genus 10. **Heteronutarsus.***Lef. Ann. Soc. Ent. France*, iv. p. 501 (1835).*Heteronychotarsus*, *Sauss.* Mém. Soc. Genève, xxi. p. 242 (1871).

1. H. Aegyptiacus , Lef. l. c. p. 503, pl. 13 b. ff. 1–9 (1835). <i>Heteronychotarsus Aegyptiacus</i> , <i>Sauss.</i> l. c. p. 243 (1871). —, <i>Savigny</i> , Desc. Égypte, Orth. pl. 2. f. 5 (1809), <i>larva</i> (?).	Egypt (Fayum).
--	-------------------

Genus 11. **Theopompa.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 22 (1877).

1. T. Ophthalmica, Oliv. (<i>Mantis Ophthalmica</i>) Encycl. Méth., Ins. vii. p. 637. n. 62 (1792).	Malabar.
<i>Mantis Oratoria, Stoll</i> , Spectres, Mantes, p. 19, pl. 6. f. 23 (1813).	
<i>Mantis Grisea, Licht.</i> Trans. Linn. Soc. Lond. vi. p. 29 note (1802).	
*2. T. Burmeisteri, Haan, (<i>Mantis B.</i>) Temmink, Verhandelingen, Orth. p. 80, pl. 16. ff. 3, 4 (1842).	Java, Borneo.
*3. T. Servillei, Haan, (<i>Mantis S.</i>) l. c. p. 81, pl. 16. ff. 5, 6 (1842). (?) <i>Humbertiella Ophthalmica</i> , ♂, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 224 (1869); Mém. Soc. Genève, xxi. p. 25 (1871).	Java, &c., Malacea.
4. T. Tosta, Stål , Cefv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.
*5. T. Blanchardi, Wood-Mason , Cat. Mant. p. 62 (1891). <i>Mantis Ophthalmica, Blanch.</i> Voy. Pôle Sud, iv. p. 354, pl. 1. f. 6 (1853). <i>Humbertiella Ophthalmica</i> , ♀, Sauss. II. cc. p. 224 (1870); pp. 24, 274 (1871). <i>Humbertiella Servillei</i> , Sauss. Mém. Soc. Genève, xxiii. p. 17 (1872).	Amboina, Ceram.
6. T. Cambodjensis, Westw. Rev. Mant. p. 29 (1889).	Cambodia.
**7. T. Nigropicta, Westw. l. c. p. 29, pl. 2. f. 6 (1889).	Australia.
*8. T. Heterochroa, Gerst. (<i>Humbertiella H.</i>) Mitth. Ver. Vorpomm. xiv. p. 80 (1883). <i>Theopompa Heterochroa</i> , Westw. l. c. p. 29, pl. 2. ff. 4, 7 (1889).	Cameroons, Fernando Po.
**9. T. Westwoodii, Kirb. Ann. Nat. Hist. (7) xiii. p. 81 (1904).	Gold Coast, Ashanti.
10. T. Aurivillii, Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 3, ff. 3-5 (1900).	Cameroons.
11. T. Angusticollis, Sjöst. l. c. p. 5 (1900).	Congo.

Genus 12. **Humbertiella.** (*Type* no. 1.)

Sauss. *Mitth. Schweiz. Ent. Ges.* iii. p. 55 (1869);
Mém. Soc. Genève, xxi. p. 19 (1871).

*1. H. Indica, Sauss. ll. cc. p. 62 (1869); p. 23, pl. 4. f. 6 (1871); <i>Westw. Rev. Mant.</i> p. 4, pl. 2. f. 5 (1889); <i>Wood-Mason, Cat. Mant.</i> pl. 1. f. 5 (1891); <i>Bol. Ann. Soc. Ent. France</i> , 1897, p. 303.	India.
2. H. Assimilata, Wood-Mason, (<i>Theopompa A.</i>) l. c. pl. 1. ff. 2, 4 (1891).	id. (?)
*3. H. Septentrionum, Wood-Mason, (<i>Theopompa S.</i>) l. c. p. 64, pl. 1. f. 3 (1891).	Assam, Travancore.
*4. H. Ceylonica, Sauss. ll. cc. p. 62 (1869); p. 22, pl. 4. f. 5 (1871); <i>Westw. l. c.</i> p. 30, pl. 2. f. 1 (1889). <i>Theopompa Taprobanarum, Wood-Mason,</i> <i>l. c. p. 62, pl. 1. f. 1 (1891).</i>	Ceylon.
*5. H. Ocularis, Sauss. <i>Mém. Soc. Genève</i> , xxiii. p. 16 (1872); <i>Kirb. Ann. Nat. Hist.</i> (7) xiii. p. 82 (1904). <i>Theopompa Ocularis, Wood-Mason, l. c. pl. 1. ff. 6, 7 (1891).</i> <i>Theopompa Disparilis, Westw. l. c. p. 29, pl. 13. ff. 2, 3 (1889).</i>	Borneo, Singapore.
6. H. Semirufula, Westw. (<i>Hapalomantis S.</i>) l. c. p. 37, pl. 1. f. 1, pl. 13. f. 8 (1889).	Sarawak.
7. H. Fuliginosa, Westw. (<i>Hapalomantis F.</i>) l. c. p. 37, pl. 13. f. 6 (1889).	Aru.
**8. H. (?) Brunneri, Kirb. l. c. p. 83 (1904).	Lombok.

Genus 13. **Elæa.** (*Type* no. 1.)

Stål, *Bihang Svenska Akad.* iv. (10) p. 22 (1877).

1. E. Perloides, Sauss. (<i>Humbertiella P.</i>) <i>Mitth. Schweiz. Ent. Ges.</i> iii. p. 61 (1869); <i>Mém. Soc. Genève</i> , xxi. p. 21, pl. 4. ff. 1, 4a (1871).	Senegal.
*2. E. Somalica, Schulth. <i>Ann. Mus. Genova</i> , xxxix. p. 170 (1898).	Somali.
*3. E. Consobrina, Sauss. (<i>Humbertiella C.</i>) l. c. p. 273 (1871).	India, Singapore.

Genus 14. **Tarachodes.** (*Type* no. 13.)

Burm. Handb. Ent. ii. p. 528 (1838).

Chiropus, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869).
(*Type* no. 2.)

Ariusia, *Stål*, Bihang Svenska Akad. iv. (10) p. 12 (1877).
(*Type* no. 6.)

*1. T. Irrorata , Gerst. Mitth. Ver. Vorpomm. xiv. p. 79 (1883).	W. Africa (GoldCoast)
2. T. Dives , Sauss. (<i>Chiropus D.</i>) l. c. p. 61 (1869); Mém. Soc. Genève, xxi. p. 16, pl. 4. ff. 1, 1A (1871).	Benguela; Senegal (eadem?).
2 a. T. Dissimulator , Wood-Mason , Journ. Asiatic Soc. Bengal, li. p. 23 (1882); Cat. Mant. p. 29, ff. 20, 21 (1889).	Cameroons.
*3. T. Afzelii , Stål , (<i>Chiropacha A.</i>) Cf. Vet.-Akad. Förh. xxviii. p. 396 (1871). <i>Chiropus Dives</i> , Westw. Rev. Mant. p. 3, pl. 14. f. 15 (1889).	Sierra Leone.
4. T. Oxycephala , Gerst. l. c. xiv. p. 77 (1883).	Ogowe.
4 a. T. Maculisternum , Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 6 (1900).	W. Africa (Itoki).
*5. T. Pantherina , Gerst. Arch. Nat. xxxv. p. 208 (1869); Von der Decken, Reisen Ost-Afrika, iii. (2) p. 11, pl. 1. f. 5 (1873).	Zanzibar, B.E. Africa.
6. T. Conspersa , Stål , (<i>Ariusia C.</i>) Bihang Svenska Akad. iv. (10) p. 16 (1877).	Damara Land.
7. T. Obtusiceps , Stål , (<i>Chiropacha O.</i>) Cf. Vet.-Akad. Förh. xxviii. p. 396 (1871).	Nubia.
8. T. Insidiator , Wood-Mason , ll. cc. p. 22 (1882); p. 28 (1889).	Nyasa.
*9. T. Æstuans , Sauss. Ann. Mus. Genova, xxxv. p. 91 (1895). <i>T. Media</i> , <i>Schulth.</i> Ann. Mus. Genova, xxxix. p. 171 (1898).	Somali.
*10. T. Modestior , Schulth. Bull. Soc. Vaud. xxxv. p. 192 note (1899). <i>Chiropacha Modesta</i> , <i>Schulth.</i> Zool. Jahrb. viii. Syst. p. 69 (1894). <i>T. Modesta</i> , <i>Schulth.</i> Ann. Mus. Genova, xxxix. p. 173 (1898). <i>T. Schulthessi</i> , <i>Rehn</i> , Proc. Acad. Sci. Philad. liii. p. 279 (1901).	id.

- | | |
|--|------------|
| *11. T. Smithi , Rehn, l. c. p. 278 (1901). | Somali. |
| *12. T. Perloides , Burm. l. c. p. 529 (1838). | Cape, |
| ♀. <i>Chiropacha Maura</i> , Stål, Öfv. Vet.-Akad. | Natal, &c. |
| Förh. xv. p. 168 (1856). | |
| (?) <i>Mantis Nympha</i> , Stoll, Spectres, Mantes, | |
| p. 11, pl. 4. f. 13 (1813). | |
| *13. T. Sancta , Sauss. (<i>Chiropus S.</i>) Mém. | Natal, |
| Soc. Genève, xxi. p. 269 (1871). | Transvaal. |
| <i>Chiropus Insidiator</i> , Kirb. Dist. Ins. Transvaal. p. 34, f. 1 (1902). | |

Genus 15. **Achlæna.** (*Type* no. 1.)

Karsch, Ent. Nachr. xviii. p. 149 (1892).

- | | |
|--|---------------------------------------|
| 1. A. Cryptochroma , Karsch, l. c. p. 150 (1892); Berl. Ent. Zeitschr. xxxix. p. 271, pl. 19. f. 2 (1894). <i>○ 1140</i> | Cameroons. |
| **2. A. Lucubrans , Burch. (<i>Mantis L.</i>) Travels S. Africa, i. p. 465 (1822). <i>Turachodes Lucubrans</i> , Westw. Rev. Mant. p. 29, pl. 6. f. 2 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 249 (1895). | S. Africa
(Gariep R.; Deelfontein) |

Genus 16. **Chiropacha.**

Charp. Germ. Zeitschr. Ent. iii. p. 288 (1841); Orth. pl. 15 (1842); Sauss. Mém. Soc. Genève, xxi. p. 15 (1871).

- | | |
|---|--------|
| 1. C. Gilva , Charp. ll. cc. p. 288 (1841); pl. 15 (1842). | Egypt. |
|---|--------|

Genus 17. **Galepus.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 13 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagasear, Orth. i. p. 149 (1895).

Lyydania, Stål, l. c. p. 14 (1877). (*Type* no. 3.)

- | | |
|---|------------------------------|
| 1. G. Capitatus , Sauss. (<i>Chiropacha Capitata</i>) Mittb. Schweiz. Ent. Ges. iii. p. 61 (1869); Mém. Soc. Genève, xxi. p. 18, pl. 4. f. 2 (1871). <i>Lyydania Capitata</i> , Stål, l. c. p. 17 (1877); Sauss. Abhandl. Senckenb. Ges. xxi. p. 586 (1899). | Zanzibar,
Delagoa
Bay. |
| 2. G. Tenuis , Stål, l. c. p. 17 (1877). | W. Africa. |

*3. G. Meridionalis, Sauss. (<i>Chiropacha M.</i>)	Natal,
l. c. xxiii. p. 10, pl. 9. f. 19 (1872).	Transvaal.
<i>Lygdamia Capitata</i> , Westw. Rev. Mant.	
p. 3, pl. 14. ff. 6, 7 (1889).	
♂. <i>Chiropacha Lenticularis, Sauss.</i> l. c. p. 11,	
pl. 9. f. 18 (1872).	
<i>Lygdamia Lenticularis, Stål</i> , l. c. p. 17	
(1877).	
4. G. Modesta, Gerst. (<i>Tarachodes M.</i>)	Zanzibar.
Arch. f. Nat. xxxv. p. 209 (1869); Von	
der Decken, Reisen Ost-Afrika, iii. (2)	
p. 11 (1873).	
5. G. Madagascariensis, Serv. (<i>Mantis M.</i>)	Madagascar
Ins. Orth. p. 204 (1839).	
5 a. G. Hova, Sauss. & Zehntn. l. c. p. 151,	id.
pl. 7. f. 8 (1895).	

Genus 18. **Paralygdamia.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar,
Orth. i. p. 152 (1895).

1. P. Madecassa, Sauss. & Zehntn. l. c.	Madagascar
p. 53, pl. 7. f. 9 (1895).	

Genus 19. **Pyrgomantis.** (*Type no. 1.*)

Gerst. Arch. Naturg. xxxv. (1) p. 210 (1869); Von der Decken,
Reisen, Ins. p. 17 (1873); Sauss. Mitt. Schweiz. Ent.
Ges. iii. p. 223 (1870); Mém. Soc. Genève, xxi. pp. 177,
272 (1871).

*1. P. Nasuta, Thunb. (<i>Mantis N.</i>) Nov.	S. & E.
Spec. Ins. iii. p. 62 (1784).	Africa.
<i>P. Nasuta, Sanss.</i> Mém. Soc. Genève, xxi.	
p. 272, pl. 7. f. 57 (1871); Wood-Mason, Cat. Mant. p. 32, ff. 22, 23 (1889).	
<i>Mantis Capensis, Gmel.</i> Syst. Nat. i. (4)	
p. 2055. n. 46 (1788); Oliv. Enc. Méth., Ins. vii. p. 634. n. 47 (1792).	
<i>P. Singularis, Gerst.</i> II. ee. p. 210 (1869);	
p. 18, pl. 1. ff. 8, 8 b (1873); Sauss. II. ee.	
p. 223 (1870); p. 177 (1871); Westw.	
Rev. Mant. p. 3, pl. 14. ff. 4, 5 (1889);	
Sharp, Cambridge Nat. Hist., Ins. i.	
p. 252, f. 142 (1895).	
**2. P. Jonesi, Kirb. Ann. Nat. Hist. (7) xiii.	Nigeria.
p. 83 (1904).	

Genus 20. **Didymocorypha.**

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 221 (1877).
Pyrgocotis, Stål, Bihang Svenska Akad. iv. (10) p. 14 (1877).

- *1. **D. Lanceolata, Fabr.** (*Mantis L.*) Suppl.
 Ent. Syst. p. 191 (1798).
D. Ensifera, Wood-Mason, l. c. p. 222
 (1877); Journ. Asiatic Soc. Bengal, li.
 p. 24 (1882); Cat. Mant. p. 34, ff. 24, 25
 (1889).
Pyrgocotis Gracilipes, Stål, l. c. p. 17
 (1877).

India,
 Ceylon.

Genus 21. **Orthodera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 529 (1838).
Bolidena, Blanch. Voy. Pôle Sud, iv. p. 356 (1853). (*Type*
 no. 3.)

- **1. **O. Ministralis, Fabr.** (*Mantis M.*) Syst.
 Ent. p. 277. n. 18 (1775); Oliv. Enc.
 Méth., Ins. vii. p. 630. n. 20 (1792).
O. Prasina, Burm. l. c. p. 530. n. 1 (1838);
 Brancs. Jahresh. Ver. Trencs. Com. xvii.—
 xviii. p. 246, pl. 7. f. 5 b (1896).
Mantis Rubrocoerulea, Serv. Ins. Orth. p. 203
 (1839).
O. Laticollis, Brancs. l. c. f. 5 a (1896).
*2. **O. Novæ-Zealandiæ, Colenso,** (*Mantis*
 N.) Trans. N. Zeal. Inst. xiv. p. 277
 (1882).
 || *Tenodera Intermedia, Huds.* Manual N. Zeal.
 Ent. p. 109, pl. 17. f. 2 (1892).
*3. **O. Hobsonii, Le Guill.** (*Mantis H.*) Rev.
 Zool. 1841, p. 293. n. 6; Blanch. l. c., Orth.
 pl. 1. f. 7 (1853).
♂. *Mantis Gunnii, Le Guill.* l. c. n. 7 (1841).
Bolidena Hobsonii, Blanch. l. c. p. 356
 (1853).
*4. **O. Marginata, Sauss.** Mém. Soc. Genève,
 xxiii. p. 8, pl. 8. f. 1 (1872). =
5. **O. Burmeisteri, Wood-Mason,** Cat.
 Mant. p. 21 (1889).
5a. **O. Longicollis, Brancs.** l. c. xix.—xx.
 p. 61, pl. 1. f. 6 (1897).

N. Zealand.

Tasmania
 (Hobart
 Town).

Swan River.

New
 Guinea.
 id.

Genus 22. **Orthoderella.**

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 13 (1897).

I. O. Ornata, Giglio-Tos, l. c. (1897). | Bolivia.

S U B F A M. III.

C H Æ R A D O D I N Æ.

Genus 23. **Chœradodis.** (*Type* no. 5.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 206 (1839); Sauss. Mém. Soc. Genève, xxi. p. 13 (1871); Mém. Mex., Mant. p. 16 (1871).

Craurusia, Burm. Handb. Ent. ii. p. 542 (1838). (*Type* no. 1.)

1. **C. Strumaria**, Linn. (*Gryllus (Mantis)*) Surinam,
Strumarius Syst. Nat. (ed. x.) i. p. 426. Cayenne.
 n. 10 (1758).

Mantis Strumaria, Fabr. Syst. Ent. p. 276.
 n. 8 (1775); Oliv. Ene. Méth., Ins. vii.
 p. 633. n. 38 (1792).

C. Strumaria, Wood-Mason, Journ. Asiatic
 Soc. Bengal, liii. p. 239, f. 5 (1885); Cat.
 Mant. p. 13, f. 9 (1889); Westw. Rev.
 Mant. p. 3, pl. 8. f. 1 (1889).^v

(Mer. Ins. Sur. pl. 27; Rœs. Ins. Bel. ii.
 Locusta Indica, p. 17, pl. 3.)

|| *Mantis Cancellata*, Licht. Trans. Linn. Soc.
 Lond. vi. p. 25. n. 17 (1802); Stoll, Spectres,
 Mantes, p. 35, pl. 11. f. 42 (1813); Burm.
 l. c. p. 542. n. 50 (1838).

C. Cancellata, Serv. Ins. Orth. p. 206
 (1839); Sauss. Mém. Mex., Mant. p. 19
 (1871).

*2. **C. Peruviana**, Serv. l. c. p. 207 (1839). Nicaragua
 || *C. Rhombicollis*, Wood-Mason, Ann. Nat.
 Hist. (5) vi. p. 161 (1880); Journ. Asiatic
 Soc. Bengal. xlix. p. 82 (1880), liii.
 p. 240, ff. 6, 7 (1885); Cat. Mant. p. 14,
 ff. 11, 12 (1889); De Borre, C. R. Soc.

- Ent. Belge, xxvii. p. exliv, fig. (1883); Westw. l. c. p. 3, pl. 7. ff. 3, 4 (1889); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 126. n. 1, pl. 9. f. 3 (1894). ✓
- *3. **C. Servillei, Wood-Mason**, ll. cc. p. 161 (1880); p. 83 (1880); p. 238, f. 3, p. 240, f. 8 (1885); p. 12, f. 7, pp. 14, 15, f. 12 (1889); Sauss. & Zehntn. l. c. p. 126. n. 2, pl. 9. ff. 1, 2 (1894). Central America.
4. **C. Brunneri, Wood-Mason**, Journ. Asiatic Soc. Bengal, li. p. 21 (1882), liii. p. 248, f. 2, p. 241, f. 9 (1885); Cat. Mant. p. 12, f. 6, p. 15, f. 13 (1889). New Granada.
5. **C. Rhombicollis, Latr.** (*Mantis R.*) Humboldt & Bonpland, Obs. Zool. ii. p. 103, pl. 39. ff. 2, 3 (1833). Hab. — ?
- 5a. **C. Laticollis, Serv.** Ann. Sci. Nat. xxii. p. 51. n. 3 (1831); Ins. Orth. p. 208, pl. 4. f. 2 (1839); Sauss. Mém. Mex., Mant. p. 20 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 16. n. 2 (1877); Wood-Mason, Ann. Nat. Hist. (5) vi. p. 181 (1880); Journ. Asiatic Soc. Bengal, xlix. p. 83. n. 4 (1880), liii. pp. 241, 242, ff. 10, 11 (1885); Cat. Mant. p. 16, ff. 14, 15 (1889); Westw. l. c. p. 3, pl. 8. f. 2 (1889). Surinam, Ecuador, Peru.
- || *C. Strumaria*, Sauss. l. c. p. 18 (1871).
6. **C. Stæli, Wood-Mason**, (*C. Stalii*) ll. cc. p. 162 (1880); p. 83 (1880); p. 242, ff. 12, 13 (1885); p. 17, ff. 16, 17 (1889). Ecuador.
- *7. **C. Rhomboidea, Stoll**, (*Mantis R.*) Spectres, Mantes, p. 39, pl. 12. f. 45 (1813). Surinam, Amazons.
- C. Rhomboidea*, Wood-Mason, ll. cc. p. 162 (1880); p. 84 (1880); p. 242 (1885); p. 17 (1889); Westw. l. c. p. 3, pl. 7. f. 1 (1889). ✓
- || *Mantis Strumaria*, Licht. l. c. p. 26. n. 18 (1802).
- || *C. Strumaria*, Stal, l. c. p. 15. n. 1 (1877). *C. Hyalina*, Serv. Ann. Sci. Nat. xxii. p. 51. n. 2 (1831).
- *8. **C. Cancellata, Fabr.** (*Mantis C.*) Syst. Ent. p. 276. n. 10 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 37 (1792). India, Ceylon.

- C. Cancellata*, *Wood-Mason*, Journ. Asiatic Soc. Bengal, liii. p. 238, f. 1, p. 243 (1885); Cat. Mant. p. 12, f. 5, p. 18 (1889); Westw. l. c. p. 3, pl. 7. f. 6 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 252, f. 143 (1895). ✓
- ? *C. Squilla*, *Luc.* Ann. Soc. Ent. France, (5) ii. p. 32 (1872); Westw. l. c. p. 3, pl. 7. ff. 2, 5 (1889).
- *9. **C. Squilla, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869); Mém. Soc. Genève, xxii. p. 13, pl. 1. ff. 3, 3a (1871); *Wood-Mason*, ll. cc. p. 238, f. 4, pp. 243, 244, ff. 14, 14 (1885); p. 12, f. 8, p. 19, ff. 18, 19 (1889). Ceylon.

S U B F A M. IV.

M A N T I N E.

Genus 24. **Hapalopeza**. (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 23 (1877).

- **1. **H. Occipitalis**, *Westw.* Rev. Mant. p. 36, pl. 13. f. 5 (1889). Hong Kong.
- *2. **H. Nitens, Sauss.** (*Gonypeta(Iridopteryx) N.*) Mém. Soc. Genève, xxii. p. 279 (1871). Cambodia.
- H. Nitens*, Stål, l. c. p. 48 (1877).
- *3. **H. Tigrina**, *Westw.* l. c. p. 37, pl. 14. f. 13 (1889). Singapore, Borneo, &c.
- **4. **H. Maculata**, *Kirb.* Ann. Nat. Hist. (7) xiii. p. 84 (1904). Ceylon.
5. **H. Nigricornis**, *Stål*, l. c. p. 48 (1877). Malacea.
6. **H. Nilgirica**, *Wood-Mason*, Cat. Mant. pl. 2. ff. 4, 4a, b (1891). Nilgiris.

Genus 25. **Nemotha**.*Wood-Mason*, Ann. Nat. Hist. (5) xiii. p. 34 (1884).

1. **N. Metallica**, *Westw.* (*Mantis M.*) Arc. Ent. ii. p. 51, pl. 62. f. 3 (1845). Silhet, Assam.
- N. Metallica*, *Wood-Mason*, l. c. p. 34 (1884); Westw. Rev. Mant. p. 42 (1889).

Genus 26. **Micromantis.**

Sauss. Mittb. Schweiz. Ent. Ges. iii. p. 225 (1870) :
Mém. Soc. Genève, xxi. p. 30 (1871).

- | | |
|--|---------|
| 1. M. Glauca, Sauss. (<i>Iridopteryx G.</i>) Mittb. | Ceylon. |
| Schweiz. Ent. Ges. iii. p. 63 (1869). | |
| <i>M. Glauca, Sauss.</i> Mém. Soc. Genève, xxi. | |
| p. 31, pl. 4, f. 9 (1871). | |

Genus 27. **Compsomantis.**

Micromantis, div. *Compsomantis*, Sauss. Mém. Soc. Genève,
xxiii. p. 23 (1872). *Méth. Orth. W*, p. 23.

- | | |
|---|-----------------------------|
| 1. C. Crassiceps, Haan , (<i>Mantis (Orypilus) C.</i>) Temminck, Verhandel., Orth. p. 87, pl. 17, f. 8 (1842). | Java;
Timor
(eadem?). |
| <i>Gonypeta Crassipes</i> , Sauss. l. c. xxi. p. 59 (1871). | <i>segit. primum</i> |
| <i>Micromantis (Compsomantis) Crassipes</i> , Sauss. l. c. xxiii. p. 23 (1872). <i>Méth. Orth. W</i> , p. 23. | |

Genus 28. **Antissa.**

Ort. v. Akad. 1871, VIII, p. 100 (1871)
Stål, Bihang Svenska Åkad. iv. (10) p. 81 (1877).

- | | |
|--|---|
| *1. A. Pulchra, Fabr. (<i>Mantis P.</i>) Mant. Ins. p. 229, n. 34 (1787); Oliv. Ene. Méth., Ins. vii. p. 631, n. 25 (1792). | India,
Ceylon.
(Cape,
errone?) |
| <i>Mantis Flavocincta</i> , Oliv. l. c. p. 641, n. 11 (1792); Burm. Handb. Ent. ii. p. 531, n. 4 (1838). | |
| <i>Mantis Caffrana</i> , Licht. Trans. Linn. Soc. Lond. vi. p. 31, n. 37 (1802). | |
| <i>Mantis Marginalis</i> , Stoll, Spectres, Mantes, p. 37, pl. 11, f. 43 (1813). | |
| <i>Gonypeta (Antissa) Marginalis</i> , Sauss. Mém. Soc. Genève, xxiii. p. 32, n. 6 (1872). | |
| <i>Gonypeta (Iridopteryx) Micans</i> , Sauss. l. c. xxi. p. 194 (1871). | |

Genus 29. **Odontomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. p. 32 (1871).

- | | |
|--|--------------|
| *1. O. Javana, Sauss. (<i>Acromantis J.</i>) Mitth. | Java, |
| Schweiz. Ent. Ges. iii. p. 230 (1870). | N. India. |
| <i>Micromantis Jarana,</i> Sauss. Mém. Soc. | |
| Genève, xxi. p. 33, pl. 4, f. 11 (1871). | |
| *2. O. Planiceps, Haan, (<i>Mantis (Oxyptilus)</i> | Java, |
| <i>P.</i>) Temminck, Verhandel., Orth. p. 88. | Borneo. |
| n. 11, pl. 17, f. 10 (neq f. 11, neq Gieb.) | |
| (1842). | |
| 3. O. Euphrosyne, Stål, Öfv. Vet.-Akad. | Philippines. |
| Förh. xxxiv. (10) p. 38 (1877). | |

Genus 30. **Anaxandra.**

Stål, Bihang Svenska Akad. iv. (10) p. 81 (1877).

1. **A. Grammica,** Stål, l. c. p. 87 (1877). | Darjiling.

Genus 31. **Iridopteryx.** (*Type* no. 3.)Sauss. Mith. Schweiz. Ent. Ges. iii. p. 55 (1869);
Mém. Soc. Genève, xxi. p. 59 (1871).

- | | |
|--|------------|
| 1. I. Infumata, Sauss. (<i>Gonypteta (Irido-</i> | Egypt (?) |
| <i>pteryx) I.</i>) Mém. Soc. Genève, xxiii. | |
| p. 30 (1872). | |
| <i>I. Infumata,</i> Bol. Ann. Soc. Ent. France, | |
| 1897, p. 305. | |
| *2. I. Reticulata, Haan, (<i>Mantis (Oxyptilus)</i> | Java, |
| <i>R.</i>) Temminck. Verhandel., Orth. p. 87. | Singapore. |
| n. 9, pl. 17, f. 9 (1842). | |
| <i>Mantis Reticulata.</i> Stål, Eugenie's Resa, | |
| Orth. p. 313 (1858). | |
| 3. I. Iridipennis, Sauss. Mith. Schweiz. | Ceylon. |
| Ent. Ges. iii. p. 63 (1869); Mém. Soc. | |
| Genève, xxi. p. 59, pl. 4, f. 14 (1871). | |
| *4. I. Marmorata, Brunn. Ann. Mus. Genova, | Burma. |
| xxxiii. p. 65, pl. 2, f. 20 (1893). | |
| 5. I. (?) Irina, Sauss. (<i>Gonypteta I.</i>) Il. cc. | Amboina. |
| p. 244 (1870); p. 56, pl. 6, f. 42 (1871). | |

Genus 32. **Gonypeta.** (*Type* no. 4.)

Sauss. *Mitth. Schweiz. Ent. Ges.* iii. p. 55 (1869); ¹⁵ Mém. Soc. Genève, xxi. p. 50 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

- | | |
|---|--|
| *1. G. Authæmon , Wood-Mason , Journ. Asiatic Soc. Bengal, li. p. 26 (1882). | Tenasserim. |
| 2. G. Saussurei , Bol. (<i>Iridopteryx S.</i>) Ann. Soc. Ent. France, 1897, p. 305. | S. India
(Madura). |
| 3. G. Vicina , Bol. l. c. p. 307 (1897). | Trichinopoly.
Java,
Ceylon. |
| *4. G. Punctata , Haan , (<i>Mantis (Oxyptilus) P.</i>) Temminck, Verhandel., Orth. p. 85. n. 2, pl. 17. ff. 12, 13 (1842).
<i>G. Punctata</i> , Sauss. Mém. Soc. Genève, xxi. p. 53 (1871). ^{♂ - 15 mm. r}
<i>G. Humbertiana</i> , Sauss. <i>Mitth. Schweiz. Ent. Ges.</i> iii. p. 63 (1869). ^{♀ - 15 mm. r} | ^{♂ - 10 mm. r}
Ceylon.
^{♀ - 10 mm. r}
Premad ♀. 2.6 mm. r |
| 5. G. Fuliginosa , Thunb. (<i>Mantis F.</i>) Mém. Acad. Pétersb. v. p. 291 (1815).
<i>G. Fuliginosa</i> , Wood-Mason, Cat. Mant. pl. 2. ff. 6, 6 a (1889).
♀. <i>G. Femorata</i> , Sauss. l. c. p. 230 (1870); Mém. Soc. Genève, xxi. p. 58 (1871). | Ceylon. |
| 6. G. Aspera , Stål , <i>Oefv. Vet.-Akad. Förh.</i> xxxiv. (10) p. 38 (1877). | Philippines. |
| 7. G. Malayana , Westw. Rev. Mant. p. 37, pl. 13. f. 9 (1889). | Batchian,
Sula, &c. |
| 8. G. Benguelæ , Sauss. <i>Mitth. Schweiz. Ent. Ges.</i> iii. p. 64 (1869); Mém. Soc. Genève, xxi. p. 57 (1871). | Benguela. |
| 9. G. Modesta , Gerst. <i>Mitth. Ver. Vorpomm.</i> xiv. p. 82 (1883). | Came-
roons (?). |
| 10. G. Noctivaga , Krauss , <i>Verh. zool.-bot. Ges. Wien</i> , li. p. 283 (1901). | S.W. Africa
(Windhoek) |
| 11. G. Punctigera , Stål , l. c. xxviii. p. 394 (1871). | Caffraria. |

Genus 33. **Geomantis.**

Pant. An. Soc. Espan. xxv. p. 63 (1896); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

- | | |
|---|--------------------------------------|
| 1. G. Larvoides , Pant. l. c. p. 67, pl. 1, f. 3 (1896); Azam, Bull. Soc. Ent. France, 1898, p. 59; Jacobs. & Bianki, l. c. (1902). | Spain,
Constantinople,
Brussa. |
|---|--------------------------------------|

Genus 34. **Mantellias.**

Westw. Rev. Mant. p. 38 (1889).

- *1. **M. Pubicornis**, Westw. l. c. p. 39 | Amazons.
(1889).

Genus 35. **Mantillica.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

- *1. **M. Nigricans**, Westw. l. c. pl. 14. f. 16 | Upper
(1889). Amazons.
*2. **M. Sialidea**, Westw. l. c. p. 39 (1889). | id. (Ega).

Genus 36. **Armene.**Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877);
Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

1. **A. Alata**, Sauss. (*Ameles A.*) Mém. Soc. | Turkestan.
Genève, xxiii. p. 51 (1872); Fedchenko,
Reise Turk., Orth. p. 13, pl. 1. ff. 6, 7
(1874); Jacobs. & Bianki, l. c. (1902).
Armene Alata, Stål, l. c. p. 49 (1877).

Genus 37. **Entella.** (*Type* no. 3.)Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877);
Sauss. Abhandl. Senckenb. Ges. xxi. p. 594 (1899).

1. **E. Marginella**, Thunb. (*Mantis M.*) Mém. | Hab. — ?
Acad. Pétersb. v. p. 289 (1815).
*2. **E. Nebulosa**, Serv. (*Mantis N.*) Ins. | S. Africa.
Orth. p. 203 (1839).
*3. **E. Delalandii**, Sauss. (*Gonypetia D.*) | id.
Mitth. Schweiz. Ent. Ges. iii. p. 230
(1870); Mém. Soc. Genève, xxi. p. 55,
pl. 4. ff. 12, 13 (1871).
E. Delalandii, Sauss. Abhandl. Senckenb.
Ges. xxi. p. 595 (1899).
4. **E. Jucunda**, Sauss. l. c. (1899). | id.
5. **E. Parva**, Sauss. l. c. p. 594 (1899). | id.
6. **E. (?) Gracilipes**, Sauss. (*Ameles G.*) | id. (?)
Mém. Soc. Genève, xxiii. p. 50 (1872).

Genus 38. **Ligaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877);
Sauss. Abhandl. Senckenb. Ges. xxi. p. 596 (1899).

- | | |
|---|-------------|
| 1. L. Quadrinotata , Stål, l. c. p. 50 (1877). | Transvaal. |
| 2. L. Brevicollis , Stål, l. c. (1877). | id. |
| 3. L. Trigonalis , Sauss. l. c. (1899). | S. Africa. |
| 4. L. Producta , Rehn, Proc. Acad. Sci. Philadelphia, liii. p. 281 (1901). | Galla Land. |

Genus 39. **Bolbe.**

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877).

- | | |
|---|--------------|
| 1. B. Pygmea , Sauss. (<i>Ameles P.</i>) Mém. Soc. Genève, xxi. p. 299 (1871). | N. Australia |
|---|--------------|

Genus 40. **Hapalomantis.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 392 (1871).

- | | |
|--|------------|
| 1. H. Orba , Stål, (<i>Mantis O.</i>) l. c. xiii. p. 169 (1856). | Natal. |
| <i>H. Orba</i> , Stål, l. c. xxviii. p. 393 (1871). | |
| *2. H. Meridionalis , Sauss. (<i>Ameles M.</i>) Mém. Soc. Genève, xxi. p. 297, pl. 7. f. 63 (1871). | S. Africa. |
| 3. H. Natalensis , Sauss. (<i>Ameles N.</i>) l. c. p. 299 (1871). | Natal. |
| *4. H. Debilitata , Westw. (<i>Gonypteta D.</i>) Rev. Mant. p. 37, pl. 14. f. 12 (1889). | id. |

Genus 41. **Sphæromantis.**

Schulth. Ann. Mus. Genova, xxxix. p. 174 (1898).

- | | |
|--|---------|
| 1. S. Spinulosa , Schulth. l. c. p. 175, pl. 2. ff. 3, 3a (1898). | Somali. |
|--|---------|

Genus 42. **Dystacta.**

Sauss. Mém. Soc. Genève. xxi. p. 321 (1871).

- | | |
|--|------------------------|
| *1. D. Alticeps , Schaum, (<i>Mantis A.</i>) Ber. Acad. Berlin, 1853, p. 777, n. 5; Peters' Reise Mossamb. v. p. 113, pl. 7. f. 4 (1852). | East & Central Africa. |
| <i>Cardioptera Alticeps</i> , Sauss. l. c. p. 63 (1871). | |

Dystacta Alticeps, Westw. Rev. Mant. p. 37, pl. 9, f. 8 (1889); Krauss, Verh. zool.-bot. Ges. Wien, li. p. 284 (1901).
♂. *D. Paradoxa*, Sauss. l. c. xxi. p. 323 (1871), xxiii. p. 80, pl. 8, f. 16 (1872); Stål, Bihang Svenska Akad. iv. (10) p. 51 (1877).

Genus 43. **Chroicoptera.**

Stål, Efv. Vet.-Akad. Förl. xxviii. p. 393 (1871); Bihang Svenska Akad. iv. (10) p. 26 (1877).

1. **C. Vidua**, Stål, (*Mantis V.*) Efv. Vet.-Akad. Förl. xiii. p. 169 (1856).
Chroicoptera Vidua, Stål, l. c. xxviii. p. 393 (1871).

Genus 44. **Tropidomantis.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 164 (1895).

1. **T. Madagascar[is]ensis**, Sauss. (*Miopteryx M.*) Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Mém. Soc. Genève. xxi. p. 124 (1871).
T. Madagascariensis, Sauss. & Zehntn. l. c. p. 167, pl. 9, f. 27 (1895).
- *2. **T. Tenera**, Stål, (*Mantis T.*) Eugenie's Resa, Ins. p. 314 (1858). ~~♂. XVLVII.~~
T. Tenera, Sauss. & Zehntn. l. c. p. 168 (1895).
Miopteryx Perla, Westw. Rev. Mant. p. 38 (1889).
♀. *Mantis (Orypilus) Planiceps*, ♂, Hahn, Temminck, Verhandel., Orth. p. 88. n. 11, pl. 17. f. 11 (*nec* 10) (1842).
3. **T. Guttatipennis**, Stål, Bihang Svenska Akad. iv. (10) p. 51 (1877).
- **4. **T. Iridipennis**, Westw. (*Miopteryx I.*) l. c. p. 38 (1889).
- *5. **T. Australis**, Sauss. & Zehntn. l. c. p. 169 (1895).
6. **T. Thalassina**, Sauss. Abhandl. Senckenb. Ges. xxi. p. 593 (1899).
- Madagascar
Singapore, Jan 16 m.m.
pore, &c., Aug 36.
Java,
- India (?).
India.
Queensland,
Murray I.
Nossi Bé.

Genus 45. **Platycalymma.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

1. **P. Latipennis, Westw.** l. c. p. 40, pl. 10. | Madagascar
f. 7 (1889).
Tropidomantis (Platycalymma) Latipennis,
Sauss. & Zehntn. Grandidier, Hist. Madagascar,
Orth. i. p. 169, pl. 9. f. 28
(1895).
2. **P. (?) Madagascariensis, Westw.** l. c.
p. 40 (1889). | id.

Genus 46. **Enicophlebia.** (*Type* no. 1.)Westw. Rev. Mant. p. 39 (1889); Sauss. & Zehntn.
Grandidier, Hist. Madagascar, Orth. i. p. 171 (1895).

- *1. **E. Pallida, Westw.** l. c. p. 39, pl. 1. | Madagascar
f. 10 (1889); Sauss. & Zehntn. l. c.
p. 172, pl. 9. f. 29 (1895).
2. **E. Hilara, Sauss. & Zehntn.** l. c. p. 174,
pl. 9. f. 30 (1895). | id.
3. **E. (?) Tortricoides, Haan,** (*Mantis T.*) | Java.
Temminck, Verhandelingen, Orth. p. 82,
pl. 18. f. 4 (1842); Sauss. & Zehntn. l. c.
p. 177 (1895). | *Teg. with a series
of punctures*

Genus 47. **Myrcinus.**

Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877).

- *1. **M. Tuberosus, Stål,** l. c. p. 46 (1877); | Borneo. *Franschh.*
Westw. Rev. Mant. p. 30, pl. 2. f. 2 | (1889).

Genus 48. **Myrcinellus.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 15 (1898).

1. **M. Festæ, Giglio-Tos,** l. c. p. 16 (1898). | Ecuador.

Genus 49. **Antistia.***Amelis*, subg. *Antistia*, Stål, Gefv. Vet.-Akad. Förh. xxxiii. (3)
p. 69 (1876).*Antistia*, Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877).

1. **A. Maculipennis, Stål,** (*Amelis (Antistia)* | Damara
M.) Gefv. Vet.-Akad. Förh. xxxiii. (3) | Land.
p. 69 (1876).

Genus 50. **Yersinia.** (*Type* no. 1.)

Sauss. *Mitth. Schweiz. Ent. Ges.* iii. p. 59 (1869); Stål, *Bihang Svenska Akad.* iv. (10) p. 27 (1877); Sauss. & Zehntn. *Biol. Centr.-Amer., Orth.* i. p. 153 (1894).
 || *Ameles*, *Sauss. Mém. Mex., Mant.* p. 98 (1871); *Miss. Mex., Orth.* p. 258 (1872).

- | | |
|---|--------------------------|
| 1. Y. Mexicana , Sauss. (<i>Acanthops</i> <i>M.</i>)
<i>Rev. Zool.</i> (2) xi. p. 60 (1859).
<i>Ameles Mexicana</i> , <i>Sauss. Mém. Mex., Mant.</i>
p. 99, pl. 1. ff. 14, 14a, 15 (1871); <i>Miss. Mex., Orth.</i> p. 258 (1872).
<i>Y. Mericana</i> , <i>Sauss. Mitth. Schweiz. Ent. Ges.</i> iii. p. 72 (1869); <i>Sauss. & Zehntn. l. c. p. 153 (1894).
 ♀. <i>Acanthops Aztecus</i>, <i>Sauss. Rev. Zool.</i> (2) xi. p. 60 (1859). </i> | Mexico.

Nebraska. |
| 2. Y. Solitaria , Scudd. <i>Canad. Ent.</i> xxviii.
p. 209 (1896). | |

Genus 51. **Ameles.** (*Type* no. 1.)

Burm. *Handb. Ent.* ii. p. 531 (1838); Sauss. *Mitth. Schweiz. Ent. Ges.* iii. p. 62 (1869); *Mém. Soc. Genève*, xxi. p. 100 (1871); Stål, *Bihang Svenska Akad.* iv. (10) p. 27 (1877); *Bol. Sin. Ortópt. Espan.* p. 58 (1876); Brunn. *Prodr. Eur. Orth.* p. 64 (1882); *Fin. Faune France, Orth.* p. 89 (1889); *Tümp. Geraffl. Mittel-europas*, pp. 211, 212, 236 (1900); Jacobs. & Bianki, *Prem. i Lozhn. Ross. Imp.* p. 147 (1902).

Perlantantis, *Guér. Rev. Zool.* 1843, p. 42. (*Type* no. 1a.)

- | | |
|---|--------------------------------------|
| *1. A. Abjecta , Cyr. (<i>Mantis A.</i>) <i>Ent. Neap.</i> p. 4, pl. 5. f. 4 (1787?).
<i>A. Abjecta</i> , <i>Jacobs. & Bianki</i> , l. c. p. 147 (1902). | S. Europe,
N. Africa,
W. Asia. |
|---|--------------------------------------|

Mantis Spallanzania, *Rossi*, *Mant. Ins.* i. p. 102. n. 226, ii. pl. 5. ff. 6, H (1792); *Fisch. Orth. Eur.* p. 124, pl. 8. ff. 4, 4a, 5 (1853).

A. Spallanzania, *Bol. l. c. p. 59. n. 1, pl. 1. f. 20 (1876); Brunn. l. c. p. 66. n. 2 (1882).*

Mantis Nana, *Charp. Hor. Ent.* p. 91 (1825); *Burm. l. c. p. 531. n. 1 (1838).*

Mantis Soror, *Serv. Ins. Orth.* p. 200 (1839).

	<i>Mantis Brevis</i> , ♀, <i>Ramb.</i> Faune Andal. ii. p. 21, pl. 1. f. 5 (1842).	
1 a.	A. Alliberti, Guér. (<i>Perlamanitis A.</i>) l. c. p. 42 (1843).	Basses Alpes.
*2.	A. Decolor, Charp. (<i>Mantis D.</i>) Hor. Ent. p. 90 (1825); Germ. Zeitschr. Ent. iii. p. 289 (1841); Serv. Ins. Orth. p. 200 (1839); Fisch. Waldh. Orth. Ross. p. 104, pl. 2. f. 6 (1846); Fisch. Orth. Eur. p. 125, pl. 8. f. 6 (1853). <i>Harpax Decolor</i> , <i>Luc.</i> Expl. Alg., Zool. iii. p. 9, pl. 1. f. 4 (1849).	S. Europe, N. Africa.
	<i>Ameles Decolor</i> , <i>Bol.</i> l. c. p. 60, pl. 1. f. 21 (1876); Brunn. Prodr. Eur. Orth. p. 65 (1882); Fin. l. c. p. 89, pl. 3. f. 52 (1889); Tümp. l. c. pp. 212, 236 (1900); Jacobs. & Bianki, l. c. p. 147, pl. 2 (1902).	
2 a.	A. Minima, Charp. (<i>Mantis M.</i>) l. c. p. 91 (1825); Burm. Handb. Ent. ii. p. 531. n. 2 (1838).	S. Russia.
2 b.	A. Pusilla, Eversm. (<i>Mantis P.</i>) Bull. Mosc. xxvii. p. 195 (1854), xxxii. (1) p. 124 (1859). <i>Gonypetum (?) Pusilla</i> , <i>Sauss.</i> Mém. Soc. Genève, xxi. p. 55. n. 4 (1871).	Kirghis Steppes.
3.	A. Paui, Bol. Actas Soc. Espan. 1898, p. 146.	Spain (Morella).
*4.	A. Gracilis, Brullé , (<i>Mantis G.</i>) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 16, pl. 1. f. 4 (1845).	Canaries; Bushire (eadem?).

Genus 52. **Paramelis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Mém. Soc. Genève, xxi. p. 101 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 147 (1902).

*1.	P. Picteti, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869). <i>Ameles Picteti</i> , <i>Sauss.</i> Mém. Soc. Genève, xxi. p. 103 (1871).	S. Europe, Algeria, Cyprus.
	Mantis Nana , <i>Ramb.</i> Faune Andal. ii. p. 22, pl. 1. f. 3 (1842). <i>Harpa Nana</i> , <i>Luc.</i> Expl. Algér. iii. p. 10 (1849).	
	<i>P. Nana</i> , <i>Jacobs.</i> & <i>Bianki</i> , l. c. p. 148 (1902).	

1 a. P. Limbata, Brullé. (<i>Mantis L.</i>) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 15, pl. 1. f. 3 (1838).	Canaries.
*2. P. Assoi, Bol. (<i>Mantis A.</i>) An. Soc. Españ. ii. p. 216 (1873); Sin. Ortópt. Españ. p. 61, pl. 1. f. 22 (1876).	Spain.
3. P. Brevis, Ramb. (<i>Mantis B.</i> ; ♂ nec ♀) l. c. p. 21, pl. 1. f. 4 (1842).	id. (Grenada).
*4. P. Heldreichi, Brunn. (<i>Ameles H.</i>) Prodr. Eur. Orth. p. 67. n. 3. pl. 3. f. 18a,b (1882). <i>P. Heldreichi, Jacobs. & Bianki</i> , l. c. p. 147 (1902).	Greece, Asia Minor, Crimea, Odessa.
5. P. Taurica, Jakovleff , Rev. Russe d'Ent. iii. pp. 41-43, ff. 1, 2 (1903).	Crimea.

Genus 53. **Pseudoyersinia, Kirb.** (n. n.). (*Type no. 1.*)

Yersinia, pt., *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869);
Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148
(1902).

1. P. Brevipennis, Yers. (<i>Mantis B.</i>) Ann. Soc. Ent. France, (3) viii. p. 511, pl. 10. ff. 36-40 (1860).	Hyères.
<i>Ameles Brevipennis</i> , <i>Sauss.</i> Mém. Soc. Genève, xxi. p. 102. n. 2 (1871); Brunn. Prodr. Eur. Orth. p. 68 (1882); Fin. Faune France, Orth. p. 90 (1889).	
2. P. Wagneri, Kitt. (<i>Mantis W.</i>) Bull. Soc. Nat. Mosc. xxii. p. 447, pl. 7. f. 9 (1849). <i>Yersinia Wagneri, Jacobs. & Bianki</i> , l. c. p. 148 (1902).	Kirghis Steppes.
3. P. (?) Aptera, Fuente, (<i>Ameles A.</i>) An. Soc. Españ. xxii. p. 137 (1894).	Spain.

Genus 54. **Astollia, Kirb.** (n. n.).

|| *Stollia, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 55 note (1869).

1. A. Chloris, Oliv. (<i>Mantis C.</i>) Ene. Méth., Ins. vii. p. 639. n. 2 (1792). <i>Mantis Prasinana, Licht.</i> Trans. Linn. Soc. Lond. vi. p. 32. n. 38 (1802).	Surinam.
<i>Mantis Abbreviata, Stoll.</i> Spectres, Mantes, p. 5, pl. 1. f. 4 (1813).	

Genus 55. **Litaneutria.**

Sauss. Soc. Ent. vii. p. 123 (1892) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 154 (1894).	
**1. L. Ocularis, Sauss. l. c. p. 124 (1892) ; Sauss. & Zehntn. l. c. p. 154 (1894). <i>Lithaneutria Ocularis, Sauss. & Zehntn.</i> l. c. pl. 8. ff. 3, 3 a-e (1894).	Mexico, (N. Sonora).
2. L. Minor, Scudd. (<i>Stagmatoptera M.</i>) Rep. U.S. Geol. Surv. Nebraska, p. 251. n. 24 (1872). <i>L. Minor, Scudd.</i> Canad. Ent. xxviii. p. 209 (1896). <i>Mantis (?) sp., Glover,</i> Ill. N. Amer. Ent., Orth. pl. 13. f. 12 (1872).	Nebraska, Texas, Wyoming, E. U. States.
3. L. Borealis, Scudd. l. c. p. 209 (1896).	Nebraska.
4. L. Obscura, Scudd. l. c. pp. 209, 210 (1896).	Ariz., Calif.
5. L. Pacifica, Scudd. l. c. p. 210 (1896).	N. Calif.

Genus 56. **Acontista.** (*Type no. 4.*)

<i>Acontistes, Burm.</i> Handb. Ent. ii. p. 542 (1839); Stål, Bihang Svenska Akad. iv. (10) p. 85 (1877). <i>Acontista, Sauss.</i> Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869) ; Mém. Mex., Mant. p. 31 (1871); Miss. Mex., Orth. p. 236 (1872) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 130 (1894).

*1. A. Perspicua, Fabr. (<i>Mantis P.</i>) Mant. Ins. i. p. 230. n. 36 (1787) ; Oliv. Ene. Méth., Ins. vii. p. 631. n. 27 (1792). <i>A. Perspicua, Sauss.</i> Mém. Mex., Mant. p. 33. n. 1 (1871) ; Miss. Mex., Orth. p. 238, pl. 6. f. 18 (1872). <i>A. Elegans, Sauss.</i> Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869). <i>Mantis Fusca, Oliv.</i> l. c. p. 635. n. 53 (1792). <i>Mantis Truncata, Fabr.</i> Ent. Syst. ii. p. 17. n. 20 (1793) ; Licht. Trans. Linn. Soc. Lond. vi. p. 31. n. 35 (1802) ; Stoll, Spectres Mantes, p. 9, pl. 3. f. 10 (1813).	Cayenne, Guyana, Surinam.
---	---------------------------------

- A. *Truncata*, Sauss. Mém. Mex., Mant. p. 33 (1871); Miss. Mex., Orth. p. 237 (1872); Sauss. & Zehntn. l. c. p. 133. n. 1 (1894).
Mantis Multistriata, Serv. Ins. Orth. p. 199 (1839).
- **2. A. **Westwoodi**, Sauss. & Zehntn. l. c. p. 134. n. 2 (1894). ~~Westw.~~ f. 247.
 || A. *Truncata*, Westw. Rev. Mant. p. 45, pl. 9. ff. 1, 3 (1889).
3. A. **Fuscata**, Stoll, (*Mantis F.*) l. c. p. 57, pl. 19. f. 70 (1813).
- *4. A. **Concinna**, Perty, (*Mantis C.*) Del. Anim. Art. p. 117, pl. 23. f. 5 (1830); Serv. l. c. p. 201 (1839); Charp. Orth. pl. 27 (1842).
 A. *Concinna*, Sauss. Mém. Mex., Mant. p. 38 (1871); Sauss. & Zehntn. l. c. p. 134 (1894).
 || *Mantis Oratoria*, De Geer, Mém. Ins. iii. p. 410. n. 5, pl. 37. f. 2 (1773).
Mantis Aurantiaca, Burm. l. c. p. 531. n. 3 (1838).
Mantis Tricolor, Burm. l. c. p. 543. n. 54 (1838).
Mantis Quadrimaculata, Serv. l. c. p. 201 (1839).
- **5. A. **Eximia**, Pascoe, (*Callimantis E.*) Ann. Nat. Hist. (5) ix. p. 423 (1882).
 A. *Paraensis*, Sauss. & Zehntn. l. c. p. 135. n. 4 (1894).
 A. *Concinna*, var., Sauss. l. c. p. 38 (1871).
- **6. A. **Mexicana**, Sauss. & Zehntn. l. c. p. 135. n. 5 (1894); Rehn, Proc. U. S. Nat. Mus. xxvii. p. 562 (1904).
 A. *Cordillera* ♀ (nec ♂), Sauss. l. c. p. 34 (1871); Miss. Mex., Orth. p. 239 (1872).
- **6 a. A. **Inquinata**, Sauss. & Zehntn. (A. *Mexicana*, var. *Inquinata*) l. c. p. 136, pl. 6. f. 10 (1894).
- **6 b. A. **Championi**, Kirb., n. n.
 || A. *Mexicana*, var. *Quaturomaculata*, Sauss. & Zehntn. l. c. p. 136, pl. 6. f. 8 (1894).
7. A. **Multicolor**, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Sauss. & Zehntn. l. c. p. 136. n. 6 (1894).
- Amazons (Tapajos, Para); Colombia. Surinam. Brazil. Para. Mexico to Panama. Mexico. Guatemala. Guadeloupe

**8. A. Fraterna , Sauss. & Zehntn. l. c. p. 136, n. 7 (1894).	Costa Rica.
9. A. Cayennensis , Sauss. & Zehntn. l. c. n. 8 (1894).	Cayenne.
**10. A. Semirufa , Westw. l. c. p. 45, pl. 9. f. 2 (1889).	Amazons (Ega).
11. A. Amœnula , Gerst. Mitth. Ver. Vorpomm. xx, p. 51 (1889); Sauss. & Zehntn. l. c. p. 137, n. 9 (1894).	Amazons (Pebas).
*12. A. Cordilleræ , Sauss. l. c. iii. p. 62 (1869); Mém. Mex., Mant. p. 34 (1871) (♂ nec ♀); Miss. Mex., Orth. p. 239, pl. 6, f. 17 (1872) (♂ nec ♀); Sauss. & Zehntn. l. c. p. 137, n. 10 (1894).	Vera Cruz.
**13. A. Vitrea , Sauss. & Zehntn. l. c. p. 138. n. 11, pl. 6, f. 9 (1894).	Mexico to Panama.
*14. A. Bimaculata , Sauss. ll. cc. iii. p. 229 (1870); p. 39 (1871); p. 240 (1872); Sauss. & Zehntn. l. c. p. 138, n. 12 (1894).	S. Brazil, Paraguay.
15. A. Brevipennis , Sauss. Miss. Mex., Orth. p. 211 (1872); Mém. Soc. Genève , xxiii. p. 21, pl. 9, f. 20 (1872).	Brazil.

Genus 57. **Tithrone.**

Stål, Bihang Svenska Akad. iv. (10) p. 42 (1877).

*1. T. Roseipennis , Sauss. (<i>Acontista R.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870).	Guiana.
<i>T. Roseipennis</i> , Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 139, n. 1 (1894).	

Genus 58. **Archimantis.** (*Type no. 1.*)**Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869);
Mém. Soc. Genève, xxi. pp. 38, 237 (1871).

*1. A. Latistylus , Serv. (<i>Mantis L.</i>) Ins. Orth. p. 179 (1839); McCoy , Prodr. Zool. Viet. xiii. pl. 130 (1886).	Australia.
<i>A. Latistylus</i> , Sauss. l. c. p. 39 (1871).	

- *2. **A. Brunneriana, Sauss.** l. c. p. 277 N.Australia.
(1871).
- **3. **A. Monstrosa, Wood-Mason,** Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 1, 1^a, b; Westw. Rev. Mant. p. 9, pl. 3, f. 1 (1889).
Mantis Fuscoelytris, McCoy, l. c. text p. 4 (1886).
- *4. **A. Armatus, Wood-Mason,** Ann. Nat. Hist. (4) xx. p. 76 (1877); Proc. Zool. Soc. Lond. 1878, p. 584, pl. 36, ff. 2, 2^a.
- *5. **A. Sobrina, Sauss.** l. c. xxiii. p. 26 (1872). Swan River.

Genus 59. **Pseudomantis.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869);
Mém. Soc. Genève, xxi. p. 34 (1871).

1. **P. (?) Brachyptera, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 586 (1899).
2. **P. (?) Menyharthi, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.-xviii. p. 246, pl. 7, f. 6 (1896).
- *3. **P. Albofimbriata, Stål.** (*Mantis A.*) Eugenie's Resa, Ins. p. 312 (1858).
P. Albofimbriata, Sauss. Mém. Soc. Genève, xxi. p. 34, pl. 4, f. 7 (1871).
- **4. **P. Victorina, Westw.** Rev. Mant. p. 37, pl. 9, f. 6 (1889).
5. **P. Apicalis, Sauss.** (*Mantis A.*) l. c. xxi. p. 291 (1871), xxiii. p. 48 (1872). N.Australia.
- S. Africa.
- Zambesi.
- Tasmania.
- Sydney.

Genus 60. **Omomantis.** (*Type* no. 1.)

Sauss. Abhandl. Senckenb. Ges. xxi. p. 588 (1899).

1. **O. Zebrata, Charp.** (*Mantis Z.*) Orth. pl. 39 (1842).
Pseudomantis Zebrata, Sauss. Mém. Soc. Genève, xxi. p. 37 (1871). S. & E. Africa.
- Hierodula Suavis, Brancs.* Jahresh. Ver. Trencsin. Com. xvii.-xviii. p. 247, pl. 7, f. 7 (1895).
- O. Pardalina, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 589, pl. 37, f. 1 (1899).

2. **O. (?) Fasciata, Thunb.** (*Mantis F.*) Mém. | Hab. — ?
Aead. Pétersb. v. p. 292 (1815).
3. **O. (?) Ocellaria, Drury,** (*Mantis O.*) Ill. | Sierra
Exot. Ent. iii. pl. 43. f. 1 (1782). | Leone.
Mantis (Harpar) Ocellaria, Westw. ed. |
Drury, l. c. iii. p. 57, pl. 43. f. 1 (1837); |
Duncan, Jardine, Nat. Libr., Ins. i. p. 232, |
pl. 7. f. 3 (1840).

Genus 61. **Statilia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 36 (1877).

Pseudomantis, pt., Sauss. Mém. Soc. Genève, xxi. p. 34 (1871); Mém. C. Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

- *1. **S. Nemoralis, Sauss.** (*Pseudomantis N.*) | Manilla,
Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); | Japan.
Mém. Soc. Genève, xxi. pp. 35, 275, pl. 4. |
f. 8, pl. 5. f. 33 (1871). *Mant. grisea* |
♂. *Mantis Orientalis*, Sauss. Mitth. Schweiz. |
Ent. Ges. iii. p. 233 (1870).
- *2. **S. Maculata, Thunb.** (*Mantis M.*) Nov. | Japan,
Spec. Ins. iii. p. 61 (1784); Mém. Soc. | China,
Pétersb. v. p. 291 (1815); Oliv. Ene. Méth., | India,
Ins. vii. p. 634, n. 46 (1792); Haan, | Malacea,
Temminck, Verhandel., Orth. p. 77, pl. 18. | Burma,
f. 5 (1842). | Java,
S. Maculata, Bol. Ann. Soc. Ent. France, | Borneo,
1897, p. 309. | Celebes.
- Pseudomantis Haani*, Sauss. Mém. Soc. |
Genève, xxi. pp. 37, 276 (1871), xxiii. p. 24 |
(1872); Jacobs. & Bianki, l. c. p. 148 (1902). |
Sarawak, |
informal

Genus 62. **Euchomena.** (*Type* no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 45 (1871); Sauss. & Zehntn., Grandidier, Hist. Madagascar, Orth. i. p. 177 (1895).

- *1. **E. Thoracica, Haan**, (*Mantis (Thespis) T.*) Temminck, Verhandel., Orth. p. 94 | Java,
(1842). | Borneo,
E. Thoracica, Wood-Mason, Ann. Nat. Hist. | Singapore.
(5) i. p. 143 (1878); Journ. Asiatic Soc. |
Bengal, li. p. 27 (1882).

<i>Mantis Heteroptera, Haan</i> , l. c. p. 78, pl. 18. f. 1 (nec 2) (1842).	
<i>E. Moluccarum, Sauss.</i> Mém. Soc. Genève, xxiii. p. 27, pl. 8. f. 5 (1872); Sauss. & Zehntn. l. c. p. 179 (1895).	
2. E. Manillensis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 236 (1870); Mém. Soc. Genève, xxi. p. 47, pl. 6. f. 44 (1871).	Manilla.
3. E. Heteroptera, Haan, (Mantis II.) l. c. p. 78, pl. 18. f. 2 (1842).	Sunda Isl., Celebes, Tondano.
<i>E. Heteroptera, Sauss.</i> Mém. Soc. Genève, xxi. p. 48 (1871).	
<i>E. Confusa, Westw.</i> Rev. Mant. p. 9 (1889).	
4. E. Macrops, Sauss. (<i>Miopteryx (?) M.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870),	Cochin China.
<i>E. (?) Macrops, Sauss.</i> Mém. Soc. Genève, xxi. p. 48, pl. 6. ff. 43, 43 a, b (1871).	
5. E. Madecassa, Sauss. ll. cc. p. 236 (1870); p. 41, pl. 6. f. 45 (1871); Sauss. & Zehntn. l. c. p. 179, pl. 10. f. 35 (1895).	Madagascar

Genus 63. **Stenopyga.** (*Type* no. 1.)

Karsch, Ent. Nachr. xviii. p. 146 (1892). 6 - 331?

- *1. **S. Extera, Karsch**, l. c. (1892); Berlin.
Ent. Zeitschr. xxxix. p. 273, pl. 19. f. 5
(1894). C - 344? Cameroons,
Gold Coast.
2. **S. Casta, Gerst.** (*Euchomena (?) C.*)
Mitth. Ver. Vorponim. xiv. p. 83 (1883). Fernando
Po. 0 - 118,

Genus 64. **Mesopteryx.** (*Type* no. 1.)Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870);
Mém. Soc. Genève, xxi. p. 40 (1871).

1. **M. Alata, Sauss.** ll. cc. p. 235 (1870);
p. 40, pl. 5. f. 34 (1871). Manilla,
India.
- *2. **M. Platyccephala, Stål**, (*Tenodera P.*)
Bihang Svenska Akad. iv. (10) p. 56
(1877); Brunn. Ann. Mus. Geneva, xxxiii.
p. 67, pl. 2. f. 21 (1893). N. India,
Tenasserim.
- M. Platyccephala, Wood-Mason*, Journ.
Asiatic Soc. Bengal, li. p. 34 (1882).

3. **M. Robusta**, Wood-Mason, l. c. p. 36 (1882). S. Andaman (?)
 4. **M. Fasciata**, Oliv. (*Mantis F.*) Ene. Java.
 Méth., Ins. vii. p. 640, n. 6 (1792); Burm.
 l. c. p. 534, n. 23 (1838).
Mantis Leptelytra, Licht. Trans. Linn. Soc.
 Lond. vi. p. 20, n. 3 (1802).
 Earlier *Mantis Attenuata*, Stoll, Spectres, Mantes,
 p. 13, pl. 5, f. 16 (1813).
Mantis Exsiccata, Serv. Ins. Orth. p. 176
 (1839). *Lugubris* 3 mo.

Genus 65. **Tenodera**. (*Type* no. 8.)

Burm. Handb. Ent. ii. p. 534 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 94, 292 (1871); Jacobs. & Bianki, Prem. i Lozlin. Ross. Imp. p. 148 (1902).

- | |
|--|
| 1. T. Limbalicollis , Karsch, Ent. Nachr. xviii. p. 7 (1892). Cameroons (Kribi). |
| *2. T. Capitata , Sauss. Mith. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. pp. 95, 293 (1871). E. Africa, Congo (eadem?). |
| *3. T. Herbacea , Serv. (<i>Mantis H.</i>) Ins. Orth. p. 177 (1839); Haan, Temminck, Verhandel., Orth. p. 72 (1842). Senegal, Nyassa. |
| ? <i>T. Herbacea</i> , Sauss. Mém. Soc. Genève, xxi. pp. 98, 295 (1871). |
| *4. T. Costalis , Blanch. (<i>Mantis C.</i>) Voy. Pôle Sud, Zool. iv. p. 353 (1853). Ceram, Celebes, Ind., Siam, Java, &c. |
| <i>Mantis Fusca</i> , Blanch. l.c., Orth. pl. 2. ff. 1, 2 (1853). |
| <i>Mantis Superstitiosa</i> , Serr. l.c. p. 176 (1839). |
| <i>T. Superstitiosa</i> , var. <i>a</i> , Sauss. l. c. p. 296 (1871). |
| ? <i>Mantis Religiosa</i> , Stoll, Spectres, Mantes, p. 63, pl. 21, f. 80 (1813). |
| *5. T. Superstitiosa , Fabr. (<i>Mantis S.</i>) Spec. Ins. i. p. 348, n. 17 (1781); Oliv. Ene. Méth., Ins. vii. p. 632, n. 31 (1792). Africa, Asia, Australia. |
| <i>T. Superstitiosa</i> , Sauss. l. c. pp. 99, 296 (1871); Shelford, Zoologist, (4) vii. pp. 293–303 (1903). |
| 6. T. Madagascariensis , Sauss. & Zehntn. (<i>T. Superstitiosa</i> var. <i>Madagascariensis</i>) Grandjean, Hist. Madagascar, Orth. p. 207, pl. 9, f. 26 (1895). Madagascar |
| 7. T. Brevipennis , Sauss. l. c. p. 297 (1871). Africa (?) |

- *8. **T. Aridifolia, Stoll.** (*Mantis A.*) Spectres, China,
Mantes, p. 65, pl. 22. f. 82 (1813); Serv. Japan,
l. c. p. 178 (1839). India,
T. Aridifolia, Sauss. l. c. pp. 97, 294 (1871); Java, &c.
Jacobs. & Bianki, l. c. p. 149 (1902).
Mantis Chloreudeta, Burm. l. c. p. 535.
n. 24 (1839).
♂. *T. Angustipennis*, Sauss. Mitth. Schweiz.
Ent. Ges. iii. p. 69 (1869).
9. **T. Sinensis, Sauss.** (*T. Aridifolia*, var.
Sinensis) Mém. Soc. Genève, xxi. p. 295,
pl. 7. f. 62 (1871). Ningpo.
- *10. **T. Australasiæ, Leach.** (*Mantis A.*) Australia,
Zool. Mise. i. pl. 34 (1814). Tasmania,
T. Australasiae, Sauss. l. c. p. 96 (1871). New Zea-
land,
Mantis Darchii, MacL. King's Survey Coasts
Austral. ii. p. 454. n. 111 (1827). Ternate,
Mantis Tessellata, Burm. l. c. p. 535. n. 25 Ceram,
(1838). N. Guinea,
N. Zealand.
11. **T. Intermedia, Sauss.** Mitth. Schweiz. Ent.
Ges. iii. p. 233 (1869); Mém. Soc. Genève,
xxi. p. 98 (1871).

Genus 66. **Polyspilota.** (*Type no. 5.*)

Burm. Handb. Ent. ii. p. 534 (1838); Sauss. Mitth. Schweiz.
Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. pp. 86,
286 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp.
p. 149 (1902).

1. **P. Muta, Wood-Mason.** (*Hierodula*
(*Sphodromantis*) M.) Journ. Asiatic Soc.
Bengal, li. p. 30 (1882). Cameroons.
2. **P. Gasconi, Rochebr.** Bull. Soc. Philom.
(7) viii. p. 29 (1884). Senegambia
- *3. **P. Validissima, Gerst.** Mitth. Ver. Vor-
pomm. xiv. p. 89 (1883); Westw. Rev.
Mant. p. 12, pl. 10. ff. 4, 5 (1889). Gold Coast,
Ashanti.
4. **P. Insignis, Wood-Mason,** l. c. p. 33
(1882). Cameroons.
- *5. **P. Variegata, Oliv.** (*Mantis V.*) Enc.
Méth. vii. p. 638. n. 68 (1792); Beauv.
Ins. Afr. Amér. p. 62, Orth. pl. 12. f. 4
(1805); Burm. l. c. p. 534. n. 21 (1838). Africa,
W. Asia,
Borneo
(*eadem*?).
- Mantis Adspersa*, Licht. Trans. Linn. Soc.
Lond. vi. p. 30. n. 30 (1802).

- Mantis Striata*, Stoll, Spectres, p. 34.
pl. 11. f. 41 (1813); Blanch. Hist. Nat.
Ins. iii. p. 12. n. 4 (1840); Haan,
Temminck, Verhandel. Orth. p. 73. n. 19
(1842).
- P. Striata*, Sauss. l. c. xxi. pp. 87, 198
(1871); Gerst. Mitth. Ver. Vorpomm.
xiv. p. 89 (1883).
- *6. **P. Pustulata**, Stoll, (*Mantis P.*) l. c.
p. 59, pl. 20. f. 73 (1813); Serv. Ins.
Orth. p. 186 (1839).
- P. Pustulata*, Sauss. Mém. Soc. Genève,
xxi. pp. 87, 198 (1871).
- Mantis Catenata*, Burm. l. c. p. 534. n. 22
(1838).
- P. Æruginosa*, var. *Viridis*, Sauss. Abhandl.
Senckenb. Ges. xxi. p. 592 (1899); Sjöst.
Bihang Svenska Akad. xxv. (4 : 6) p. 9
(1900).
- Mantis Varia*, Burm. l. c. p. 534. n. 20
(1838).
- M. Signata*, Thub. Mém. Soc. Pétersb. v.
p. 292 (1815).
- P. Æruginosa*, Sauss. & Zehntn. Grand-
didier, Hist. Madagascar, Orth. i. p. 205,
pl. 8. f. 23 (1895); Jacobs. & Bianki, l. c.
p. 149 (1902).
- P. Æruginosa*, var. *Fuscoirrorata*, Sauss.
Abhandl. Senckenb. Ges. xxi. p. 592
(1899).
- ?? *Mantis Æruginosa*, Goeze, Ent. Beytr.
ii. p. 35. n. 29 (1778); Oliv. l. c. p. 642.
n. 23 (1792); (Seba, Thesaurus, iv. p. 76,
pl. 70. ff. 7, 8).
- ?? *Mantis Rubromaculata*, Goeze, l. c. n. 30
(1778); Oliv. l. c. n. 24 (1792); (Seba,
l. c. ff. 9, 10).
- P. Caffra*, Westw. Rev. Mant. p. 35, pl. 11.
f. 7 (1889).
- P. Æruginosa*, var. *Prasina*, Sauss. &
Zehntn. l. c. p. 206 (1895).
- *7. **P. Marginata**, Fabr. (*Mantis M.*) Suppl.
Ent. Syst. p. 191 (1798).
- || *Mantis Variegata*, Serv. l. c. p. 187
(1839).
8. **P. Saussurei**, Borm. Ann. Mus. Genova,
xvi. p. 209 (1880). | Africa,
Madagascar | Mauritius,
Farquhar I. | Shoa.

9. P. Vicina, Serv. (<i>Mantis V.</i>) l. e. p. 187 (1839).	Senegal.
10. P. Laticollis, Karsch, Ent. Nachr. xviii. p. 147 (1892); Berlin. Ent. Zeitschr. xxxix. p. 274, pl. 19. f. 3 (1894).	
11. P. Flavipennis, Karsch, ll. cc. p. 147 (1892); p. 274, pl. 20. f. 9 (1894).	id.
12. P. Marmorata, Schult. Bull. Soc. Vand. xxxv. p. 192, pl. 8. f. 2 (1899).	Delagoa Bay.
13. P. Truncatipennis, Karsch, ll. cc. p. 147 (1892); p. 193, pl. 20. f. 7 (1894).	Cameroons.
14. P. Calabarica, Westw. l. e. p. 35, pl. 11. f. 2 (1889).	Old Calabar.
15. P. (?) Brunneriana, Sauss. Mém. Soc. Genève, xxi. p. 286 (1871).	New Caledonia.

Genus 67. **Tarachomantis.** (*Type* no. 4 a.)

Branes. Jahresh. Ver. Trenesin. Com. xv.-xvi. p. 176 (1893);
Sauss. & Zehntn. Granddidier, Hist. Madagascar, Orth. i.
p. 188 (1895).

1. T. Hova, Sauss. & Zehntn. (<i>Hierodula II.</i>) l. e. p. 189, pl. 7. ff. 12, 13 (1895).	Madagascar
2. T. Sakalava, Sauss. & Zehntn. (<i>Hierodula S.</i>) l. e. p. 190, pl. 8. f. 18 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 590 (1899).	id.
3. T. Betsilea, Sauss. & Zehntn. (<i>Hierodula B.</i>) l. e. p. 191, pl. 8. ff. 16, 17 (1895).	id.
*4. T. Caldwellii, Bates, (<i>Mantis C.</i>) Proc. Zool. Soc. Lond. 1863, p. 479. <i>Hierodula Caldwelli</i> , Sauss. & Zehntn. l. e. p. 192, pl. 8. f. 21 (1895). <i>Hierodula Roseinervis</i> , Stål, Bihang Svenska Akad. iv. (10) p. 58 (1877).	id.
4a. T. Brunneri, Brancs. l. e. p. 177, pl. 10. f. 1 (1893).	id.
*5. T. Rubiginosa, Sauss. & Zehntn. (<i>Hierodula R.</i>) l. e. p. 194 (1895).	id.
*6. T. Betanimena, Sauss. & Zehntn. (<i>Hierodula B.</i>) l. e. p. 196, pl. 8. f. 19 (1895).	id.

7. T. Malagassa , Sauss. & Zehntn. (<i>Hierodula M.</i>) l. c. p. 197, pl. 8. f. 20 (1895); Sauss. l. c. p. 590 (1899).	Madagascar
8. T. (?) Macula , Sauss. & Zehntn. (<i>Hierodula M.</i>) l. c. p. 199, pl. 8. ff. 14, 15 (1895).	id.

Genus 68. **Sphodropoda**. (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 56 (1877).

*1. S. Tristis , Sauss. (<i>Mantis T.</i>) Mém. Soc. Genève, xxi. p. 93 (1871). <i>S. Tristis</i> , Westw. Rev. Mant. p. 13, pl. 10. ff. 2, 9 (1889).	Australia, <i>Jervis Bay</i> Fiji. <i>Praia</i> <i>2</i> <i>Tasmania</i> <i>3</i>
2. S. Dentifrons , Stål, (<i>Hierodula D.</i>) l. c. p. 56 (1877).	Australia.
*3. S. Quinquedens , MacL. (<i>Mantis Q.</i>) King's Surv. Coasts Austral. ii. p. 454. n. 110 (1827). <i>Hierodula Quinquedens</i> , Sauss. l. c. p. 78 (1871); Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 28 (1882).	id.

Genus 69. **Cilnia**.

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 71 (1876).

*1. C. Humeralis , Sauss. (<i>Cardioptera H.</i>) Mém. Soc. Genève, xxi. pp. 195, 281 (1871). <i>C. Humeralis</i> , Stål, Bihang Svenska Handl. iv. (10) p. 53 (1877); Kirb. Ann. Nat. Hist. (7) iv. p. 349 (1899). <i>Hierodula Brevipennis</i> , Schultz. Bull. Soc. Vaud. xxxv. p. 193, pl. 8. f. 3 (1899). <i>Mantis Latipes</i> , Stål, l. c. iii. (14) p. 43 (1875). <i>C. Latipes</i> , Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 71 (1876); Bihang Svenska Akad. iv. (10) p. 53 (1877).	Natal, Transvaal, Nyassa, Delagoa Bay.
---	--

Genus 70. **Sphodromantis.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 57 (1877); Sauss. & Zehntn. Grandidier, Hist. Madag., Orth. i. p. 185 (1895); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 149 (1902).

*1. S. Guttata, Thunb. (<i>Mantis G.</i>) Mém. Acad. Pétersb. v. p. 290 (1815). <i>Mantis Bioculata, Burm.</i> Handb. Ent. ii. p. 537. n. 34 (1838). <i>Hierodula Bioculata, Sauss.</i> Mém. Soc. Genève, xxi. p. 71, pl. 5. ff. 20, 21 (1871); Bol. Sin. Ortópt. Espan. p. 56 (1876); Brunn. Prodr. Eur. Orth. p. 58, pl. 2. f. 13 (1882); Sauss. & Zehntn. l. c. p. 185, pl. 7. f. 10 (1895). <i>S. Bioculata, Jacobs. & Bianki</i> , l. c. p. 149 (1902). <i>Mantis Simulacrum, Serr.</i> Ins. Orth. p. 184 (1839). Var. <i>Mantis Bimaculata, Burm.</i> l. c. p. 537. n. 35 (1838). <i>Mantis Simulacrum, var. Zabou, Serr.</i> l. c. p. 185 (1839).	Malaga, N. Africa, Somali, W. Asia, Baltistan, Ceylon.
2. S. Arabica, Wood-Mason, (<i>Hierodula (Sphodromantis) A.</i>) Journ. Asiatic Soc. Bengal, li. p. 29 (1882). <i>Hierodula Trimacula, Wood-Mason</i> , Ann. Nat. Hist. (5) i. p. 147 (1878).	Oman.
3. S. (?) Rudolfæ, Rehn, (<i>Sphodropoda R.</i>) Proc. Acad. Philad. liii. p. 282 (1901).	Lake Rudolf.
*4. S. Lineola, Burm. (<i>Mantis L.</i>) l. c. p. 537. n. 33 (1838). <i>Hierodula Lineola, Gerst.</i> Mitt. Ver. Vor- pomm. xiv. p. 87 (1883).	W. Africa.
*5. S. Gastrica, Stål, (<i>Mantis G.</i>) Öfv. Vet.- Akad. Förh. xv. p. 308 (1858). <i>Hierodula Gastrica, Sauss.</i> & Zehntn. l. c. p. 187 (1895). <i>Hierodula Bicarinata, Sauss.</i> Mitt. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. p. 74, pl. 5. f. 22 (1871). <i>Hierodula (Sphodromantis) Bicarinata, Wood-Mason</i> , Journ. Asiatic Soc. Bengal, li. p. 28 (1882).	S. & E. Africa.

- Mantis (Stagmatoptera) Kersteni*, Gerst.
Arch. f. Nat. xxxv. p. 209 (1869); Von
der Decken, Reisen Ost-Afrika, Ins.
p. 13 (1873). 6-
- *6. **S. Christina, Kirb.**, n. n.
|| *Mantis Kersteni*, Stål, Bihang Svenska
Akad. iv. (10) p. 57 (1877).
- || *Hierodula Kersteni*, Sauss. & Zehntn. I. c.
p. 187 (1895).
7. **S. Muta, Wood-Mason**, (*Hierodula*
(*Sphodromantis*) M.) I. c. p. 30 (1882).
Polyspilota Pieta, Gerst. Mittb. Ver. Vor-
pomm. xiv. p. 88 (1883). C-240
- || *Hierodula Pieta*, Sjöst. Bihang Svenska
Akad. xxv. (4 : 6) p. 13 (1900)! *
- S. (Hierodula) Coerulea*, Sauss. & Zehntn.
I. c. p. 200, pl. 9. f. 25 (1895).
8. **S. (?) Voelzkowiana, Sauss.** (*Hierodula*
V.) Abhandl. Senckenb. Ges. xxi. p. 591,
pl. 37. ff. 2-4 (ootheca) (1899).
9. **S. Trimacula, Sauss.** (*Hierodula T.*)
Mittb. Schweiz. Ent. Ges. iii. p. 233
(1870); Mém. Soc. Genève, xxi. p. 82,
pl. 5. f. 29 (1871).
- *10. **S. Transcaucasica, Brunn.** (*Hierodula*
T.) Schneider, Naturw. Beitr. Kaukasuss-
länder, p. 88 (1878); Jacobs. & Bianki,
I. c. p. 150 (1902).
? *Hierodula Tenuidentata*, Sauss. Fedchenko,
Reise Turk., Orth. p. 12 (1874).
11. **S. Tenuidentata, Sauss.** (*Hierodula T.*)
Mittb. Schweiz. Ent. Ges. iii. p. 68
(1869); Mém. Soc. Genève, xxi. pp. 75,
197, pl. 5. f. 25 (1871); xxiii. p. 40
(1872); Jacobs. & Bianki, I. c. p. 150
(1902).
- **11a. **S. Harpyia, Westw.** (*Hierodula H.*)
Rev. Mant. p. 35, pl. 5. f. 3 (1889). Ceylon.
- Zanzibar,
B.E. Africa.
- Cameroons,
Gaboon.
- (not +
erectum),
- I. Aldabra.
- China (?).
- Baku,
Turkestan,
Afghanistan
(eadem?).
- Malabar,
Borneo.

Genus 71. **Arria.**

Stål, Bihang Svenska Akad. iv. (10) p. 20 (1877). O-574

1. **A. Cinctipes, Stål**, I. c. p. 46 (1877); | Manipur.
Wood-Mason, Cat. Mant. p. 50 (1891). 681407.

Genus 72. **Hierodula.** (*Type* no. 16 *a.*)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869); Mém. Soc. Genève, xxi. p. 65 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 38 (1877); Jacobs. & Bianki, Prem. i Lozlm. Ross. Imp. p. 150 (1902).

- | | |
|---|---|
| *1. H. Coarcata, Sauss. Il. cc. p. 67 (1869); p. 85, pl. 5. f. 24 (1871); (?) Westw. Rev. Mant. p. 34, pl. 4. f. 1 (1889). | India,
Australia
(<i>eadem?</i>). |
| *2. H. Latipennis, Brunn. Ann. Mus. Genova, xxxiii. p. 69, pl. 2. f. 22 (1893). | Burma. |
| *3. H. Bipapilla, Serv. (<i>Mantis B.</i>) Ins. Orth. p. 188 (1839).
<i>H. Bipapilla</i> , Westw. Rev. Mant. p. 34, pl. 5. f. 2 (1889); Jacobs. & Bianki, l. c. p. 150 (1902).
 <i>H. Patellifera</i> , Westw. l. c. p. 35, pl. 4. f. 5 (1889). | Java,
Siam,
Lombok,
Bouru. |
| *4. H. Patellifera, Serv. (<i>Mantis P.</i>) l. c. p. 185 (1839).
<i>H. Manillensis</i> , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870).
 <i>H. Bipapilla</i> , Sauss. Mém. Soc. Genève, xxi. pp. 79, 197, pl. 5. ff. 28, 28 (1871). | Java,
Philippines. |
| *5. H. Saussurei, Kirb. , n. n.
 <i>H. Simulacrum</i> , Sauss. l. c. p. 77, pl. 5. ff. 23, 23 (1871). | China,
Loochoo,
Moulmein. |
| **6. H. Dispar, Kirb. Monograph of Christmas Island, p. 146 (1900). | Christmas I. |
| *7. H. Raptoria, Stål , (Efsv. Vet.-Akad. Förh. xxxiv. p. 38 (1877). | Philippines. |
| 8. H. Biroi, Brancs. Jahresh. Ver. Trenesin. Com. xix.-xx. p. 61, pl. 1. f. 7 (1897).
<i>H. Punctipectus</i> , Brunn. Abh. Senckenb. Ges. xxiv. p. 212, pl. 16. f. 18 (1898). | N. Guinea,
New Britain |
| 9. H. Timorensis, Haan , (<i>Mantis T.</i>) Temminck, Verhandel., Orth. p. 69 (1842).
<i>H. Timorensis</i> , Sauss. l. c. xxiii. p. 38, pl. 9. f. 24 (1872); Jacobs. & Bianki. l. c. p. 150 (1902).
<i>H. Robusta</i> , Sauss. l. c. xxi. p. 73, pl. 6. f. 53 (1871). | Timor,
Amboina
(<i>eadem?</i>). |

- *10. **H. Grandis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870) ; Mém. Soc. Genève, xxi. p. 80, pl. 5, ff. 27, 27 (1871). Silhet, Tenasserim.
11. **H. Multispinulosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 68 (1893). Burma.
- *12. **H. Unimaculata, Oliv.** (*Mantis U.*) Enc. Méth. vii. p. 640. n. 9 (1792). Coromandel, Bom-
bay, Tonkin.
 ||*Mantis Simulacrum*, Licht. Trans. Linn. Soc. Lond. vi. p. 28. n. 24 (1802) ; Burm. l. c. p. 536. n. 32 (1838).
Mantis Notata, Stoll, Spectres, Mantes, p. 42*, pl. 12. f. 49 (1813).
H. Notata, Sauss. Mém. Soc. Genève, xxi. p. 83, pl. 5. ff. 31, 31 (1871) ; Wood-Mason, Ann. Nat. Hist. (5) i. p. 145 (1878).
- *13. **H. Malaya, Stål**, Bihang Svenska Akad. iv. (10) p. 58 (1877). Malacca.
14. **H. Heterodera, Westw.** l. c. p. 34 (1889). Bengal.
15. **H. (?) Vitrea, Stoll**, (*Mantis V.*) l. c. p. 15, pl. 5. f. 19 (1813). “ Surinam.”
- *15a. **H. Hybrida, Burm.** (*Mantis II.*) l. c. p. 536. n. 31 (1839) ; Haan, l. c. p. 68. n. 6 (1842). Siam,
Malacca,
Java,
Borneo,
Celebes.
- ||*H. Vitrea, Sauss.* Mém. Soc. Genève, xxi. p. 76, pl. 5. f. 26 (1871). Syria (?).
- 15b. **H. Novemdentata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869).
16. **H. Venosa, Oliv.** (*Mantis V.*) l. c. p. 639. n. 73 (1792). Coromandel
Mantis Conspureata, Licht. Cat. Mus. Zool. Hamburg, iii. p. 36 (1796) ; Trans. Linn. Soc. Lond. vi. p. 29. n. 27 (1802).
Mantis Punctata, Stoll, l. c. p. 49, pl. 16. f. 60 (1813).
- *16a. **H. Membranacea, Burm.** (*Mantis M.*) l. c. p. 536. n. 30 (1838). India,
Ceylon.
H. Membranacea, Sauss. l. e. xxi. p. 81, pl. 5. f. 32 (1871).
 ||*H. Biriria, Sauss.* l. e. xxiii. p. 41 (1872) ; Wood-Mason, l. e. (5) i. p. 146 (1878).
 ||*Stagmatoptera Biriria, Sauss.* Mém. Mex., Mant. p. 89, pl. 1. f. 8 (1871).
Stagmatoptera Veneratoria, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870).

- *17. **H. Daphne**, Stål, Cefv. Vet.-Akad. Förh. | Philippines.
xxxiv. (10) p. 38 (1877).
- **18. **H. Westwoodi**, Kirb., n. n. | N. India.
 || *H. Simulacrum*, Westw. l. c. p. 34, pl. 4.
f. 2, pl. 6, f. 5 (1889).
19. **H. Parviceps**, Stål, l. c. p. 38 (1877). | Philippines.
 20. **H. Bankæ**, Gieb. (*Mantis B.*) Zeitsehr. | Banka.
ges. Naturw. xviii. p. 111 (1861).
- **20 a. **H. Dyaka**, Westw. l. c. p. 34, pl. 6. | Borneo,
f. 4 (1889); Shelford, Zoologist, (4) vii. | Sumatra,
pp. 293-299 (1903). | Celebes.
H. Modesta, Brunn. Abhandl. Senckenb.
Ges. xxiv. p. 213, pl. 17, f. 20 (1898). ○-
- *21. **H. Similis**, Gieb. (*Mantis S.*) l. c. p. 111 | Xylophaga
(1861). | Borneo.
H. Gracilicollis, Stål, Bihang Svenska
Akad. iv. (10) p. 58 (1877).
- H. Stigmata*, Brunn. l. c. p. 214, pl. 17. |
f. 2 (1898). ○ - Xylophaga
- *22. **H. Fuscescens**, Blanch. (*Mantis F.*) Voy. | Fiji,
Pôle Snd, Zool. iv. p. 354, pl. 1. f. 5 | Solomon Is.
(1853). | (eadem?).
H. Fuscescens, Sauss. Mém. Soc. Genève,
xxi. p. 81, pl. 5, f. 30 (1871).
23. **H. Lævicollis**, Sauss. l. c. p. 82 (1871). | Amboina.
 *24. **H. Ovata**, Sauss. l. c. p. 285, pl. 7. f. 60 | id.,
(1871). | Ceram.
 25. **H. Aruana, Westw. l. c. p. 35, pl. 4. f. 4 | Aru.
(1889).
H. Tertiata, Brunn. l. c. p. 211, pl. 16. |
f. 16 (1898).
- *26. **H. Everetti**, Kirb., n. n. | Borneo,
 || *H. Notata*, Brunn. l. c. p. 215, pl. 17. | Alor.
f. 22 A (1898).
27. **H. Reticulata**, Brunn. l. c. p. 214, pl. 17. | Lombok,
f. 22 (1898). | Sumbawa.
28. **H. Obtusata**, Brunn. l. c. p. 213, pl. 17. | N. Celebes.
f. 19 (1898).
29. **H. Atrocoxata**, Brunn. l. c. p. 211. | S. Celebes.
pl. 16. f. 15 (1898).
30. **H. Purpurescens**, Brunn. l. c. p. 212. | Minahassa,
pl. 16. f. 17 (1898). | Celebes.
- *31. **H. Sternosticta**, Wood-Mason, Journ. | Australia.
Asiatic Soc. Bengal, ii. p. 31 (1882).

Genus 73. **Rhombodera.** (*Type* no. 4.)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mém. Soc. Genève, xxi. p. 68 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 59 (1877).

- *1. **R. Scutata, Karsch.** Ent. Nachr. xviii. p. 6 (1892). | Angola,
E. Africa.
- *2. **R. Tectiformis, Sauss.** (*Hierodula T.*) |
Mitth. Schweiz. Ent. Ges. iii. p. 232
(1870); Mém. Soc. Genève, xxi. p. 68,
pl. 5, f. 19 (1871).
Hierodula (Rhombodera) Tectiformis, Wood-
Mason, Proc. Zool. Soc. Lond. 1878, p. 580. |
- *3. **R. Butleri, Wood-Mason,** (*Hierodula*
(*Rhombodera*) *B.*) l. e. p. 580, pl. 36.
ff. 3, 3a, b (1878). | N. India.
- *4. **R. Valida, Burm.** (*Mantis V.*) l. e. p. 536.
n. 28 (1838). |
Mantis Basalis, Haan, Temminck, Ver-
handel., Orth. p. 67 (1842). (Hierodula Basalis, Stål, l. e. p. 60. n. 21
(1877). | Java,
Borneo,
Malay
Peninsula.
R. Basalis, Westw. Rev. Mant. p. 33, pl. 5.
ff. 4, 5 (1889); Shelford, Zoologist, (4)
vii. pp. 294, 299. f. 1 (1903). | Australia (?)
- 5. **R. Saussurii, Kirb.,** n. n. | Amboina.
|| *Hierodula Valida, Sauss. Mém. Soc. Genève,*
xxi. p. 69, pl. 5, f. 17 (1871).
- 6. **R. Deflexa, Sauss.** (*Hierodula (Rhombodera) D.*) l. e. p. 283, pl. 7, f. 58 (1871). | Banka.
- *7. **R. Laticollis, Burm.** (*Mantis L.*) l. e. p. 536. n. 29 (1838); Haan, l. e. p. 67 (1842). | Java,
Borneo.
- *8. **R. Haanii, Kirb.,** n. n. | Timor,
Sumatra.
|| *Mantis Valida, Haan, l. e. p. 66 (1842).*
- 9. **R. Medioconstricta, Westw.** l. e. p. 35,
pl. 12, f. 4 (1889). (5 phrd w/ 7 da) | Flores.
- **10. **R. Fratricida, Wood-Mason,** (*Hierodula (Rhombodera) F.*) l. e. p. 581, pl. 36.
ff. 5, 5a (1878). | Malabar,
Borneo.
- *11. **R. Taprobanæ, Wood-Mason,** (*Hierodula T.*) Ann. Nat. Hist. (5) i. p. 146 (1878). | Ceylon,
Java. (5 phrd w/ 7 da)
- || *Hierodula (Rhombodera) Taprobanæ, Wood-*
Mason, Proc. Zool. Soc. Lond. 1878,
p. 583, pl. 36, ff. 7, 7a. |

12. **R. Major, Sauss.** (*Hierodula (Rhombodera) M.*) l. c. xxi. p. 284, pl. 7. f. 59 (1871); xxiii. p. 37, pl. 9. f. 22 (1872).
13. **R. Titania, Stål,** (*Hierodula T.*) l. c. p. 59. n. 19 (1877).
- *14. **R. Extensicollis, Serv.** (*Mantis E.*) Ins. Orth. p. 189 (1839).
Mantis Flava, Haan, l. c. p. 68 (1842).
Hierodula (Rhombodera) Flava, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 31 (1882).
Mantis Macropsis, Gieb. Zeitschr. ges. Naturw. xviii. p. 111 (1861).
Hierodula Macropsis, Sauss. l. c. xxi. pp. 70, 284, pl. 5. f. 18 (1871).
Hierodula Rhomboidalis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870).
Hierodula Lingulata, Stål, l. c. p. 59. n. 18 (1877).
15. **R. Phryne, Stål,** (*Hierodula (Rhombodera) P.*) Cf. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).
- *16. **R. Pustulifera, Wood-Mason,** (*Hierodula (Rhombodera) P.*) Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 6, 6a.
- *17. **R. Atricoxis, Wood-Mason,** (*Hierodula (Rhombodera) A.*) l. c. p. 582, pl. 36. ff. 4, 4a, b (1878). *Mantis (Rhombodera) Atricoxis*, var. *Grandis*, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 31 (1885).
- *18. **R. Tamolana, Brancs.** Jahresh. Ver. Trencsin. Com. xix.-xx. p. 62, pl. 1. f. 8 (1897).
- **19. **R. Pectoralis, Westw.** l. c. p. 33, pl. 1. f. 7 (1889).
- Ternate, &c.
Moluccas.
Java.
Philippines.
Australia,
Bouru,
Obi, Kei.
Australia.
N. Guinea.
id.
Lizard I.

Genus 74. **Mantis.** (*Type no. 1.*)

Linn. Syst. Nat. (ed. x.) i. p. 425 (1758); Geoffr. Hist. Ins. i. p. 399 (1762); Latr. Hist. Nat. Crust. Ins. iii. p. 273 (1802), xii. p. 105 (1804); Burm. Handb. Ent. ii. p. 530 (1838); Serv. Ins. Orth. p. 174 (1839); Sauss. Mém. Soc. Genève, xxi. p. 88 (1871); Sauss. & Zehntn. Grandier, Hist. Madagascar, Orth. i. p. 201 (1895); Brunn. Prodr. Eur. Orth. p. 58 (1882); Tümp. Geradfl. Mitteleurop. p. 235 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 150 (1902).

- *1. **M. Religiosa, Linn.** (*Gryllus (Mantis) Religiosus*) l. c. p. 426. n. 5 (1758).
 —, *Rösel*, Insect. Belust. ii. Locust. Ind. pl. 1 (1749), iv. pl. 12 (1761).
- M. Religiosa*, *Sulz*, Gesch. Ins. p. 78, pl. 8. f. 4 (1776); *Oliv*, Enc. Méth. vii. p. 627. n. 10 (1792); *Panz*, Faun. Germ. fase. I. pl. 8 (1798); *Latr*. l. c. xii. p. 109, pl. 94. f. 3 (1804); *Guér*, Icon. R. Anim., Ins. p. 327, pl. 52. f. 7 (1829-44); *Burm*. l. c. p. 535. n. 26 (1838); *Serv*. l. c. p. 193 (1839); *Duncan*, Nat. Libr., Ins. i. p. 233, pl. 8 (1840); *Fisch*, Waldh. Orth. Ross. p. 100, pl. 2. ff. 1, 2 (1846); *Fisch*, Orth. Enr. p. 129, pl. 2. ff. 6, 7, pl. 8. f. 1 (1853); *Kitt*, Bull. Mose. xxii. p. 443, pl. 7. ff. 7, 8 (1849); *Sauss*, l. c. xxi. p. 91 (1871); *Bol*, Sin. Ortópt. Espan. p. 57, pl. 1. f. 23 (1876); *Brunn*, l. c. p. 59 (1882); *Gerst*, Mitt. Ver. Vorpomm. xiv. p. 86 (1883); *Fin*, Faune France, Orth. p. 87, pl. 3. f. 50 (1889); *Tümp*, l. c. p. 235, pl. 16 (1900); *Jacobs*, & *Bianki*, l. c. p. 151, pl. 4 (1902).
- || *M. Oratoria*, pt., *Fabr*, Syst. Ent. p. 276. n. 14 (1775); *Oliv*, l. c. p. 628. n. 11 (1792); *Licht*, Trans. Linn. Soc. Lond. vi. p. 28. n. 26 (1802).
- M. Maroccana*, *Thunb*, Mém. Aead. Pétersb. v. p. 287 (1815).
- M. Striata*, *Fabr*, Ent. Syst. ii. p. 20. n. 30 (1793).
- M. Radiata*, *Motsch*, *Fisch*, Waldh. l. c. p. 101, pl. 2. f. 3 (1846).
- 1a. **M. Sancta, Fabr.** Mant. Ins. i. p. 228. n. 23 (1787); *Oliv*, l. c. p. 628. n. 14 (1792); *Licht*. l. c. p. 30. n. 33 (1802).
- *2. **M. Sacra, Thunb.** l. c. v. p. 289 (1815); Dist. Nat. in Transvaal, p. 258 (1892); *Kirb*, Ann. Nat. Hist. (7) iv. p. 348 (1899); *Sauss*, Fedchenko, Reise Turk., Orth. p. 12 (1874); *Jacobs*, & *Bianki*, l. c. p. 150 (1902).
- ? || *Mantis Oratoria*, *Stoll*, Spectres, Mantes, p. 53, pl. 17, f. 61 (1813).
- | | |
|--|--|
| | S. & Centr.
Europe,
N. & W.
Asia,
N. Africa. |
| | S. France. |
| | Africa,
India (?),
Borneo (?). |

*2 a. M. Pia, Serv. l. c. p. 193 (1839) ; Stål, Efv. Vet.-Akad. Förh. p. 391 (1871) ; Kirb. l. c. p. 348 (1899).	Africa.
M. Prasina, Sauss. Mém. Soc. Genève, xxi. p. 93 (1871).	
M. Capensis, Sauss. l. c. xxiii. p. 46 (1872).	
*3. M. (?) Prasina, Serv. l. c. p. 195 (1839) ; Sauss. Abhandl. Senckenb. Ges. xxi. p. 592 (1899) ; Sauss. & Zehntn. l. c. p. 203, pl. 9. f. 24 (1895).	Mauritius, Bourbon, Madagascar S. Africa, Sierra Leone.
M. Callifera, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 32 (1882).	
M. Emortalis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869) ; Mém. Soc. Genève, xxi. p. 89, pl. 5. f. 37 (1871).	
*4. M. (?) Natalensis, Stål, (Efv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 391 (1871) ; Sauss. Mém. Soc. Genève, xxi. p. 288 (1871).	Natal, Madagascar
M. Viridis, Sauss. l. c. xxiii. p. 47 (1872) ; Sauss. & Zehntn. l. c. p. 201, pl. 8. f. 22 (1895).	
5. M. Japonica, Sauss. Mith. Schweiz. Ent. Ges. iii. p. 69 (1869) ; Mém. Soc. Genève, xxi. p. 90 (1871) ; Jacobs. & Bianki, l. c. p. 151 (1902).	Japan.
6. M. Mandarinea, Sauss. l. c. xxi. p. 289, pl. 7. f. 61 (1871) ; Jacobs. & Bianki, l. c. p. 151 (1902).	Ningpo.
*7. M. Nobilis, Brunn. Ann. Mus. Genova, xxxiii. p. 70, pl. 2. f. 23 (1893).	Bhamo, Sikhim.
8. M. Octospilotata, Westw. Rev. Mant. p. 35 (1889).	Adelaide.
9. M. (?) Monochroa, Montr. Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 79 (1855).	Woodlark I.

Genus 75. **Callimantis.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) pp. 39, 61 (1877).

1. **C. Floridana, Scudd.** Canad. Ent. xxviii. p. 210 (1896). Florida.
- *2. **C. Antillarum, Sauss.** (*Mantis A.*) Rev. Zool. (2) xi. p. 60 (1859). St. Thomas,
Haiti;
Brazil (?).
- Iris *Antillarum*, Sauss. Mém. Mex., Mant. p. 105 (1871) ; Miss. Mex., Orth. p. 261, pl. 6. f. 16 (1872).

Genus 76. **Stagmomantis.** (*Type* no. 4.)

Sauss. *Mitth. Schweiz. Ent. Ges.* iii. pp. 56, 65 (1869); *Mém. Mex., Mant.* pp. 28, 42 (1871); *Miss. Mex., Orth.* pp. 233, 242 (1872); Sauss. & Zehntn. *Biol. Centr.-Amer., Orth.* i. p. 139 (1894).

- *1. **S. Nahua,** **Sauss.** *ll. cc.* p. 65 (1869); p. 45 (1871); p. 244, *pl. 6. ff. 14, 15* (1872). Mexico,
Costa Rica,
&c.
- 2. **S. Vicina,** **Sauss.** *ll. cc.* p. 229 (1870); p. 46 (1871); p. 245 (1872). Guatemala.
- **3. **S. Heterogamia,** **Sauss.** & **Zehntn.** *l. c.* p. 142. n. 3, *pl. 7. ff. 2, 3* (1894). Panama.
- 3 bis. **S. Theophila,** **Rehn,** *Proc. U. S. Nat. Mus.* xxvii. p. 563 (1904). Costa Rica.
- *4. **S. Carolina,** **Joh.** (*Gryllus Carolinus*) *Amoen. Acad.* vi. p. 396. n. 28 (1763). *Gryllus Irroratus,* Joh. *l. c.* p. 397. n. 29 (1763). Southern
United
States,
N. Mexico.
- Mantis Irrorata,* *Oliv.* *Ene. Méth., Ins.* vii. p. 628. n. 12 (1792); *Licht. Trans. Linn. Soc. Lond.* vi. p. 27. n. 21 (1802).
- (?) *Mantis Nebulosa,* *Thunb.* *Mém. Soc. Pétersb.* v. p. 288 (1815).
Mantis Carolina, *Oliv.* *l. c.* p. 632. n. 31 (1792); Stoll, *Spectres, Mantes,* p. 70, *pl. 24. f. 91* (1813); Burm. *Handb. Ent.* ii. p. 538. n. 38 (1838); Paek. *Guide Stnd. Ins.* pp. 574, 575 (1869).
Phasmomantis Carolina, *Const. Man. Stud. Ins.* p. 107, f. 116 (1895).
- S. Carolinæ,* **Sauss.** *Mém. Mex., Mant.* p. 47 (1871); Sauss. & Zehntn. *l. c.* p. 143. n. 4 (1894); Howard, *Insect Book*, p. 326, f. 215 (1902).
- (?) *Mantis Fuscata,* **Weber,** *Obs. Ent.* p. 97 (1801).
Mantis Cospurcata, **Serr.** *Ins. Orth.* p. 190 (1839).
- Mantis Inquinata,* **Serr.** *l. c.* p. 191 (1839).
- *5. **S. Tolteca,** **Sauss.** (*Mantis (Stagmatoptera) T.*) *Rev. Zool.* (2) xiii. p. 127 (1861).
S. Tolteca, **Sauss.** & **Zehntn.** *l. c.* p. 143. n. 5 (1894). Texas,
Mexico,
Central
America,
Panama.
- S. Carolina,* var. *Tolteca,* **Sauss.** *Mém.*

Mex., Mant. p. 47 (1871); Miss. Mex., Orth. p. 247, pl. 5. f. 5, pl. 6. f. 12 (1872).	
5a. S. Wheelerii, Thom. (<i>Mantis W.</i>) Wheeler, Rep. Expl. Surv. W. 100th Merid. v. Zool. p. 849 (1875).	Colorado(?)
*6. S. Dimidiata, Burm. (<i>Mantis D.</i>) Handb. Ent. ii. p. 539. n. 39 (1838); Berl. Ent. Zeitschr. viii. p. 237 (1864). <i>Mantis Cuticularis</i> , Serr. l. c. p. 189 (1839).	Argentine Republic.
*7. S. Ferox, Sauss. (<i>Mantis F.</i>) Rev. Zool. (2) xi. p. 60 (1859). <i>S. Dimidiata</i> , pt., Sauss. Mém. Mex., Mant. p. 48 (1871); Sauss. & Zehntn. l. c. p. 144. n. 6 (1894). <i>S. Dimidiata</i> , var. <i>Ferox</i> , Sauss. Miss. Mex., Orth. p. 248, pl. 5. f. 6 (1872).	Carolina, Texas, Mexico, Cent. Amer.
*8. S. Stollii, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869). (?) <i>S. Dimidiata</i> , var. e. <i>Stollii</i> , Sauss. Mém. Mex., Mant. p. 49 (1871). <i>Mantis Carolina</i> , Stoll. l. c. p. 71, pl. 24. f. 92 (1813).	Georgia, Virginia, Cuba.
**9. S. Fraterna, Sauss. & Zehntn. l. c. p. 144. n. 7, pl. 9. ff. 7, 8 (1894).	Mex., Guat., Brit. Hond. iid.
**10. S. Maya, Sauss. & Zehntn. l. c. p. 145. n. 8, pl. 9. ff. 5, 6 (1894).	Central America(?).
11. S. Cærulans, Sauss. & Zehntn. l. c. n. 9, pl. 9. f. 9 (1894).	Guatemala.
**12. S. Venusta, Sauss. & Zehntn. l. c. n. 10, pl. 7. ff. 4, 5 (1894).	Mexico.
*13. S. Limbata, Hahn, (<i>Mantis L.</i>) Icones, pl. A. f. 2 (1835). <i>S. Limbata</i> , Sauss. Miss. Mex., Orth. p. 249, pl. 6. f. 11 (1872); Sauss. & Zehntn. l. c. p. 146. n. 11 (1894). <i>Mantis Cellularis</i> , Burm. Handb. Ent. ii. p. 532. n. 12 (1838). <i>Mantis Viridimargo</i> , Burm. l. c. n. 13 (1838). <i>Mantis Latipennis</i> , Burm. l. c. p. 538. n. 37 (1838); Sauss. Mém. Mex., Mant. p. 52 (1871); Westw. Rev. Mant. p. 36, pl. 9. ff. 4, 5 (1889). <i>Mantis Asteca</i> , Sauss. Rev. Zool. (2) xi. p. 60 (1859).	
**14. S. Montana, Sauss. & Zehntn. l. c. p. 146, pl. 9. f. 4 (1894).	Mexico, Guatemala

*15. S. Domingensis, Beauv. (<i>Mantis D.</i>) Ins.	Haiti,
Afr. Amér. p. 61, pl. 12. f. 2 (1805).	Cuba.
<i>S. Domingensis, Sauss.</i> Mém. Mex., Mant. p. 50 (1871); Miss. Mex., Orth. p. 245 (1872); Westw. l. c. p. 36, pl. 4. f. 3 (1889); Sauss. & Zehntn. l. c. p. 146. n. 13 (1894); Rehn, l. c. p. 564 (1904).	
<i>Mantis Cubaensis, Haan</i> , Temminck, Verhandel., Orth. p. 74. n. 27 (1842).	
15 a. S. Albimacula, Burm. (<i>Mantis A.</i>) l. c. p. 534. n. 19 (1838).	Brazil.
**16. S. Androgyna, Sauss. & Zehntn. l. c. p. 147. n. 14, pl. 7. f. 1 (1894).	British Honduras.
17. S. (?) Thalassina, Burm. (<i>Mantis T.</i>) l. c. p. 532. n. 8 (1838).	Brazil.
18. S. (?) Tripunctata, Burm. (<i>Mantis T.</i>) l. c. n. 10 (1838).	Bahia.
19. S. (?) Conspersa, Burm. (<i>Mantis C.</i>) l. c. p. 534. n. 18 (1838).	B. Aires.
20. S. (?) Marginata, Beauv. (<i>Mantis M.</i>) l. c. p. 62, Orth. pl. 12. f. 3 (1805).	Haiti.

Genus 77. **Melliera.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 123 (1892) ;
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 147 (1894).

**1. M. Atopogamia, Sauss. l. c. p. 123 (1892) ; Sauss. & Zehntn. l. c. p. 148, pl. 7. ff. 7, 8 (1894).	Mexico, Guatemala, Nicaragua.
2. M. Major, Sauss. (<i>Acontista M.</i>) Mém. Soc. Genève, xxiii. p. 22 (1872) ; Miss. Mex., Orth. p. 241 (1872).	Brazil.
<i>M. Major, Sauss. & Zehntn.</i> l. c. p. 149. n. 2 (1894).	

Genus 78. **Phasmomantis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869) ; Mém. Soc. Genève, xxi. pp. 42, 278 (1871) ; Mém. Mex., Mant. p. 51 (1871) ; Miss. Mex., Orth. p. 251 (1872) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 149 (1894).

*1. P. Sumichrasti, Sauss. (<i>Mantis (Cardioptera) S.</i>) Rev. Zool. (2) xiii. p. 126 (1861).	Mexico, Texas, Brit. Honduras.
<i>P. Sumichrasti, Sauss.</i> Mém. Mex., Mant.	

p. 55 (1871); Miss. Mex., Orth. p. 252.
pl. 1. ff. 7, 8 (1872); Sauss. & Zehntn.
l. c. p. 149. n. 1 (1894).

♂. *Mantis Mexicana*, Sauss. Rev. Zool. (2)
xiii. p. 127 (1861).

2. **P. Championi, Sauss. & Zehntn. l. e. Panama.
p. 149. n. 2, pl. 7. f. 6 (1894).

Genus 79. **Oxyothespis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 234, 239 (1870).

Oxythespis, Sauss. Mém. Soc. Genève, xxi. p. 127 (1871); Stål,
Bihang Svenska Akad. iv. (10) p. 29 (1877); Jacobs. &
Bianki, Prem. i Lozbn. Ross. Imp. p. 151 (1902).

- | | |
|---|------------------------|
| *1. O. Senegalensis, Sauss. ll. ee. p. 239
(1870); p. 128, pl. 6. ff. 41, 41a, b
(1871). | Senegal,
Abyssinia. |
| *2. O. Granulata, Sauss. ll. ee. p. 239 (1870);
p. 128, pl. 6. ff. 40, 40a (1871). | Senegal,
Lagos. |
| 3. O. Turcomaniæ, Sauss. Mém. Soc.
Genève, xxiii. p. 61 (1872); Fedchenko,
Reise Turk., Orth. p. 19, pl. 1. f. 8 (1874);
Jacobs. & Bianki, l. c. p. 151 (1902). | Turkestan. |

Genus 80. **Nanomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. pp. 29, 115, 310 (1871);
Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

- | | |
|--|--|
| *1. N. Australis, Sauss. l. e. pp. 117, 311,
pl. 7. f. 64 (1871). | Australia. |
| 2. N. (?) Snelleni, Sauss. l. e. p. 313, pl. 7.
f. 65 (1871). | Moluccas. |
| *3. N. (?) Albella, Burm. (<i>Mantis</i> , L.) Handb.
Ent. ii. p. 533. n. 15 (1838).
<i>Miopteryx Laetea</i> , Sauss. Mitth. Schweiz.
Ent. Ges. iii. p. 237 (1870); Mém. Soc.
Genève, xxi. p. 125. n. 5 (1871).
<i>Miopteryx Albella</i> , Sauss. l. e. xxiii. p. 72
(1872). | Java, 12, 13,
Borneo,
Sumatra,
Singapore,
Manilla. |
| 4. N. (?) Miranda, Westw. Rev. Mant.
p. 19. n. 467 (1889).
<i>Miopteryx Mirandula</i> , Westw. l. e. p. 38
(1889). | Sumatra. |

5. N. (?) Hemerobius, Stoll, (<i>Mantis H.</i>)	Ceylon.
Spectres, Mantes, p. 40 (1788); Oliv. Enc. Méth., Ins. vii. p. 638. n. 70 (1792).	
<i>Mantis Fenestrata</i> , Stoll, l. c. pl. 12. f. 46 (1813).	
<i>Mantis Neuroptera</i> , Licht. Trans. Linn. Soc. Lond. vi. p. 31. n. 36 (1802).	
6. N. (?) Fragilis, Westw. (<i>Musonia F.</i>)	Sarawak.
Rev. Mant. p. 31 (1889).	
7. N. (?) Gilolæ, Westw. (<i>Musonia G.</i>) l. c.	Gilolo.
(1889).	
8. N. (?) Variipennis, Westw. (<i>Musonia V.</i>)	Dorey.
l. c. (1889).	
9. N. (?) Bilineata, Westw. (<i>Musonia B.</i>)	Sarawak.
l. c. (1889).	

Genus 81. **Stenomantis.** (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xxi. p. 311 (1871).

*1. S. Novæ-Guineæ, Haan, (<i>Mantis N.</i>)	N. Guinea, Waigiou, Queensland.
Temminck, Verhandel., Orth. p. 76, pl. 17. f. 3 (1842).	
<i>Miomantis Novæ-Guineæ</i> , Sauss. l. c. pp. 121, 308 (1871).	
<i>Nauomantis Novæ-Guineæ</i> , Sauss. l. c. p. 314 (1871).	
1 a. S. Biseriata, Westw. (<i>Xanomantis B.</i>)	Rockhampton.
Rev. Mant. p. 32 (1889).	

Genus 82. **Parathespis.**Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869); 6-15
Mém. Soc. Genève, xxi. p. 132 (1871).

1. P. Humbertiana, Sauss. ll. cc. p. 71	Ceylon.
(1869); xxi. p. 133 (1871); xxiii. p. 63 (1872).	

Genus 83. **Hoplocorypha.** (*Type no. 1.*)

Stål, (Efsv. Vet.-Akad. Förh. xxviii. p. 388 (1871); Sauss. Mém. Soc. Genève, xxiii. p. 63 (1872); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 208 (1895)).

*1. H. Galeata, Gerst. (<i>Mantis (Danuria) G.</i>)	Africa.
Arch. f. Nat. xxxv. p. 210 (1870); Von der Decken, Reisen in Ost-Afrika, Ins. p. 16 (1873).	

<i>Parathespis Galeata</i> , Sauss. l. c. xxii. p. 135 (1871), xxiii. p. 63 (1872).	
<i>Mantis Maera</i> , Stål, l. c. xiii. p. 169. n. 4 (1856).	
<i>H. Macra</i> , Stål, l. c. xxviii. p. 388 (1871); Sauss. & Zehntn. l. c. p. 209 (1895).	
2. H. Rapax , Sauss. Ann. Mus. Genova, xvi. p. 211 (1881).	Shoa.
3. H. Bottegi , Sauss. l. c. xxxv. p. 91 (1895).	Galla Land.
4. H. Boromensis , Brancs. Jahresh. Ver. Trencsin. Com. xvii.-xviii. p. 247, pl. 7. f. 8 a-d (1895).	Zambesi.
*5. H. Grandis , Brancs. l. c. p. 248, pl. 7. f. 9 a-c (1895).	id.
6. H. Aurita , Sauss. & Zehntn. l. c. p. 210, pl. 9. f. 34 (1895).	Madagascar
7. H. Bispina , Sauss. & Zehntn. l. c. p. 211, pl. 9. f. 33 (1895).	id.

Genus 84. **Fulcinea.**

Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

1. F. Alaris , Sauss. (<i>Nanomantis A.</i>) Mém. Soc. Genève, xxi. p. 312 (1871).	Moluccas.
--	-----------

Genus 85. **Calidomantis.** (*Type no. 3.*)

Rehn, Canad. Ent. xxxiv. p. 271 (1901).

|| *Miomantis*, Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 225, 228
(1870); Mém. Soc. Genève, xxi. p. 117 (1871); Rev. Suisse
Zool. v. pp. 184, 788 (1898); Stål, Bihang Svenska Akad.
iv. (10) p. 53 (1877) (*neec Blanch.*).

|| *Photina*, Burm. Handb. Ent. ii. p. 531 (1838).

1. C. Armicollis , Karsch, (<i>Miomantis A.</i>) Ent. Nachr. xviii. p. 148 (1892); Berl. Ent. Zeitschr. xxvii. p. 66 (1892), xxxix. p. 275, pl. 19. f. 4 (1894).	Cameroons.
2. C. Cephalotes , Gerst. (<i>Miomantis C.</i>) Mitth. Ver. Vorpomm. xiv. p. 85 (1883); Sauss. Rev. Suisse Zool. v. p. 187 (1898).	id.

**3. C. Fenestrata, Fabr. (<i>Mantis F.</i>) Spec.	S. & E. Africa.
Ins. i. p. 349. n. 13 (1781); Oliv. Enc. Méth., Ins. vii. p. 629. n. 18 (1792); Burm. Handb. Ent. ii. p. 531. n. 5 (1838).	
<i>Miomantis Fenestrata</i> , Sauss. Mém. Soc. Genève, xxi. p. 119 (1871); Rev. Suisse Zool. v. p. 187 (1898).	
<i>Mantis Nana</i> , Stoll, Spectres, Mantes, p. 66, pl. 22. f. 84 (1813).	
<i>Mantis Vitrata</i> , Olr. Enc. Méth., Ins. vii. p. 639. n. 1 (1792); Serv. Ins. Orth. p. 196 (1839).	
<i>Mantis Forficata</i> , Stoll, l. c. p. 4, pl. 1. f. 2 (1813).	
4. C. Lutescens, Sjöst. (<i>Miomantis L.</i>) Bihang Svenska Akad. xxv. (4 : 6) p. 15 (1900).	Cameroons.
5. C. Preussi, Karsch. (<i>Miomantis P.</i>) Berl. Ent. Zeitschr. xxxvii. p. 148 (1892), xxxix. p. 275, pl. 20. ff. 11, 12 (1894).	id.
6. C. Quadripunctata, Sauss. (<i>Miomantis Q.</i>) Rev. Suisse Zool. v. p. 188 (1898).	S. Africa.
*7. C. Monacha, Fabr. (<i>Mantis M.</i>) Mant. Ins. i. p. 228. n. 21 (1787); Oliv. Enc. Méth., Ins. vii. p. 629. n. 15 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 32 (1802).	S. & E. Africa.
<i>Miomantis Monacha</i> , Kirb. Ann. Nat. Hist. (7) iv. p. 349 (1899).	
8. C. Coxalis, Sauss. (<i>Miomantis C.</i>) l. c. p. 189 (1898).	S. Africa.
*9. C. Caffra, Sauss. (<i>Miomantis C.</i>) Mém. Soc. Genève, xxi. p. 309 (1871); Rev. Suisse Zool. v. p. 195 (1898).	Natal.
10. C. Brevipennis, Sauss. (<i>Miomantis B.</i>) Mém. Soc. Genève, xxiii. p. 68 (1872); Rev. Suisse Zool. v. p. 190 (1898).	Cape, Natal, Zanzibar.
*11. C. Menelikii, Borm. (<i>Miomantis M.</i>) Ann. Mus. Genova, xvi. p. 209, fig. (1881), xviii. p. 705 (1883); Sauss. Rev. Suisse Zool. v. p. 191 (1898).	Shoa.
12. C. Paykullii, Stål. (<i>Miomantis P.</i>) Ofsv. Vet.-Akad. Förh. xxviii. p. 392, note (1871); Sauss. l. c. p. 194 (1898).	Senegal (?).

*13. C. Savignyi, Sauss. (<i>Miomantis S.</i>)	Egypt,
Mém. Soc. Genève, xxiii. p. 69, pl. 8. f. 15 (1872); Rev. Suisse Zool. v. p. 190 (1898); Westw. Rev. Mant. p. 37, pl. 10. f. 1 (1889).	Nubia, Zululand.
14. C. Senegalensis, Schulth. (<i>Miomantis S.</i>)	Senegal.
Bull. Soc. Vaud. xxxv. p. 196 (1899).	
*15. C. Prasina, Burm. (<i>Mantis P.</i>) l. c. p. 543. n. 55 (1838).	Natal.
<i>Mantis Fenestrata</i> , Charp. Orth. pl. 40 (1842).	
<i>Miomantis Semialata</i> , Sauss. Mém. Soc. Genève, xxiii. p. 71, pl. 8. f. 14 (1872); Rev. Suisse Zool. v. p. 191, pl. 9. f. 1 (1898).	
<i>Miomantis Marginalis</i> , var., Sauss. Mém. Soc. Genève, xxi. p. 309 (1871).	
16. C. Saussurei, Schulth. (<i>Miomantis S.</i>)	id., Delagoa B.
l. c. p. 195 (1899).	Senegal, S. Africa.
*17. C. Pellucida, Sauss. (<i>Miopteryx P.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870).	
<i>Miomantis Pellucida</i> , Sauss. Mém. Soc. Genève, xxi. p. 119, pl. 5. ff. 38, 39 (1871); Rev. Suisse Zool. v. p. 191 (1898).	
17 a. C. Clara, Serv. (<i>Mantis C.</i>) l. c. p. 204 (1839).	Senegal.
18. C. Nyassensis, Sauss. (<i>Miomantis N.</i>)	Nyassa.
Rev. Suisse Zool. v. p. 195 (1898).	
19. C. Scabricollis, Gerst. (<i>Miomantis S.</i>)	Gold Coast.
Mith. Ver. Vorpomm. xiv. p. 84 (1883); Sauss. l. c. p. 192 (1898).	
*20. C. Pharaonis, Sauss. (<i>Miomantis P.</i>)	Egypt.
l. c. p. 193 (1898).	
21. C. Gracilis, Karsch. (<i>Miomantis G.</i>) Ent.	Cameroons.
Nachr. xviii. p. 149 (1892), xxxix. p. 275, pl. 20. f. 10 (1894).	

Genus 86. **Iris.** (*Type no. 1.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc. Genève, xxi. p. 105 (1871); Mém. Mex., Mant. p. 104 (1871); Miss. Mex., Orth. p. 261 (1872); Bol. Sin. Ortópt. Esp. p. 63 (1876); Brunn. Prodr. Eur. Orth. p. 60 (1882); Finot, Faune France, Orth. p. 88 (1890); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 151 (1902).

*1. I. Oratoria, Linn. (<i>Gryllus (Mantis) Oratorius</i>) Syst. Nat. (ed. x.) i. p. 426. n. 6 (1758).	N. Africa, S. Europe, W. Asia.
<i>Mantis Oratoria, Linn.</i> op. cit. (ed. xii.) i. (2) p. 690. n. 6 (1766) (<i>excl. syn.</i>) ; Charp. Hor. Ent. p. 89 (1825) ; Orth. pl. 16 (1842) ; Burm. Handb. Ent. ii. p. 540. n. 44 (1838) ; Serv. Ins. Orth. p. 195 (1839) ; Fisch. Orth. Eur. p. 127 (1853).	
<i>Iris Oratoria, Sauss.</i> Mém. Soc. Genève, xxi. p. 106 (1871) ; Fedchenko, Reise Turk., Orth. p. 15 (1874) ; Bol. l. c. p. 64 (1876) ; Brunn. l. c. p. 61, pl. 2. f. 15 a, b (1882) ; Finot, l. c. p. 88, pl. 3. f. 51 (1890) ; Sharp, Cambridge Nat. Hist., Ins. i. p. 248, f. 140 (1895) ; Jacobs. & Bianki, l. c. p. 152, pl. 2 (1902).	
<i>Mantis Bella, Germ.</i> Faun. Ins. Eur. fasc. 6, pl. 16 (1817).	
<i>Mantis Minima, Charp.</i> Hor. Ent. p. 91 (1825) ; Burm. l. c. p. 531. n. 2 (1838) ; Fisch. Waldh. Orth. Ross. p. 105 (1846).	
<i>Mantis Fenestrata, Brullé</i> , Exp. Morée, p. 84, pl. 29. f. 5 (1832).	
<i>Mantis Polystictica, Fisch.</i> Waldh. l. c. p. 102, pl. 2. f. 4 (1846).	
2. I. Fasciata, Oliv. (<i>Mantis F.</i>) Enc. Méth., Ins. vii. p. 640. n. 4 (1792) ; Lieht. Trans. Linn. Soc. Lond. vi. p. 30. n. 34 (1802).	Surinam, Cayenne.
<i>Mantis Strigosa, Stoll</i> , Spectres, Mantes, p. 56, pl. 18. f. 68 (1813).	
<i>I. Strigosa, Sauss.</i> Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869) ; Mém. Mex., Mant. p. 104 (1871).	
*3. I. Orientalis, Wood-Mason , Journ. Asiatic Soc. Bengal, li. p. 32 (1882).	India.
4. I. Masoni, Westw. Rev. Mant. p. 32, pl. 1. f. 6 (1889).	id.
5. I. Rogenhoferi, Sauss. Mém. Soc. Genève, xxiii. p. 55, pl. 8. f. 9 (1872).	Natal.

Genus 87. **Oxyophthalmus.** (*Type* no. 1.)

Oxyophthalmus, *Sauss.* Ann. Soc. Ent. France, (4) i. p. 469 (1861).

Oxyophthalma, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); *Mém. Soc. Genève*, xxi. p. 270 (1871), xxiii. p. 12 (1872).

- | | |
|--|-----------|
| 1. O. Gracilis , <i>Sauss.</i> Ann. Soc. Ent. France, (4) i. p. 470, pl. 11, f. 1 (1861); <i>Mém. Soc. Genève</i> , xxi. p. 271 (1871). | Ceylon. |
| 2. O. Engæus , <i>Wood-Mason</i> , Cat. Mant. p. 37, f. 28 (1889). | Nilgiris. |

Genus 88. **Paroxyophthalmus.** (*Type* no. 1.)

Wood-Mason, Cat. Mant. p. 38 (1889).

- | | |
|--|------------|
| 1. P. Collaris , <i>Sauss.</i> (<i>Oxyophthalmus C.</i>) <i>Mém. Soc. Genève</i> , xxiii. p. 14, pl. 9, f. 17 (1872). | Sonaar. |
| 2. P. (?) Savatieri , <i>Rochebr.</i> (<i>Oxyophthalma S.</i>) Bull. Soc. Philom. (7) vii. p. 176 (1883). | Senegambia |

Genus 89. **Episcopus.**

Sauss. *Mém. Soc. Genève*, xxiii. p. 12 (1872).

- | | |
|--|------------------|
| *1. E. Chalybeus , <i>Burm.</i> (<i>Schizocephala Chalybea</i>) Handb. Ent. ii. p. 552, n. 2 (1838). <i>Oxyophthalma Chalybea</i> , <i>Sauss.</i> l. c. p. 12, pl. 8, ff. 2, 2a (1872). <i>E. Chalybeus</i> , <i>Wood-Mason</i> , Journ. Asiatic Soc. Bengal, li. p. 24 (1882); Cat. Mant. p. 38, f. 29 (1889). | S. & E. Africia. |
|--|------------------|

Genus 90. **Paraepiscopus.**

Wood-Mason, Cat. Mant. p. 39 (1889). *Conspicuus*.

- | | |
|---|-----------|
| 1. P. Hampsoni , <i>Wood-Mason</i> , l. c. p. 40, f. 30 (1889), <i>O. 16 # 7</i> . | Nilgiris. |
|---|-----------|

Genus 91. **Dysaules.** (*Type* no. 1.)

Stål, *Bihang Svenska Akad.* iv. (10) p. 15 (1877);
Wood-Mason, *Cat. Mant.* p. 41 (1889).

- | | |
|---|------------------------|
| *1. D. Longicollis, Stål, l. c. p. 18 (1877); | India. |
| Wood-Mason, l. c. p. 41, f. 31 (1889). | |
| <i>D. Longicollis</i> , var. <i>Brevipennis</i> , Wood-Mason, <i>Journ. Asiatic Soc. Bengal</i> , li. p. 25 (1882). | |
| *2. D. Himalayanus, Wood-Mason, <i>Cat. Mant.</i> p. 42, ff. 42, 43 (1889). | N.W. India,
Quetta. |
| <i>D. Longicollis</i> , Wood-Mason, <i>Journ. Asiatic Soc. Bengal</i> , li. p. 25 (1882). | |

Genus 92. **Schizocephala.**

Serv. *Ann. Sci. Nat.* xxii. p. 55 (1831); *Ins. Orth.* p. 166 (1839);
Burm. *Handb. Ent.* ii. p. 552 (1838); Sauss. *Mém. Soc. Genève*, xxi. p. 135 (1871).

- | | |
|---|---------|
| *1. S. Bicornis, Linn. (<i>Gryllus (Mantis) B.</i>) | Africa, |
| <i>Syst. Nat.</i> (ed. x) i. p. 426. n. 8 (1758); | India, |
| <i>Mus. Ludov. Ulr.</i> p. 116 (1764); Oliv. | China. |
| <i>Enc. Méth.</i> , <i>Ins.</i> vii. p. 632. n. 35 (1792). | |
| <i>Mantis Oculata</i> , <i>Fabr. Spec. Ins.</i> i. p. 348. | |
| n. 16 (1781); Oliv. l. c. n. 33 (1792); | |
| <i>Licht. Trans. Linn. Soc. Lond.</i> vi. p. 20. | |
| n. 2 (1802); Stoll, <i>Spectres, Mantes</i> , pp. 32, 43, pl. 10. f. 38, pl. 13. f. 53 (1813). | |
| <i>S. Bicornis</i> , <i>Burm.</i> l. c. p. 552. n. 1 (1838); | |
| Serv. <i>Ins. Orth.</i> p. 167 (1839); Sauss. l. c. p. 137 (1871); Wood-Mason, <i>Cat. Mant.</i> p. 44, f. 34 (1889). | |
| <i>Mantis Stricta</i> , Oliv. l. c. p. 641. n. 12 (1792). | |
| <i>S. Stricta</i> , Serv. <i>Ann. Sci. Nat.</i> xxii. p. 56 (1831). | |

Genus 93. **Leptocola.** (*Type* no. 1.)Gerst. *Mitth. Ver. Vorpomm.* xiv. p. 91 (1883).

- | | |
|---|---------------------------------|
| *1. L. Gracillima, Gerst. l. c. p. 92 (1883).
<i>Euchomena Stanleyana, Westw. Rev. Mant.</i>
p. 33 (1889). | Cameroons,
Congo,
Gaboon. |
| *2. L. Giraffa, Karsch, Berl. Ent. Zeitschr.
xxxix. p. 277 (1894).
 <i>L. Gracillima, Karsch,</i> Ent. Nachr. xviii.
p. 11 (1892). | Cameroons. |
| 3. L. Lignea, Karsch, l. c. p. 12 (1892). | Tanganyika. |
| 4. L. Seriepunctata, Karsch, l. c. p. 10
(1892). | Chinchoxo. |
| 5. L. Tenuissima, Karsch, l. c. p. 146
(1892); Berlin. Ent. Zeitschr. xxxix.
p. 276, pl. 19. f. 1 (1894). | Cameroons. |

Genus 94. **Solygia.** (*Type* no. 1.)Stål, *Bihang Svenska Akad.* iv. (10) p. 32 (1877).|| *Thespis, Serv. Ins. Orth.* p. 171 (1839).

- | | |
|---|-------------------------------|
| 1. S. Sulcatifrons, Serv. (<i>Thespis S.</i>) l. c.
p. 171 (1839). | Cape,
Senegal. |
| 2. S. Agrionina, Gerst. (<i>Mantis (Photina)</i>
Arch. Nat. xxxv. p. 209 (1869); Von
der Decken, <i>Reisen in Ost-Afrika, Ins.</i>
p. 13 (1873). | Zanzibar. |
| **3. S. (?) Distanti, Kirb. Ann. Nat. Hist.
(7) iv. p. 350 (1899); Dist. Ins. Transv.
p. 38, pl. 2. f. 5 (1902). | Transvaal,
Zululand. |
| 4. S. Phthisica, Sauss. (<i>Mantis P.</i>) <i>Mitth.</i>
Schweiz. Ent. Ges. iii. p. 70 (1869); <i>Mém.</i>
Mex., <i>Mant.</i> p. 131 (1871). | W. Africa
(nec
Brazil). |
| 5. S. (?) Bormantiella, Borm. (<i>Thespis B.</i>)
Ann. Mus. Genov. xvi. p. 210 (1881).
<i>Thespis Cormantiella, Westw. Rev. Mant.</i>
p. 6 (1889). | Shoa. |

Genus 95. **Teddia.**

Burr, Bull. Liverpool Mus. ii. p. 42 (1899) ;
Forbes, Nat. Hist. Sokotra, p. 415 (1903).

1. **T. Dioscoris, Burr, ll. cc. p. 43 (1899) ; | Sokotra.
p. 416, pl. 25. ff. 3, 3a, b (1903).

Genus 96. **Brunneria.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869), p. 240 (1870) ;
Mém. Mex., Mant. p. 132 (1871).

*1. B. Subaptera, Sauss. ll. cc. p. 71 (1869);	Argentina.
p. 133, pl. 2. f. 30 (1871).	
*2. B. Brasiliensis, Sauss. ll. cc. p. 240 (1870);	Brazil.
p. 135, pl. 2. ff. 31, 31a (1871).	
3. B. Borealis, Scudd. Canad. Ent. xxviii.	Texas.
p. 212 (1896).	
4. B. (?) Caudata, Sauss. (<i>Thespis</i> (?) <i>C.</i>)	Brazil.
Mith. Schweiz. Ent. Ges. iii. p. 238 (1870).	
<i>B. (?) Caudata, Sauss.</i> Mém. Mex., Mant.	
p. 136, pl. 2. f. 32 (1871).	

Genus 97. **Thespis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 54 (1831) ; Burm. Handb. Ent. ii.
p. 533 (1838), *sect. typ.*

Angela, Serr. Ins. Orth. p. 171 (1839) ; Sauss. Mém. Mex.,
Mant. p. 57 (1871) ; Miss. Mex., Orth. p. 271 (1872) ;
Sauss. & Zehntn. Biol. Centr. Amer., Orth. i. p. 155 (1894) ;
Stål, Bilang Svenska Akad. iv. (10) p. 41 (1877).

*1. T. Purpurascens, Oliv. (<i>Mantis P.</i>) Enc.	S. America.
Méth., Ins. vii. p. 640. n. 7 (1792) ; Licht.	
Trans. Linn. Soc. vi. p. 20. n. 4 (1802) ;	
Burm. l. c. p. 533. n. 17 (1838).	
<i>T. Purpurascens, Serr.</i> Ann. Sci. Nat. xxii.	
p. 54 (1831).	
<i>Mantis Versicolor, Stoll</i> , Spectres, Mantes,	
p. 25, pl. 8. f. 28 (1813) ; Blanch. Hist.	
Ins. iii. p. 13. n. 7 (1841).	

	<i>Angela Versicolor</i> , Sauss. Mém. Mex., Mant. p. 59 (1871); Westw. Rev. Mant. p. 5, pl. 3. ff. 2, 3 (1889).	
	♀. <i>Mantis Brachyptera</i> , Stoll, l. c. p. 58, pl. 19. f. 71 (1813).	
	<i>T. Brachyptera</i> , Serv. l. c. p. 173 (1839).	
	<i>Angela Brachyptera</i> , Sauss. & Zehntn. l. c. p. 156. n. 1 (1894).	
2. T. Fulgida , Sauss. (<i>Angela F.</i>) Mém. Soc. Genève, xxiii. p. 61 (1872); Miss. Mex., Orth. p. 272 (1872); Sauss. & Zehntn. l. c. p. 157. n. 2 (1894).	Cayenne.	
3. T. Quinquemaculata , Oliv. (<i>Mantis Q.</i>) l. c. p. 636. n. 57 (1792); Stoll, l. c. p. 8, pl. 3. f. 9 (1813); Burm. l. c. p. 533. n. 16 (1838).	Surinam, Cayenne.	
<i>Angela Quinquemaculata</i> , Sauss. & Zehntn. l. c. p. 157. n. 3 (1894).		
<i>Mantis Pieta</i> , Licht. l. c. p. 21. n. 5 (1802).		
**4. T. Championi , Sauss. & Zehntn. (<i>Angela C.</i>) l. c. p. 158. n. 4 (1894).	Guatemala	
5. T. Miranda , Sauss. (<i>Angela M.</i>) Mém. Mex., Mant. p. 60 (1871); Sauss. & Zehntn. l. c. p. 158. n. 6 (1894).	Mexico.	
*6. T. Perpulchra , Westw. (<i>Angela P.</i>) l. c. p. 30 (1889); Sauss. & Zehntn. l. c. p. 158. n. 7, pl. 8. f. 1 (1894).	Nicaragua.	
7. T. Trifasciata , Stål, l. c. p. 62 (1877).	Bahia.	

Genus 98. **Eremopiana.** (*Type no. 1.*)

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

*1. E. Guerini , Reiche & Fairm. (<i>Thespis G.</i>) Ferret & Galinier, Voy. Abyss. iii. p. 422, pl. 27. f. 4 (1847).	Abyssinia, E. Africa.
<i>E. Guerini</i> , Westw. Rev. Mant. pp. 8, 33, pl. 11. f. 5 (1889).	
<i>Iris (Fischeria) Guerini</i> , Sauss. Mém. Soc. Genève, xxi. p. 306 (1871).	
<i>Mantis Perfida</i> , Guér. Lefebvre, Voy. Abyss. vi. p. 334, pl. 6. f. 1 (1848).	
2. E. Gigas , Sauss. (<i>Brunneria G.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 240 (1869).	Africa (?).
<i>Iris (Fischeria) Gigas</i> , Sauss. Mém. Soc. Genève, xxi. p. 307 (1871).	

***3. E. Microptera , Westw. l. c. pp. 9, 32, pl. 3. f. 4 (1889).	India.
4. E. (?) Basalis , Westw. (<i>Phasmomantis</i> <i>B.</i>) l. c. pp. 10, 33, pl. 13. f. 4 (1889).	Darjiling.
5. E. Armata , Haan, (<i>Mantis (Thespis) A.</i>) Temminck, Verhandel., Orth. p. 95 (1842).	Hab. — ?
5a. E. Laticeps , Wood-Mason, (<i>Fischeria</i> <i>L.</i>) Ann. Nat. Hist. (4) xviii. p. 337 (1876), (5) i. p. 144 (1878). <i>Deiphobe Laticeps</i> , Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 580, pl. 35.	India.
(?) <i>Mantis Ocellata</i> , Thunb. Mém. Acad. Pétersb. v. p. 293 (1815).	

Genus 99. **Deiphobe**.

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

*1. D. Ocellata , Sauss. (<i>Thespis O.</i>) Mém. Soc. Genève, xxi. pp. 130, 306 (1871).	India.
---	--------

Genus 100. **Ischnomantis**. (*Type no. 1.*)

Stål, Öfv. Vet.-Akad. Förh. xxviii. p. 389 (1871).

1. I. Fatiloqua , Stål, (<i>Mantis F.</i>) l. c. xiii. p. 168 (1856), xxviii. p. 389 (1871).	Natal.
2. I. Spinigera , Schult. Ann. Mus. Genova, xxxix. p. 176 (1898).	Somali.
3. I. Media , Rehn, Proc. Acad. Sci. Philad. liii. p. 284 (1901).	Galla Land.
4. I. Grandis , Sauss. (<i>Phasmomantis G.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. p. 43 (1871); Mém. Mex., Mant. p. 57 (1871). <i>Fischeria Grandis</i> , Sauss. Mém. Soc. Genève, xxiii. p. 60, pl. 1. f. 10 (1872).	Senegal.

Genus 101. **Carvilia**. (*Type no. 1.*)

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 70 (1876); Bihang Svenska Akad. iv. (10) p. 29 (1877).

Paraspheendale, Schult. Ann. Mus. Genova, xxxix. p. 177 (1898). (*Type no. 1.*)

*1. C. Vincta , Gerst. (<i>Mantis V.</i>) Arch. f. Naturg. xxxv. p. 209, n. 24 (1859); Von	E. Africa.
---	------------

der Decken, Reisen in Ost-Afrika, Ins. p. 14, pl. 1. f. 6 (1873).	
<i>C. Vineta</i> , <i>Sauss.</i> Abhandl. Senckenb. Ges. xxi. p. 587 (1899).	
**2. C. Costalis , Kirb. Ann. Nat. Hist. (7) xiii. p. 85 (1904).	E. Africa.
<i>Mantis Vineta</i> , var. <i>a</i> , <i>Gerst.</i> II. cc. p. 210 (1859); pp. 14, 15 (1873).	
3. C. Saussurii , Stål , (<i>Fischeria (Carvilia)</i> <i>S.</i>) <i>Œfv. Vet.-Akad. Förh.</i> xxxiii. (3) p. 70 (1876).	Damara Land.
4. C. Minor , Schulth. (<i>Paraspheendale M.</i>) l. c. p. 177 (1898).	Somali Land.
**5. C. Obscura , Fabr. (<i>Mantis O.</i>) Spec. Ins. i. p. 349. n. 21 (1781).	W. Africa.

Genus 102. **Dactylopteryx.**

Karsch, Ent. Nachr. xviii. p. 8 (1892).

- 1.
- D. Flexuosa**
- ,
- Karsch**
- , l. c. p. 10 (1892). | Gaboon.

Genus 103. **Bisanthe.** (*Type* no. 1.)Stål, *Œfv. Vet.-Akad. Förh.* xxxiii. (3) p. 72 (1876).

1. B. Pulchripennis , Stål , (<i>Mantis P.</i>) Bihang Svenska Akad. iii. (14) p. 43 (1875).	Damara Land.
<i>B. Pulchripennis</i> , <i>Stål</i> , <i>Œfv. Vet.-Akad.</i> <i>Förh.</i> xxxiii. (3) p. 72 (1876).	
2. B. Ornatipennis , Bol. Ann. Soc. Ent. France, 1893, p. 174.	W. Africa.

Genus 104. **Fischeria.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc. Genève, xxi. pp. 106, 300 (1870); Brunn. Prodr. Eur. Orth. p. 64 (1882); Jacobs. & Bianki, Prem. i Lozhan. Ross. Imp. p. 153 (1902).

*1. F. Bætica , Ramb. (<i>Mantis B.</i>) Faune Andalusie, ii. p. 19, pl. 1. ff. 1, 2 (1839); Luc. Expl. Alg. iii. p. 11 (1849); Fisch. Orth. Eur. p. 128, pl. 8. ff. 2, 3 (1853).	S. Europe, N. Africa, W. Asia.
--	--------------------------------------

<i>Iris Baetica</i> , Sauss. Mém. Soc. Genève, xxi. pp. 108, 302 (1871).	
<i>Iris (Fischeria) Batica</i> , Bol. Sin. Ortópt. Españ. p. 64 (1876).	
<i>F. Batica</i> , Sauss. Fedchenko, Reise Turk., Orth. p. 16 (1874); Jacobs. & Bianki, l. c. p. 153 (1902).	
<i>Mantis Pallasii</i> , Fieb. Lotos, iii. p. 95. n. 3 (1858).	
*2. F. Syriaca , Sauss. (<i>Iris S.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869).	Syria.
3. F. Caucasica , Sauss. (<i>Iris C.</i>) Mém. Soc. Genève, xxi. p. 110 (1871).	Caucasus, W. Asia.
<i>F. Caucasica</i> , Sauss. Fedchenko, Reise Turk., Orth. p. 17 (1874); Jacobs. & Bianki, l. c. p. 153 (1902).	
*4. F. Fraterna , Sauss. (<i>Iris F.</i>) Mém. Soc. Genève, xxi. p. 109 (1871).	India, Arabia.

Genus 105. **Bolivaria.** (*Type no. 1.*)

Stål, Bihang Svenska Akad. iv. (10) p. 34 (1877); Brunn.
Prod. Eur. Orth. p. 62 (1882); Jacobs. & Bianki, Prem.
i Lozln. Ross. Imp. p. 152 (1902).

1. B. Brachyptera , Pall. (<i>Mantis B.</i>) Reise, ii. p. 728. n. 81 (1773); Goeze, Ent. Beytr. ii. p. 32. n. 19 (1778); Fisch. Waldh. Orth. Ross. p. 103, pl. 5. f. 3 (1846).	S.E. Europe N. Africa, W. Asia.
<i>Iris Brachyptera</i> , Sauss. Mém. Soc. Genève, xxi. p. 112 (1871).	
<i>Mantis Commutata</i> , Fieb. Lotos, iii. p. 95. n. 4 (1853).	
<i>Iris Pallasii</i> , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869).	
<i>Mantis Mesomelas</i> , Olf. Enc. Méth., Ins. vii. p. 635, n. 51 (1792).	
<i>Mantis Nympha</i> , Stoll. Spectres, Mantes, p. 10, pl. 4. f. 12 (1813).	
<i>Coptopteryx(?) Stollii</i> , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870).	
<i>Coptopteryx(?) Mesomelas</i> , Sauss. Mém. Mex., Mant. p. 68 (1871).	

- Fischeria Brachyptera*, Sauss. Fedchenko, Reise Turk., Orth. p. 18 (1874).
B. Brachyptera, Brunn. l. c. p. 62, pl. 2. f. 16 (1882); Jacobs. & Bianki, l. c. p. 152 (1902).
2. **B. Moseri, Sauss.** (*Iris M.*) Mém. Soc. Genève, xxi. p. 114 (1871).
Fischeria Moseri, Sauss. Fedchenko, l. c. p. 18 (1874).
B. Moseri, Jacobs. & Bianki, l. c. p. 152 (1902).
3. **B. Dolichoptera, Schulth.** Zool. Jahrb. Syst. viii. p. 71 (1894). Samarcand. | Somali Land.

Genus 106. **Sphendale.** (*Type* no. 1.)

Stål, Bilhang Svenska Akad. iv. (10) p. 34 (1877).

1. **S. Infuscata, Sauss.** (*Phasmomantis I.*) India.
 Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 44 (1871).
Iris (Fischeria) Infuscata, Sauss. Mém. Soc. Genève, xxi. p. 303 (1871).
S. Infuscata, Bol. Ann. Soc. Ent. France, 1897, p. 312.
- *2. **S. Xanthoptera, Oliv.** (*Mantis X.*) Enc. id.
 Méth., Ins. vii. p. 637. n. 61 (1792).
Mantis Ochroptera, Licht. Trans. Linn. Soc. Lond. vi. p. 29. n. 29 (1802).
Mantis Nympha, Stoll, Spectres, Mantes, p. 19, pl. 6. f. 22 (1813).
S. Xanthoptera, Kirb. Ann. Nat. Hist. (7) xiii. p. 85 (1904).
- **3. **S. Robusta, Kirb.** l. c. p. 86 (1904). Nepal.
 4. **S. (?) Brunneri, Sauss.** (*Iris (Fischeria) B.*) l. c. p. 304 (1871). Himalaya.

Genus 107. **Gonatista.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869); Mém. Mex., Mant. p. 23 (1871); Miss. Mex., Orth. p. 230 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Stål, Bilhang Svenska Akad. iv. (10) p. 40 (1877).

*1. G. Grisea, Fabr. (<i>Mantis G.</i>) Ent. Syst. ii. p. 22. n. 40 (1793).	N. America, Cuba, Jamaica, &c.
<i>G. Grisea</i> , <i>Sauss.</i> Mém. Mex., Mant. p. 23 (1871); Miss. Mex., Orth. p. 231, pl. 5. ff. 1, 2 (1872).	
<i>Mantis Reticulata</i> , <i>Thunb.</i> Mém. Acad. Pétersb. v. p. 288 (1815).	
<i>Mantis Phryganoides</i> , <i>Serv.</i> Ins. Orth. p. 198 (1839).	
<i>Mantis Bifasciata</i> , <i>Haan</i> , Temminck, Verhandel., Orth. p. 78 (1842).	
<i>G. Cubensis</i> , <i>Sauss.</i> Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869).	
2. G. Trifasciata, Haan , (<i>Mantis T.</i>) l. c. p. 77 (1842).	Brazil.
<i>G. (?) Trifasciata</i> , <i>Sauss.</i> Mém. Mex., Mant. p. 27 (1871).	

Genus 108. **Majanga.** (*Type* no. 2.)

Wood-Mason, Cat. Mant. pl. 1. f. 8 (1891).

Pantelica, *Sauss.* & *Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 159 (1895).

1. M. Tricolor, Sauss. & Zehntn. (<i>Pantelica T.</i>) l. c. p. 162, pl. 9. f. 32 (1895).	Madagascar
2. M. Basilaris, Westw. (<i>Epaphrodita B.</i>) Rev. Mant. p. 45, pl. 1. f. 2 (1889).	id.
<i>Pantelica Basilaris</i> , <i>Sauss.</i> & <i>Zehntn.</i> l. c. p. 163 (1895).	
<i>M. Basilaris</i> , Wood-Mason, l. c. pl. 1. ff. 8, 8a, b (1891).	

Genus 109. **Hagiomantis.** (*Type* no. 1.)*Sauss.* & *Zehntn.* Biol. Centr.-Amer., Orth. i. p. 158 (1894).

1. H. Ornata, Stoll , (<i>Mantis O.</i>) Spectres, Mant. p. 57, pl. 19. f. 69 (1813).	“ India,” “ Cape,”
<i>Mantis Ornata</i> , <i>Serr.</i> Ins. Orth. p. 192 (1839).	Cayenne, Bolivia,
<i>Gonatista Ornata</i> , <i>Sauss.</i> Mém. Mex., Mant. p. 25 (1871); Westw. Rev. Mant. p. 4, pl. 13. f. 7 (1889).	Ega (eadem?).
*2. H. Superba, Gerst. (<i>Liturgusa S.</i>) Mitth. Ver. Vorpomm. xx. p. 53 (1889).	Peru, Ega.

3. H. Lutescens, Guér. & Perch. (<i>Mantis L.</i>) Gen. Ins., Orth. pl. 3 (1835). <i>Liturgousa Lutescens, Sauss.</i> l. c. p. 103 (1871).	Cayenne.
4. H. Nubeculosa, Gerst. (<i>Liturgusa N.</i>) l. c. p. 54 (1889).	Ega.
5. H. Surinamensis, Sauss. (<i>Liturgousa S.</i>) Miss. Mex., Orth. p. 260 (1872). 	Surinam.

Genus 110. **Liturgousa.** (*Type no. 3.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Mex., Mant. p. 100 (1871); Miss. Mex., Orth. p. 259 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Grandidier, Hist. Madagascar, Orth. i. p. 157 (1895).

*1. L. Annulipes, Serv. (<i>Mantis A.</i>) Ins. Orth. p. 199 (1839); (?) Charp. Orth. pl. 28 (1843). <i>L. Annulipes, Sauss.</i> Mém. Mex., Blatt. p. 102 (1871); Westw. Rev. Mant. p. 4, pl. 2. f. 3 (1889).	Cayenne, Brazil.
2. L. Lichenalis, Gerst. Mitth. Ver. Vor- pomm. xx. p. 52 (1889).	Peru.
*3. L. Cayennensis, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 62 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894).	Cayenne, Panama, Amazons.
**4. L. Maya, Sauss. & Zehntn. (<i>L. Cayennensis, var. Maya</i>) l. c. p. 160 (1894).	Mex., Guat., Brazil.
5. L. Mesopoda, Westw. l. c. p. 30, pl. 13. f. 10 (1889).	Cayenne.
6. L. Malagassa, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 157, pl. 9. f. 31 (1895).	Madagascar

Genus 111. **Coptopteryx.** (*Type no. 1.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Mex., Mant. p. 61 (1871); Miss. Mex., Orth. p. 263 (1872).

*1. C. Crenaticollis, Blanch. (<i>Mantis C.</i>) Gay, Hist. Chile, Zool. vi. p. 22. n. 2 (1852); Phil. Zeitsehr. ges. Naturw. xxi. p. 225. n. 2 (1863). <i>C. Crenaticollis, Sauss.</i> Mém. Mex., Mant.	Chile, Patagonia, Argentina, Uruguay.
--	--

	p. 63 (1871); Miss. Mex., Orth. p. 264, pl. 6, ff. 19, 20 (1872).	
	<i>C. Claraziana</i> , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869).	
*2. C. Argentina , Burm. (<i>Mantis A.</i>) Berlin. Ent. Zeitschr. vii. p. 234 (1864).		Argentina, Brazil.
	<i>C. Argentina</i> , Sauss. Mém. Mex., Mant. p. 66 (1871); Miss. Mex., Orth. p. 266, pl. 6, f. 21, e. a (1872).	
3. C. Gayi , Blanch. (<i>Mantis G.</i>) l. c. p. 21. n. 1, pl. 1. f. 5 (1852).		Chile, Argentina.
	<i>C. Gayi</i> , Sauss. ll. ec. p. 65 (1871); p. 265. pl. 6. f. 13 (1872); Giglio-Tos, Bull. Mus. Torino, ix. (1894) p. 4 (1894).	
4. C. (?) Gymnopyga , Burm. (<i>Mantis G.</i>) Handb. Ent. ii. p. 541. n. 48 (1838).		Brazil.
5. C. (?) Grisea , Phil. (<i>Mantis G.</i>) l. c. p. 225. n. 3 (1863).		Chile.
	<i>C. (?) Grisea</i> , Sauss. Mém. Mex., Orth. p. 67 (1871).	

Genus 112. **Euryderes**.

Brancs. Jahresh. Ver. Trenesin. Com. xix.-xx. p. 63 (1897).

1. E. Anisitsi , Brancs. l. c. p. 64, pl. 1. f. 9 (1897).	Paraguay.
---	-----------

Genus 113. **Macromantis**. (*Type no. 1.*)Sauss. Mém. Mex., Mant. p. 77 (1871); Miss. Mex., Orth.
p. 270 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth.
i. p. 150 (1894).*Pentacantha*, Stål, Defv. Vet.-Akad. Förh. xxviii. p. 400 (1872).
(*Type no. 3.*)

*1. M. Ovalifolia , Stoll, (<i>Mantis O.</i>) Spectres, Mantes, p. 58, pl. 19. f. 72 (1813); Burm. Handb. Ent. ii. p. 541. n. 49 (1838). <i>Cardioptera Ovalifolia</i> , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 231 (1870).	Gniana.
M. <i>Ovalifolia</i> , Sauss. Mém. Mex., Mant. p. 78, pl. 1. f. 4 (1871).	
**2. M. Nicaraguæ , Sauss. & Zehntn. (<i>M. Ovalifolia</i> , var. <i>Nicaragua</i>) l. c. p. 150 (1894).	Nicaragua.

3. **M. Hyalina, De Geer,** (*Mantis H.*) Mém. Surinam.
 Ins. iii. p. 410. n. 4, pl. 37. f. 1 (1773);
 Stoll. l. c. p. 60, pl. 20. f. 75 (1813).
M. Hyalina, Sauss. Mém. Mex., Blatt. p. 79
 (1871); Miss. Mex., Orth. p. 270 (1872).

Genus 114. **Metriomantis.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 151 (1894).

- *1. **M. Cupido, Sauss.** (*Cardioptera C.*) Brazil
 Mitth. Schweiz. Ent. Ges. iii. p. 66 (Ceara).
 (1869); Mém. Mex., Mant. p. 71 (1871);
 Miss. Mex., Orth. p. 267, pl. 6. ff. 9, 9 A
 (1872).
M. Cupido, Sauss. & Zehntn. l. c. p. 152.
 n. 1 (1894).
2. **M. Biramosa, Sauss. & Zehntn.** l. c. Brazil.
 n. 2 (1894).
3. **M. Ovata, Sauss. & Zehntn.** l. c. n. 3 Cayenne.
 (1894).

Genus 115. **Photina.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 531 (1838);
 Stål, Bihang Svenska Akad. iv. (10) p. 63 (1877).

- *1. **P. Vitrea, Burm.** (*Mantis V.*) l. c. p. 532. Brazil.
 n. 7 (1838); Charp. Zeitschr. Ent. iii.
 p. 289 (1841).
Cardioptera Vitrea, Sauss. Mitth. Schweiz.
 Ent. Ges. iii. p. 231 (1870); Mém. Mex.,
 Mant. p. 72, pl. 1. f. 3 (1871); Miss.
 Mex., Orth. p. 269, pl. 6. f. 10 (1872).
Mantis Pellucida, Serv. Ins. Orth. p. 191
 (1839).
Cardioptera Translucida, Sauss. Mitth.
 Schweiz. Ent. Ges. iii. p. 66 (1869).
- 1 a. **P. Reticulata, Burm.** (*Mantis R.*) l. c.
 p. 541. n. 46 (1839).
Cardioptera Burmeisteri, Westw. Rev. Mant.
 p. 15. n. 5 (1889).
- 1 b. **P. Amplipennis, Stål,** l. c. p. 64. n. 3
 (1877).
Cardioptera Vitrea, ♀, Sauss. Mém. Mex.,
 Mant. p. 73, pl. 1. f. 2 (1871).

2. P. Breviceps , Stål, l. c. p. 64. n. 4 (1877).	Rio Janeiro.
3. P. Gracilipes , Kirb. Ann. Nat. Hist. (7) xiii. p. 86 (1904).	Para (?).
<i>Cardioptera Reticulata</i> , Sauss. l. c. p. 196 (1871).	
4. P. (?) Vitripennis , Sauss. (<i>Cardioptera</i> V.) Miss. Mex., Orth. p. 268 (1872).	Cayenne.

Genus 116. **Ardesca.**

Stål, Bihang Svenska Akad. iv. (10) p. 43 (1877). o - 574.

1. A. Vitreola , Stål, l. c. p. 63 (1877). ~	Colombia. 574
---	------------------

Genus 117. **Hicetia.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 152 (1894).

1. H. Goeldiana , Sauss. & Zehntn. l. e. p. 153 (1894).	Rio Janeiro.
---	--------------

S U B F A M. V.

M I O P T E R Y G I N E.

Genus 118. **Miopteryx.** (*Type* no. 2.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 55, 64 (1869); Mém. Soc. Genève, xxi. p. 122 (1871); Mém. Mex., Mant. p. 110 (1871); Miss. Mex., Orth. p. 277 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 162 (1894).

*1. M. Ciliata , Stål, (<i>Mantis C.</i>) Eugenie's Resa, Ins. p. 313 (1858).	Rio Janeiro.
<i>M. Phryganea</i> , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869).	
<i>M. Ciliata</i> , Sauss. Mém. Mex., Mant. p. 111, pl. 2. f. 21 (1871).	
**2. M. Rustica , Fabr. (<i>Mantis R.</i>) Spec. Ins. i. p. 350. n. 27 (1781); Oliv. Enc. Méth., Ins. vii. p. 630. n. 22 (1792).	Patagonia, Brazil (eadem ?).
<i>M. Rustica</i> , Sauss. l. c. p. 112 (1871); Miss. Mex., Orth. p. 277 (1872).	
<i>M. Perloides</i> , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869).	

3. M. Argentina , Sauss. l. c. p. 237 (1870).	Argentina.
4. M. Brunneri , Sauss. Mém. Mex., Mant. p. 113 (1871).	Brazil (N. Freiburg).
5. M. Granadensis , Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Sauss. & Zehntn. l. c. p. 162 (1894).	Bogota.
6. M. Grandis , Westw. Rev. Mant. p. 38 (1889).	Brazil (?).
7. M. Livida , Serv. (<i>Thespis L.</i>) Ins. Orth. p. 172 (1839). <i>M. Livida</i> , Sauss. Mém. Mex., Mant. p. 172 (1871).	Brazil.
8. M. (?) Stigmatica , Burm. (<i>Mantis S.</i>) Handb. Ent. ii. p. 532. n. 6 (1838). <i>M. (?) Stigmatica</i> , Sauss. l. c. p. 177 (1871). <i>Miomantis (?) (Stagmomantis?) Stigmatica</i> , Westw. Rev. Mant. p. 18. n. 448 (1889).	id.

Genus 119. **Pseudomiopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 228 (1870); Mém. Mex., Mant. p. 107 (1871); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 163 (1894).

1. P. Spinifrons , Sauss. ll. cc. p. 228 (1870); p. 108, pl. 2. ff. 20, 20a (1871).	Brazil.
**2. P. Infuscata , Sauss. & Zehntn. l. c. p. 163, pl. 9. ff. 10-12 (1894); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904).	Mexico, Cent. Amer. Bogota.
3. P. Bogotensis , Sauss. ll. cc. p. 228 (1870); p. 109 (1871); Sauss. & Zehntn. l. c. p. 164 (1894).	

Genus 120. **Bantia.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 180 (1894).

1. B. Marmorata , Sauss. & Zehntn. l. c. p. 180 (1894).	Rio Janeiro.
2. B. Pygmæa , Sauss. (<i>Oligonyx Pygmaea</i>) Miss. Mex., Orth. p. 274 (1872). <i>B. Pygmæa</i> , Stål, l. c. p. 64 (1877); Sauss. & Zehntn. l. c. p. 180 (1894).	Brazil.

Genus 121. **Astape.**

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877).

1 a. **A. Denticollis, Stål**, l. c. p. 65 (1877). | Hab. —?

Paranunonia Rehn is correct name.
Genus 122. **Musonia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) pp. 45, 66 (1877) : Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 164 (1894).

Paramunonia, Rehn, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904). (*Type* no. 3.)

- | | |
|--|-------------|
| 1. M. Major, Sauss. & Zehntn. l. c. p. 165. | S. America. |
| n. 1, pl. 10, ff. 17-19 (1894). | |
| *2. M. Conspersa, Sauss. (<i>Thespis C.</i>) | id. |
| Mittb. Schweiz. Ent. Ges. iii. p. 238 (1870) : Mém. Mex., Mant. p. 130, pl. 2, ff. 29, 29a (1871). | |
| 3. M. Cubensis, Sauss. (<i>Thespis C.</i>) ll. cc. p. 70 (1869) ; p. 127, pl. 2, ff. 29, 29a (1871) : Sauss. & Zehntn. l. c. p. 165. n. 2 (1894). | Cuba. |
| 4. M. Vicina, Sauss. (<i>Thespis V.</i>) Miss. Mex., Orth. p. 276 (1872). | Colombia. |
| 5. M. Infumata, Serv. (<i>Mantis I.</i>) Ins. Orth. p. 173 (1839).
<i>Oligonyx (?) Infumata, Sauss.</i> Mém. Mex., Orth. p. 124, n. 5 (1871). | Brazil. |
| **6. M. Femorata, Sauss. & Zehntn. l. c. p. 166, n. 3, pl. 10, ff. 20, 21 (1894). | Nicaragua. |

Genus 123. **Galapagia.**

Scudd. Bull. Mus. Harvard Coll. xxv. p. 7 (1893).

- | | |
|--|----------------|
| *1. G. Solitaria, Scudd. l. c. p. 8, pl. 1. | Galapagos Isl. |
| ff. 2, 3 (1893). | |

Musonia Stål is correct name.
Genus 124. **Mionyx.** (*Type* no. 4.)

Sauss. Soc. Ent. vii. p. 122 (1892) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 166 (1894).

Musonia, bb & aa, Stål, Bihang Svenska Akad. iv. (10) pp. 63, 64 (1877).

- | | |
|---|-------------|
| **1. M. Rapax, Sauss. & Zehntn. l. c. p. 167. | Costa Rica. |
| n. 1 (1894). | |
| <i>Musonia Rapax, Sauss. & Zehntn.</i> l. c. pl. 10, ff. 22-25 (1894) | |

- **2. **M. Ferus, Sauss. & Zehntn.** l. c. p. 167. Panama,
n. 2 (1894).
M. Fera, Sauss. & Zehntn. l. c. pl. 10. ff. 15,
16 (1894).
- **3. **M. Sævus, Sauss. & Zehntn.** l. c. p. 167. id.
n. 3 (1894).
M. Sæva, Sauss. & Zehntn. l. c. pl. 10.
ff. 12-14 (1894).
4. **M. Lineativentris, Stål,** (*Musonia L.*) id.,
Bihang Svenska Akad. iv. (10) p. 66. n. 3 Colombia.
(1877).
M. Lineativentris, Sauss. & Zehntn. l. c.
p. 168. n. 4 (1894).
5. **M. Dohrnianus, Sauss. & Zehntn.** l. c. Guatemala.
p. 168. n. 5 (1894).
M. Dohrniana, Sauss. & Zehntn. l. c. pl. 9.
f. 16 (1894).
- *6. **M. Surinamus, Sauss.** (*Thespis Surinama*) Surinam,
Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869); W. Indies,
Mém. Mex., Mant. p. 129 (1871).
Musonia Surinama, Stål. l. c. p. 66. n. 2
(1877).

Genus 125. **Thesprotia.** (Type no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 45 (1877);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 169 (1894).

1. **T. Vidua, Sauss. & Zehntn.** l. c. p. 170. S. America,
n. 1 (1894).
Oligonyx Subhyalina, var., Sauss. Mém.
Mex., Orth. p. 125 (1871).
- *2. **T. Subhyalina, Sauss.** (*Oligonyx S.*) Amazons.
Mitth. Schweiz. Ent. Ges. iii. p. 239
(1870); Mém. Mex., Mant. p. 124. n. 6,
pl. 2. ff. 27, 27a (1871).
- *3. **T. Filiformis, Sauss.** (*Oligonyx F.*) ll. cc. id.
p. 71 (1869); p. 123, pl. 2. ff. 26, 26a
(1871).
T. Filiformis, Westw. Rev. Mant. p. 31,
pl. 3. f. 5 (nec 6) (1889).
4. **T. Macilenta, Sauss. & Zehntn.** l. c. Brazil.
p. 170. n. 4 (1894).
5. **T. Fuscipennis, Sauss. & Zehntn.** l. c. Rio Janeiro.
p. 171. n. 5 (1894).

Genus 126. **Bactromantis.** (*Type* no. 1.)

Scudd. Canad. Ent. xxviii. p. 213 (1896).

- | | |
|--|----------|
| *1. B. Virga, Scudd. l. c. (1896). | Florida. |
| **2. B. Toltecus, Sauss. & Zehntn. (<i>Oligonyx T.</i>) Biol. Centr.-Amer., Orth. i. p. 175. n. 6 (1894). | Mexico. |
| 3. B. (?) Parvula, Goeze, (<i>Mantis P.</i>) Ent. Beytr. ii. p. 34. n. 25 (1778); Oliv. Ene. Méth., Ins. vii. p. 642. n. 19 (1792) (Seba, Thes. iv. pl. 68. ff. 13-16). | Hab. — ? |

Genus 127. **Oligonyx.** (*Type* no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869); Mém. Mex. Mant. p. 117 (1871); Miss. Mex., Orth. p. 273 (1872); Soc. Ent. vii. p. 122 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 171 (1894).

- | | |
|--|--------------------------|
| 1. O. Brunneri, Sauss. Mém. Mex., Mant. p. 119 (1871). | Colombia. |
| 2. O. Uhleri, Stål, Bihang Svenska Akad. iv. (10) p. 66 (1877). | Louisiana. |
| 3. O. Scudderii, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 239 (1870); Mém. Mex., Mant. p. 121, pl. 2. ff. 24, 24a (1871). | Georgia (?). |
| 4. O. Graminis, Scudd. Proc. Bost. Soc. Nat. Hist. xix. p. 90 (1877). | Florida. |
| 5. O. Parva, Drury, (<i>Mantis P.</i>) Ill. Exot. Ent. ii. pl. 39. f. 5 (1773); Oliv. Ene. Méth. vii. p. 634. n. 48 (1792); Burm. Handb. Ent. ii. p. 533. n. 14 (1838).
<i>Mantis Minuta</i> , Goeze, Ent. Beytr. ii. p. 28. n. 1 (1778).
<i>Miopteryx</i> (?) <i>Minuta</i> , Sauss. Mém. Mex., Mant. p. 116. n. 2 (1871). | S. America. |
| **6. O. Mexicanus, Sauss. & Zehntn. l. c. p. 172. n. 1, pl. 9. ff. 13-15 (1894). | Mexico,
Guatemala. |
| 7. O. Bollianus, Sauss. & Zehntn. l. c. p. 173. n. 2, pl. 9. f. 17 (1894). | Texas. |
| **8. O. Striolatus, Sauss. & Zehntn. l. c. n. 3, pl. 9. ff. 18-22 (1894). | New Mexico
Guatemala. |
| **9. O. Punctulatus, Sauss. & Zehntn. l. c. p. 174. n. 4, pl. 9. ff. 23-25 (1894). | Mexico. |
| **10. O. Tessellatus, Sauss. & Zehntn. l. c. n. 5, pl. 9. ff. 26-31 (1894). | id. |

Genus 128. **Harpagonyx.** (*Type* no. 1.)

	Sauss. Soc. Ent. vii. p. 122 (1892) ;	
	Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 175 (1894).	
**1.	H. Gryps , Sauss. & Zehntn. l. c. p. 176. n. 1, pl. 8. ff. 4, 4 a, b (1894).	Mexico, Guatemala.
2.	H. Dohrnianus , Sauss. & Zehntn. l. c. n. 2 (1894).	Guatemala.
**3.	H. Maya , Sauss. & Zehntn. l. c. p. 176 (1894).	Mexico.
4.	H. Carlottæ , Rehn , Proc. U.S. Nat. Mus. xxvii. p. 568 (1904).	Costa Rica.

Genus 129. **Spanionyx.** (*Type* no. 1.)

	Sauss. Soc. Ent. vii. p. 122 (1892) ;	
	Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 177 (1894).	
*1.	S. Bicornis , Sauss. (<i>Oligonyx B.</i>) Mitth. Schweiz. Ent. Ges. iii. p. 71 (1869) ; Mém. Mex., Mant. p. 122 (1871) ; Miss. Mex., Orth. p. 274, pl. 6. ff. 22, 22 a, b (1872). <i>S. Bicornis</i> , <i>Sauss. & Zehntn.</i> l. c. p. 177. n. 1 (1894).	Mexico.
**2.	S. Bidens , Sauss. & Zehntn. l. c. n. 2, pl. 10. ff. 1-3 (1894) : Rehn, Proc. U.S. Nat. Mus. xxvii. p. 569 (1904).	Honduras.
*3.	S. Filum , Licht. (<i>Mantis F.</i>) Trans. Linn. Soc. Lond. vi. p. 19. n. 1, pl. 2. f. 2 (1802) : Charp. Germar, Zeitschr. Ent. v. p. 289 (1844). <i>Oligonyx Filum</i> , <i>Sauss.</i> Mém. Mex., Mant. p. 125. n. 7 (1871).	Surinam, Trinidad.

Genus 130. **Thrinaconyx.** (*Type* no. 1.)

	Sauss. Soc. Ent. vii. p. 122 (1892) ;	
	Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 178 (1894).	
**1.	T. Fumosus , Sauss. & Zehntn. l. c. p. 179. n. 1, pl. 10. ff. 4-10 (1894).	Panama.
2.	T. Kirschianus , Sauss. & Zehntn. l. c. n. 2, pl. 10. f. 11 (1894).	Colombia.

S U B F A M. V I.

C R E O B O T R I N E.

Genus 131. **Acromantis.** (*Type no. 2.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Mém. Soc. Genève, xxi. pp. 61, 324 (1871); Jacobs. & Bianki, Prem. i Lozhi. Ross. Imp. p. 153 (1902).

*1. A. Japonica, Westw. Rev. Mant. p. 43 (1889); Jacobs. & Bianki, l. c. p. 154 (1902).	Japan.
*2. A. Oligoneura, Haan, (<i>Mantis O.</i>) Temmink, Verhandel., Orth. p. 90, pl. 18. f. 6 (1842). <i>A. Oligoneura, Sauss.</i> Mém. Soc. Genève, xxi. p. 62, pl. 4. ff. 10, 10a (1871); Westw. Rev. Mant. p. 43 (1889). <i>A. Formosa, Sauss.</i> Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870).	India, Java, Borneo, Sumatra, Celebes.
*3. A. Parvula, Westw. l. c. p. 43, pl. 10. f. 6 (1889).	Borneo.
*4. A. Hesione, Stål, (Ef. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.
5. A. Australis, Sauss. Mém. Soc. Genève, xxi. p. 325, pl. 7. f. 68 (1871).	Waigiou.
6. A. Aruana, Westw. l. c. p. 43, pl. 11. f. 3 (1889).	Aru, &c., N. Guinea.
*7. A. Borneensis, Haan, (<i>Mantis B.</i>) l. c. p. 91 (1842). <i>A. Borneensis, Westw.</i> l. c. p. 43, pl. 6. f. 8 (1889).	Borneo.
8. A. (?) Subcornuta, Westw. l. c. p. 43, pl. 12. f. 3 (1889).	Natal.

Genus 132. **Ambivia.**

Stål, Bihang Svenska Akad. iv. (10) p. 88 (1877).

*1. A. Popa, Stål, l. c. (1877); Westw. Rev. Mant. p. 22, pl. 11. f. 6 (1889).	India.
---	--------

Genus 133. **Deroplatys.** (*Type* no. 1 a.)

Westw. Mod. Classif. Ins. i. p. 430 (1839); Jardine's Nat. Library, Intr. Ent. p. 234 (1840); Are. Ent. i. p. 33 (1841); Sauss. Mém. Soc. Genève, xxi. p. 164 (1871).

- | | |
|---|--|
| 1. D. Cordata, Fabr. (<i>Mantis C.</i>) Ent. Syst. Suppl. p. 190 (1798). | Hab. —— ? |
| *1 a. D. Desiccata, Westw. Mod. Classif. Ins. i. p. 430 (1839); Are. Ent. i. p. 33, pl. 9, f. 3 (1841); Shelf. Zool. (4) vii. pp. 295, 296, 304 (1903). | Malacca,
Java,
Borneo,
Sumatra. |
| <i>Mantis (Deroplatys) Desiccatea</i> , Westw. Nat. Libr., Intr. Ent. p. 234, pl. 9 (1840); Haan, Temminck, Verhandel., Orth. p. 91 (1842). | |
| <i>Mantis Palliata</i> , Haan, l. c. pl. 16, ff. 1, 2 (1842). | |
| <i>D. Arida</i> , Westw. Are. Ent. i. p. 34, pl. 9, f. 1 (1841). | |
| *2. D. Trigonodera, Westw. Rev. Mant. p. 40, pl. 8, f. 5 (1889). | Burma. |
| 3. D. Lobata, Guér. (<i>Chæradodis L.</i>) Mag. Zool., Ins. 1838, p. 69, pl. 134. ♂—648. | Hab. —— ? |
| <i>D. Lobata</i> , Westw. Are. Ent. i. p. 34, pl. 9, f. 4 (1841). | |
| *4. D. Angustata, Westw. l. c. f. 2 (1841); Rev. Mant. p. 41 (1889). | Java,
Borneo,
Sumatra. |
| <i>Mantis (Deroplatys) Rhombica</i> , ♂, Haan, l. c. p. 92, pl. 17, f. 1 (1842). | |
| 5. D. Brunneri, Kirb. (n. n.). | Sunda Isl. |
| <i>D. Rhombica</i> , Brunn. Obs. Color. Ins. p. 11, pl. 8, f. 95 (1897). | |
| *6. D. Rhombica, Haan. (<i>Mantis (R.) Rhombica</i> , ♀) l. c. f. 2 (1842). | Borneo, &c. |
| 7. D. Sarawaca, Westw. Rev. Mant. p. 10, pl. 8, f. 3 (1889); Sharp, Cambridge Nat. Hist., Ins. i. pp. 243, 252, f. 135 (1895). | Sarawak. |
| *8. D. Siccifolium, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 240 (1870); Mém. Soc. Genève, xxi. p. 166 (1871); Westw. Rev. Mant. p. 44, pl. 9, f. 11 (1889). | Malacca,
Borneo. |
| ***9. D. Shelfordi, Kirb. Zool. (4) vii. p. 304; Shelf. l. c. pp. 296, 298 (1903). | Sarawak. |

- ♂ 10. **D. Horrifica**, Westw. l. c. p. 40, pl. 8. f. 4 (1889). | Burma.
 *11. **D. Truncata**, Guér. (*Choradodis T.*) Delessert, Souv. Inde, Ins. p. 65, pl. 15 (1843). | Malacca.
D. Truncata, Westw. l. c. p. 23, pl. 8. f. 6 (1889).

Genus 134. **Brancsikia.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 216 (1895).

- *1. **B. Freyi**, Brancs. (*Deroplatys F.*) Jahresh. Ver. Trenezin. Com. xv.-xvi. p. 178, pl. 4. f. 3 (1893). | Madagascar
B. Freyi, Sauss. & Zehntn. l. c. p. 217, pl. 10. ff. 36, 37 (1895).

Genus 135. **Metilia.**

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

- *1. **M. Integra**, Stål, l. c. p. 89 (1877); | Brazil.
 Westw. Rev. Mant. p. 45, pl. 9. f. 9 (1889).

Genus 136. **Acanthops.** (*Type no. 2.*)

Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 164 (1839); Burm. Handb. Ent. ii. p. 551 (1838); Sauss. Mém. Mex., Mant. p. 139 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877). *o - 574.*

- *1. **A. Godmani**, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 181, pl. 6. f. 3 (1894). | British Honduras.
 2. **A. Falcataria**, Goeze, (*Mantis F.*) Ent. Beytr. ii. p. 36. n. 36 (1788); Olivier, Enc. Méth., Ins. vii. p. 642. n. 30 (1792) (Seba, Thes. iv. pl. 76. ff. 1-4).
Mantis Fuscifolia, Olie. l. c. p. 636. n. 55 (1792).
A. Fuscifolius, Burm. l. c. p. 552 (1838).
Mantis Simulata, Stoll. Spectres, Mantes, p. 12, pl. 4. f. 14 (1813); ? Kirb. Trans.

Linn. Soc. xii. p. 74 (1818); Charp. Germar. Zeitschr. Ent. i. p. 375 (1839), iii. p. 299 (1841); Orth. pl. 29 (1845).	
<i>A. Sinuata</i> , Sauss. l. c. p. 141 (1871); Stål. l. e. p. 90. n. 1, pl. 1. f. 3 (1877).	
<i>A. Mortuijolia</i> , Serr. Ins. Orth. p. 166, pl. 6. f. 1 (1839); Brunn. Obs. Color. Ins. p. 11, pl. 8. f. 96 (1897).	
3. A. Erosa , Serv. l. c. p. 165, pl. 4. ff. 1, 1a, b (1839).	Brazil, Iquitos.
<i>A. Contorta</i> , Gerst. Mitth. Ver. Vorpomm. xx. p. 56 (1888).	
*4. A. Erosula , Stål, l. c. p. 90. n. 3 (1877). <i>A. Angulifera</i> , Westw. Rev. Mant. p. 45, pl. 13. f. 1. (1889).	Para, Ega.
*5. A. Falcata , Stål, l. c. p. 90. n. 2 (1877).	N. Granada.
6. A. Adusta , Gerst. l. c. p. 57 (1888).	Iquitos.
7. A. Brunneri , Sauss. l. c. p. 144 (1871).	Surinam.
8. A. Tuberculata , Sauss. (<i>A. Tubercu-</i> <i>latus</i>) Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870). <i>A. Tuberculata</i> , Sauss. Mém. Mex., Mant. p. 146, pl. 1. f. 16 (1871); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 570 (1904).	Cayenne, Costa Rica.

Genus 137. **Decimia.**

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

1. D. Tessellata , Charp. (<i>Acanthops T.</i>)	Brazil,
Germar. Zeitschr. Ent. iii. p. 302 (1841);	Bolivia.
Orth. pl. 30 (1845); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870);	
Mém. Mex., Mant. p. 143 (1871).	

Genus 138. **Pseudocanthops.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870).

Pseudocanthops, Sauss. Mém. Mex., Mant. p. 178 (1871); Miss.
Mex., Orth. p. 279 (1872); Sauss. & Zehntn. Biol. Centr.-
Amer., Orth. i. p. 182 (1894); Stål, Bihang Svenska Akad.
iv. (10) p. 91 (1877).*Paracanthops*, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243
(1870); Mém. Mex., Mant. p. 147 (1871).

1. P. Cælebs , Sauss. (<i>Hymenopus C.</i>) Mitth.	Mexico.
Schweiz. Ent. Ges. iii. p. 73 (1869).	
<i>P. Cælebs</i> , Sauss. Mém. Mex., Mant. p. 148,	

- pl. 1. ff. 17, 17a (1871); Miss. Mex., Orth. p. 279 (1872); Sauss. & Zehntn. l. c. p. 182 (1894).
- *2. **P. Spinulosa, Sauss.** (*Paracanthops S.*) Cayenne
Mitth. Schweiz. Ent. Ges. iii. p. 243
(1870).
P. Spinulosa, Sauss. Mém. Mex., Mant.
p. 150, pl. 1. f. 18 (1871).
3. **P. (?) Angulata, Licht.** (*Mantis A.*) Surinam.
Trans. Linn. Soc. Lond. vi. p. 33. n. 43
(1802).
P. (?) Angulata, Sauss. Mém. Mex., Mant.
p. 151 (1871).

Genus 139. **Antemna.**

Stål, Bihang Svenska Akad. iv. (10) p. 83 (1877);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 182 (1894).

1. **A. Rapax, Stål,** l. c. p. 88 (1877); Sauss. & Zehntn. l. c. p. 182 (1894). | Chiriqui.

Genus 140. **Phylloantis.**

Sauss. Soc. Ent. vii. p. 124 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 183 (1894).

- * * 1. **P. Laurifolia, Sauss.** l. c. p. 124 (1892); Panama.
Sauss. & Zehntn. l. c. p. 183, pl. 6. ff. 6, 7
(1894).

Genus 141. **Epaphrodita.** (*Type no. 1.*)

Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 205
(1839); Sauss. Mém. Mex., Mant. p. 152 (1871); Miss. Mex., Orth. p. 280 (1872).

- * 1. **E. Musarum, Beauv.** (*Mantis M.*) Ins. Haiti.
Afr. Amér. p. 111, Orth. pl. 13. f. 3
(1805); Burm. Handb. Ent. ii. p. 537.
n. 36 (1838).

E. Musarum, Serv. Ins. Orth. p. 205
(1839); Sauss. Mém. Mex., Mant. p. 152
(1871).

- 1a. **E. Undulata, Sauss.** (*Phyllocreania U.*) Santa Lucia.
Mitth. Schweiz. Ent. Ges. iii. p. 222
(1870); Mém. Soc. Genève, xxi. p. 176,
pl. 6. ff. 51, 51a (1871).

- * 2. **E. Dentifrons, Sauss.** Miss. Mex., Orth. Haiti,
p. 281 (1872). | Cuba.

Genus 142. **Toxodera.**

Serv. Ann. Soc. Ent. France, vi. p. 27 (1837); Ins. Orth. p. 168 (1839); Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 321 (1889).

1. **T. Denticulata**, Serv. ll. cc. p. 28, pl. 2 (1837); p. 169, pl. 5 (1839); Wood-Mason, l. c. p. 323 (1889); Sharp, Cambridge Nat. Hist., Ins. i. pp. 253, 254, f. 145 (1895). | Java. *Very fat in
gape, the snout
conical & up
as long as broad*.

Genus 143. **Toxoderopsis.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 317 (1889).

1. **T. Curtipes**, Westw. (*Toxodera (Paradumuria) C.*) Rev. Mant. p. 41, pl. 1, f. 4 (1889). | Bombay.
T. Curtipes, Wood-Mason, l. c. p. 319 (1889). |
2. **T. Taurus**, Wood-Mason, l. c. p. 320 (1889). | Sind,
Orissa.

Genus 144. **Paratoxodera.**

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 324 (1889). *O. 7*

1. **P. Cornicollis**, Wood-Mason, l. c. p. 325 (1889). | Java. *O. 7*.

Genus 145. **Oxypilus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 155 (1839); Burm. Handb. Ent. ii. p. 526 (1838); Sauss. Mém. Soc. Genève, xxi. p. 168 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877); Wood-Mason, Cat. Mant. p. 50 (1891).

1. **O. Annulatus**, Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Burm. l. c. p. 526 (1838); Wood-Mason, l. c. p. 51, pl. 2, f. 1 a-e (1891). | Senegal.
Oxypila Annulata, Serv. l. c. p. 156, pl. 3, f. 5 (1839).

*2. O. Nasutus, Fabr. (<i>Mantis Nasuta</i>) Mant. Ins. i. p. 229. n. 32 (1787); Oliv. Enc. Méth., Ins. viii. p. 630. n. 23 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 25. n. 16 (1802). <i>Gongylus Nasuta</i> , Thunb. Mém. Soc. Pétersb. v. p. 295 (1815). <i>O. Capensis</i> , Sauss. Mém. Soc. Genève, xxi. p. 169, pl. 6. ff. 52, 52a (1871). <i>O. Annulatus</i> , Sauss. Mittl. Schweiz. Ent. Ges. iii. p. 223 (1870).	S. & E. Afr.
*3. O. Strigipennis, Westw. Rev. Mant. p. 44, pl. 9. f. 7, pl. 12. f. 1 (1889). 4. O. Brunnerianus, Sauss. Mém. Soc. Genève, xxi. p. 171 (1871). *5. O. (?) Vigilax, Westw. Rev. Mant. p. 44, pl. 10. f. 8 (1889).	Natal. Nubia. Ega.

Genus 146. **Oxypiloidea.**

Schulth. Ann. Mus. Genova, xxxix. p. 178 (1898);
Bull. Soc. Vaud. xxxv. p. 198 (1899).

*1. O. Lobata, Schulth. Ann. Mus. Genova, xxxix. p. 179, pl. 2. ff. 4, 4a (1898).	Somali, B.E. Africa.
---	-------------------------

Genus 147. **Panurgica.**

Karsch, Stett. Ent. Zeit. lvii. p. 243 (1896).

*1. P. Duplex, Karsch , l. c. p. 244 (1896).	W. Africa.
---	------------

Genus 148. **Junodia.**

Schulth. Bull. Soc. Vaud. xxxv. p. 197 (1899).

1. J. Amœna, Schulth. l. c. p. 198, pl. 7. ff. 3, 3a-c (1899).	Delagoa Bay.
--	-----------------

Genus 149. **Sibylla.** (*Type no. 1.*)

Stål, ÖFv. Vet.-Akad. Förh. xiii. p. 168 (1856); Bihang
Svenska Akad. iv. (10) p. 20 (1877); Sauss. Mém. Soc.
Genève, xxi. pp. 173, 331 (1871), xxiii. p. 80 (1872).

*1. S. Pretiosa, Stål , ÖFv. Vet.-Akad. Förh. xiii. p. 168. n. 1 (1856); Sauss. l. c. xxi. p. 332, pl. 7. ff. 69, 69a (1871); Transvaal, Zomba.	Natal,
---	--------

- Kirb. Ann. Nat. Hist. (7) iv. p. 351 |
 (1899); Distant, Ins. Transvaal. p. 39, |
 f. 2 (1902). |
 ♂. *S. Fuscosparsa*, Stål, l. c. n. 2 (1856). |
 2. **S. Pannulata**, Karsch, Berl. Ent. Zeitschr. xxxix. p. 277 (1894). | Cameroons.
 3. **S. (?) Polyacantha**, Gerst. Mitth. Ver. Congo. Vorponim. xx. p. 49 (1888). |

Genus 150. **Triænocorypha.**

Wood-Mason, Ann. Nat. Hist. (6) v. p. 439 (1890); Cat. Mant. p. 59 (1891).

1. **T. Dohertyi**, Wood-Mason, ll. cc. p. 440, | Perak.
 pl. 17 B (1890); p. 60 (1891). |

Genus 151. **Ceratomantis.**

Wood-Mason, Proc. Asiatic Soc. Bengal, 1876, p. 175; Ann. Nat. Hist. (4) xviii. p. 507 (1876); Cat. Mant. p. 52 (1891).

1. **C. Saussurii**, Wood-Mason, ll. cc. | Pegu.
 p. 175 (1876); p. 507 (1876); p. 53, |
 pl. 2. ff. 3, 3 a-e (1891). |

Orypilus Saussurii, Wood-Mason, Proc. Asiatic Soc. Bengal, 1879, p. 259.

Genus 152. **Pachymantis.** (*Type no. 2.*)

Sauss. Mém. Soc. Genève, xxi. p. 158 (1871); Wood-Mason, Cat. Mant. p. 56 (1891).

1. **P. Phyllopus**, Haan, (*Mantis (Orypilus)* | Java.
 P.) Temminck, Verhandel., Orth. p. 84, |
 pl. 16. f. 7 (1842). |

2. **P. Bicingulata**, Haan, (*Mantis (Orypilus)* | Sumatra.
 B.) l. c. p. 86, pl. 17. ff. 6, 7 | (1842). |

P. Bicingulata, Wood-Mason, l. c. p. 57, |
 pl. 2. ff. 2, 2 a, b (1891). |

Orypilus Bicingulatus, Wood-Mason, Proc. |
 Asiatic Soc. Bengal, 1879, p. 251. |

P. Biangmlata, Sauss. l. c. (1871). |

*3. P. Sarawaca, Westw. (<i>Hestias S.</i>) Rev. Mant. p. 44, pl. 11, f. 1 (1889). <i>Hestiasula Sarawaca</i> . Shelf. Zoologist, (4) vii. pp. 296-302, f. 2 (1903).	Sarawak, Penang.
*4. P. Inermis, Wood-Mason , (<i>Hestias I.</i>) Proc. Asiatic Soc. Bengal, 1879, p. 258; Westw. l. c. p. 44, pl. 9, f. 12 (1889).	Naga Hills.
5. P. Castetsi, Bol. Ann. Soc. Ent. France, 1897, p. 313, pl. 10, f. 9.	S. India.
6. P. Amœna, Bol. l. c. p. 314 (1897).	id.
7. P. Rogenhoferi, Sauss. l. c. xxiii. p. 77, pl. 9, f. 27 (1872).	Moluccas (?)

Genus 153. **Hestiasula.** (*Type* no. 7.)

Sauss. Mém. Soc. Genève, xxi. p. 329 (1871).

Hestias, *Wood-Mason*, Proc. Asiatic Soc. Bengal, 1876, p. 175,
1879, p. 257.

*1. H. Brunneriana, Sauss. l. c. p. 330 (1871). <i>Hestias Brunneriana</i> , <i>Wood-Mason</i> , l. c. 1876, p. 175.	India.
*2. H. Nitida, Brunn. (<i>Pachymantis N.</i>) Ann. Mus. Genova, xxxiii. p. 72, pl. 2, f. 24 (1893).	Tenasserim.
*3. H. Pictipes, Wood-Mason , (<i>Hestias P.</i>) Proc. Asiatic Soc. Bengal, 1879, p. 258.	

Genus 154. **Gonypetyllis.**

Wood-Mason, Cat. Mant. pl. 2 (1891).

1. G. Semuncialis, Wood-Mason , l. c. figs. 5, 5a, b (1891).	India (?).
--	------------

Genus 155. **Parairidopteryx.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

1. P. Confusus, Sauss. (<i>Haania C.</i>) l. c. n. 1 (1871). <i>♂. Mantis (Oxyptilus) Lobiceps</i> , ♀, <i>Haania</i> , Temminck, Verhandel., Orth. pp. 85, 86, pl. 17, f. 5 (1842).	Sumatra.
---	----------

Genus 156. **Haania.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

1. **H. Lobiceps, Haan,** (*Mantis (Oxypilus) L.*) Temminck, Verhandel., Orth. p. 85, pl. 17. f. 4 (1842). | Sumatra.

Genus 157. **Sigerpes.** (*Type no. 3.*)

Wood-Mason, Proc. Asiatic Soc. Bengal, 1879, p. 259.

1. **S. Tridens, Sauss.** (*Sibylla T.*) Mémi. Soc. Genève, xxiii. p. 81, pl. 9. ff. 29, 29a (1872). | Zanzibar, Mozambique.
S. Tridens, Westw. Rev. Mant. p. 23, pl. 12. f. 8 (1889).
2. **S. Mortuifolia, Sauss.** (*Sybillia M.*) Abhandl. Senckenb. Ges. xxi. p. 597 (1899). | "Tropical Africa."
- **3. **S. Occidentalis, Wood - Mason**, l. c. p. 259 (1879). | Sierra Leone.

Genus 158. **Phyllothelys.** (*Type no. 1.*)

Wood-Mason, Proc. Ent. Soc. London, 1877, p. xviii ; Journ. Asiatic Soc. Bengal, liii. p. 206 (1884). /s

- **1. **P. Westwoodi, Wood-Mason**, (*Phylloerania W.*) Proc. Asiatic Soc. Bengal, 1876, p. 176 ; Ann. Nat. Hist. (4) xviii. p. 507 (1876). | Naga Hills, Bhutan.
P. Westwoodii, Wood-Mason, Proc. Ent. Soc. Lond. 1877, p. xviii ; Journ. Asiatic Soc. Bengal, liii. p. 207, pl. 12. ff. 1, 2 (1885) ; Westw. Rev. Mant. p. 44, pl. 1. f. 3, pl. 6. f. 6 (1889).
2. **P. Paradoxum, Wood-Mason**, Journ. Asiatic Soc. Bengal, liii. p. 209, pl. 12. f. 3 (1885). | Burma.

Genus 159. **Ceratocrania.**

Westw. Rev. Mant. p. 46 (1889).

- *1. **C. Macra, Westw.** l. c. pl. 11. f. 9 | Borneo.
 (1889).

Phyllothelys Macra, Dohrn, Stett. Ent. Zeit. iv. p. 129, pl. 5. ff. 5, 6 (1894).

Genus 160. **Phyllocrania.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 548 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 174, 326 (1871); Sauss. & Zehntn. Grandier, Hist. Madagascar, Orth. i. p. 220 (1895).

- *1. **P. Paradoxa**, Burm. l. c. p. 549 (1838); S. & E. Afr. Westw. Arc. Ent. ii. p. 51 note (1845); Kirb. Ann. Nat. Hist. (7) iv. p. 40 (1899); Distant, Ins. Transvaal. p. 40, f. 3 (1903).
|| *P. Insignis*, Sauss. l. c. p. 327 (1871).
- *2. **P. Insignis**, Westw. l. c. p. 51, pl. 12. W. Africa. f. 1 (1845); Rev. Mant. p. 12, f. 7 (1889); Sauss. l. c. pp. 174, 328 (1871).
- 3. **P. Illudens**, Sauss. & Zehntn. l. c. Madagascar p. 221, pl. 10. f. 39 (1895).

Genus 161. **Parablepharis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870); Mém. Soc. Genève, xxi. p. 171 (1871).

- *1. **P. Kuhlii**, Haan, (*Mantis (Blepharis) K.*) Java. Temminck, Verhandel., Orth. p. 93, pl. 18. f. 3 (1842).
Parablepharis Kuhlii, Sauss. l. c. p. 172 (1871).

Genus 162. **Creoboter.** (*Type* no. 1 a.)

Serv. Ins. Orth. p. 160 (1839); Stål, Bihang Svenska Akad. iv. (10) p. 80 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 154 (1902).

Creobotra, Sauss. Mém. Soc. Genève, xxi. p. 143 (1871); Rev. Suisse Zool. v. p. 200 (1897); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 215 (1898).

- *1. **C. Urbana**, Fabr. (*Mantis U.*) Syst. Ent. p. 278. n. 19 (1775); Oliv. Enc. Méth. vii. p. 630. n. 21 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 23 (1802).

Harpa Urbana, Burm. Handb. Ent. ii. p. 550. n. 1 (1838).

<i>Mantis (Harpax) Urbana</i> , ♂, Haan, Tem-	
minek, Verhandel., Orth. p. 89 (1842).	
<i>C. Urbanus</i> , Jacobs. & Bianki, l. c. p. 154	
(1902).	
<i>C. Urbana</i> , Sauss. Mém. Soc. Genève, xxi.	
p. 144 (1871).	
1 a. C. Discifera, Serv. (<i>Mantis D.</i>) Ins.	Java.
Orth. p. 161 (1839).	
<i>Mantis Gemmata</i> , Serr. l. c. p. 160 (1839).	
4 <i>C. Lobata</i> , Stål, l. c. p. 86 (1877).	
<i>C. Urbana</i> , Brunn. Obs. Color. Ins. p. 9,	X X I V
pl. 6. f. 71 (1897); Abhandl. Senckenb.	
Ges. xxiv. p. 215, pl. 17. f. 23 (1898). C -	
*2. C. Gemmata, Stoll , (<i>Mantis G.</i>) Spectres,	" America,"
Mantes, p. 71, pl. 24. f. 93 (1813).	Java.
**3. C. Signifer, Walk. (<i>Harpax S.</i>) Ann.	Ceylon.
Nat. Hist. (3) iv. p. 220 (1859).	
*4. C. Apicalis, Sauss. Mitth. Schweiz. Ent.	N. India.
Ges. iii. p. 73 (1869); Mem. Soc. Genève,	
xxi. pp. 146, 317 (1871).	
*5. C. Fuscoareata, Sauss. ll. cc. p. 242	Siam.
(1870); p. 147, pl. vi. ff. 46, 46 a	
(1871).	
*6. C. Granulicollis, Sauss. ll. cc. p. 242	Penang.
(1870); p. 147 (1871).	
7. C. Meleagris, Stål , (Dffv. Vet.-Akad. Förh.	Philippines.
xxxiv. (10) p. 39 (1877).	
8. C. Episcopalalis, Stål , Bihang Svenska	Borneo.
Akad. iv. (10) p. 86 (1877).	
9. C. Brunneri, Kirb. (n. n.).	Sumatra.
<i>C. Sumatrana</i> , Brunn. Abhandl. Senckenb.	
Ges. xxiv. p. 215, pl. 17. f. 24 (1898).	
**10. C. Cattulus, Westw. Rev. Mant. p. 42,	Java. — <i>W. Cattulus</i>
pl. 9. f. 10 (1889).	
11. C. Sumatrana, Haan , (<i>Mantis (Harpax)</i>	Sumatra.
<i>S.</i>) l. c. p. 89, pl. 17. ff. 14, 15	
(1842).	
12. C. Lævicollis, Sauss. ll. cc. p. 242 (1870);	Java.
p. 146 (1871).	
*13. C. Pictipennis, Wood-Mason , Proc.	Ceylon.
Zool. Soc. Lond. 1878, p. 585, pl. 36.	
f. 8.	

Genus 163. **Helvia.**

Stål, Bihang Svenska Akad. iv. (10) p. 80 (1877).

- | | |
|---|----------|
| 1. H. Cardinalis, Stål, l. c. p. 86 (1877);
Sauss. Rev. Suisse Zool. v. p. 200
(1897). | Malacca. |
|---|----------|

Genus 164. **Mystipola.**

Sauss. Rev. Suisse Zool. v. p. 201 (1898).

- | | |
|---|------------|
| 1. M. Compressicollis, Sauss. l. c. (1898);
Sjöst. Bihang Svenska Akad. xxv. (4 : 6)
p. 19 (1900). | W. Africa. |
|---|------------|

Genus 165. **Bomistria.**

Sauss. Rev. Suisse Zool. v. pp. 202, 789 (1898).

- | | |
|--|--------------------------------------|
| *1. B. Lunata, Sauss. l. c. pp. 203, 789
(1898).
<i>Chlidonoptera Lunata, Sjöst.</i> Bihang
Svenska Akad. xxv. (4 : 6) p. 20, pl. 1.
f. 6 (1900). | Gaboon,
Cameroons,
Gold Coast. |
|--|--------------------------------------|

Genus 166. **Chlidonoptera.**

Karsch, Ent. Nachr. xviii. p. 150 (1892); Berlin. Ent. Zeitschr. xxxvii. p. 68 (1892); Sauss. Rev. Suisse Zool. v. p. 789 (1898).

- | | |
|---|----------------------|
| 1. C. Vexillum, Karsch, ll. cc. p. 150
(1892); xxxvii. p. 68 (1892), xxxix. p. 279,
pl. 20, f. 13 (1894); Sauss. l. c. p. 789
(1898); Sjöst. Bihang Svenska Akad.
xxv. (4 : 6) p. 20 (1900). | Cameroons,
Congo. |
| 2. C. (?) Pavonina, Burm. (<i>Mantis P.</i>)
Handb. Ent. ii. p. 540, n. 42 (1838).
<i>Stigmatoptera Paronina, Sauss.</i> Mém. Soc.
Genève, xxi. p. 64 (1871). | S. Africa. |

Genus 167. **Theopropus.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. v. p. 204 (1898). ♂-♀?

- *1. **T. Elegans, Westw.** (*Blepharis E.*) | Tenasserim,
Griffith, Animal Kingd. xv. p. 190, pl. 78. | Java,
f. 3 (1832). | Borneo.
Creobotra Elegans, Sauss. Mém. Soc. Genève, | *The Jones*
xxi. p. 145 (1871); Brunn. Abhandl. | *be T. elegans*
Senckenb. Ges. xxiv. p. 215, pl. 17. f. 25 | *& T. elegans*
(1898). ♂-XXV.
T. Elegans, Sauss. Rev. Suisse Zool. v. |
p. 205, pl. 9. f. 3 (1898); Shelf. Zoologist, |
(4) vii. pp. 297-303 (1903). |
2. **T. Präcontatrix, Sauss.** l. c. p. 205 | Java.
(1898). ♂-♀?

Genus 168. **Pseudocreobotra.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 241 (1870); Mém. Soc. Genève, xxi. p. 148 (1871); Rev. Suisse Zool. v. p. 206 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 78 (1877).

- *1. **P. Ocellata, Beauv.** (*Empusa O.*) Ins. | W. Africa,
Afr. Amér. p. 110, Orth. pl. 13. f. 2 | Ruwenzori.
Harpax Ocellata, Burm. Handb. Ent. ii. |
p. 550. n. 2 (1838); Gerst. Mitth. Ver. |
Vorpomm. xiv. p. 95 (1883).
P. Ocellata, Sauss. Mém. Soc. Genève, xxi. |
p. 148, pl. 6. ff. 47, 47a, b (1871); Stål, |
l. c. p. 85. n. 1 (1877).
*2. **P. Wahlbergi, Stål**, l. c. p. 85. n. 2 | S. & E.
(1877); Kirb. Distant, Ins. Transvaal. | Africa.
p. 40, f. 4 (1902).
|| *Harpax Ocellata*, Serr. Ins. Orth. p. 158 |
(1839).
|| *P. Ocellata*, Sauss. l. c. xxi. p. 317 (1871); |
Brunn. Obs. Color. Ins. pp. 7, 8, pl. 6. |
f. 70, a-c (1897).
3. **P. Amaræ, Rehn**, Proc. Acad. Nat. Sci. | Galla
Philadelphia, liii. p. 286 (1901). | Land.

Genus 169. **Callibia.**

Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877); Sauss. Rev. Suisse Zool. v. p. 207 (1898).
Anastira, Gerst. Mitth. Vorpomm. xiv. p. 97 (1883).

- | | |
|---|---|
| *1. C. Diana, Stoll. (<i>Mantis D.</i>) Spectres, Mantes, p. 74, pl. 25. f. 100 (1813).
<i>Anastira Diana</i> , Gerst. l. c. (1883).
<i>Harpax Pictipennis</i> , Serr. Ins. Orth. p. 160 (1839). | "E. Indies," Cayenne, Ega, Per-nambuco. |
|---|---|

Genus 170. **Hymenopus.**

Serv. Ann. Sci. Nat. xxii. p. 46 (1831); Burm. Handb. Ent. ii. p. 549 (1838); Sauss. Mém. Soc. Genève, xxi. p. 142 (1871); Rev. Suisse Zool. v. p. 208 (1898).
Hymenopa, Serv. Ins. Orth. p. 162 (1839).

- | | |
|--|--------------------|
| *1. H. Coronatus, Oliv. (<i>Mantis Coronata</i>) Erc. Méth. vii. p. 638. n. 69 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 24. n. 14 (1802).
<i>H. Coronatus</i> , Burm. l. c. p. 549 (1838); Sauss. Rev. Suisse Zool. v. p. 209 (1898).
<i>Hymenopa Coronata</i> , Serv. Ins. Orth. p. 163 (1839).
<i>Mantis Bicornis</i> , Stoll, Spectres, Mantes, p. 38, pl. 11. f. 44 (1813).
<i>H. Bicornis</i> , Wood-Mason, Proc. Zool. Soc. London, 1878, p. 786; Annandale, P. Z. S. Lond. 1900, pp. 839-848, ff. 1, 2 (1901); Shelf. Zoologist, (4) vii. pp. 299-304 (1903). | India, Borneo, &c. |
|--|--------------------|

Genus 171. **Parymenopus.**

Wood-Mason, Ann. Nat. Hist. (6) v. p. 437 (1890);
 Sauss. Rev. Suisse Zool. v. p. 209 (1898).

- | | |
|--|------------|
| 1. P. Davisoni, Wood-Mason , l. c. pl. 17 a, a-c (1890); Sauss. l. c. (1898). | Singapore. |
|--|------------|

Genus 172. **Harpagomantis.** (*Type* no. 9.)

Kirb. Ann. Nat. Hist. (7) iv. p. 352 (1899); Distant, Ins. Transvaal. p. 40 (1902).

|| *Harpax*, *Serv.* Am. Sci. Nat. xxii. p. 49 (1831); Ins. Orth. p. 157 (1839); Burm. Handb. Ent. ii. p. 550 (1838); Sauss. Mém. Soc. Genève, xxi. p. 151 (1871); Rev. Suisse Zool. v. p. 210 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877).

Australomantis, Rehn, Canad. Ent. xxxiii. p. 271 (1901).

- *1. **H. Tricolor**, Linn. (*Gryllus (Mantis) T.*) | S. Africa.
Syst. Nat. (ed. x.) i. p. 426. n. 9 (1758).
Mantis Tricolor, Fabr. Syst. Ent. p. 276. n. 9 (1775); Herbst, Füssly, Archiv. Ins. p. 188, pl. 51. f. 4 (1786); Oliv. Ene. Méth., Ins. vii. p. 632. n. 36 (1792).
+ *Gryllus Tricolor*, Linn. Mus. Ludov. Ulr. p. 117 (1764).
‡ *Harpax Tricolor*, Serv. Ins. Orth. p. 158 (1839); Sauss. II. cc. p. 151 (1871); p. 210 (1898); Stål, l. c. p. 85 (1877); Brunn. Obs. Color. Ins. p. 7, pl. 6. f. 69 (1897).
|| *Mantis Lobata*, Fabr. Spec. Ins. i. p. 350. n. 28 (1781); Oliv. Ene. Méth., Ins. vii. p. 630. n. 24 (1792); Licht. Trans. Linn. Soc. Lond. p. 25. n. 15 (1802); Stoll, Spectres, Mantes, p. 29, pl. 9. f. 33, p. 41*, pl. 12. f. 48 (1813).
‡ *Harpax Lobata*, Burm. l. c. p. 551. n. 4 (1838).
|| *Mantis Cornuta*, Olir. Ene. Méth., Ins. vii. p. 641. n. 13 (1792).
‡ *Harpax Cornuta*, Burm. l. c. p. 551. n. 3 (1838).
Mantis Quadricornis, Stoll, l. c. p. 42*, pl. 12. f. 50 (1813).
‡ *Harpax Spinocula*, Serv. l. c. p. 159, pl. 3. f. 6 (1839).
‡ || *Harpax Coronata*, Westw. Rev. Mant. p. 20. n. 505 (1889).
(?) *Mantis Paradora*, Goeze, Ent. Beytr. ii. p. 35. n. 33 (1788); Oliv. l. c. p. 642. n. 27 (1792) (Seba, Thes. iv. pl. 73. ff. 9, 10).

- *2. **H. Discolor**, Stål, (*Harpax D.*) l. c. p. 85 | Caffraria,
 (1877); Sauss. Rev. Suisse Zool. v. p. 210 | Transvaal.
 (1898).

Genus 173. **Pseudoharpax.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 241 (1870); Mém. Soc. Genève, xxi. p. 150 (1871); Rev. Suisse Zool. v. p. 211 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877).

- *1. **P. Virescens**, Serv. (*Harpax V.*) Ins. | W. Africa,
 Orth. p. 162, pl. 3. f. 7 (1839); Sauss. | Abyssinia.
 Mém. Soc. Genève, xxi. p. 150, pl. 6. ff. 48, 48 a (1871).

Genus 174. **Galinthias.** (*Type* no. 1)

Stål, Bihang Svenska Akad. iv. (10) pp. 79, 86 (1877);
 Sauss. Rev. Suisse Zool. v. p. 318 (1898).

- | | |
|--|------------------------------|
| *1. G. Amœna , Sauss. (<i>Harpax A.</i>) Mém. Soc. Genève, xxi. p. 318 (1871).
<i>G. Amœna</i> , Westw. Rev. Mant. p. 21. n. 510, pl. 10. ff. 3, 10 (1889); Brunn. Obs. Color. Ins. p. 7, pl. 6. f. 68 (1897). | Natal,
Cape,
Zanzibar. |
| 2. G. Hyalina , Sauss. Abhandl. Senckenb. Ges. xxi. p. 598 (1899). | Delagoa
Bay. |

Genus 175. **Otomantis.** (*Type* no. 1.)

Bol. An. Soc. EspaÑ. xix. p. 304 (1890).

Acanthomantis, Sauss. & Zehntn. Grandier, Hist. Madagascar, Orth. i. p. 212 (1895). (*Type* no. 3.)

- | | |
|---|-----------------|
| *1. O. Scutigera , Bol. l. c. p. 305, pl. 1. f. 3 (1890).
<i>Acanthomantis Africana</i> , Sauss. & Zehntn. l. c. p. 215 (1895). | Delagoa
Bay. |
|---|-----------------|

2. **O. Rendalli, Kirb.** (*Acanthomantis R.*) Fort
Ann. Nat. Hist. (7) iv. p. 352 (1899); Johnston.
Distant, Ins. Transvaal. p. 41, pl. 2. f. 6
(1902).
3. **O. Aurita, Sauss. & Zehntn.** (*Acantho-*
mantis A.) l. c. p. 213, pl. 10. f. 38
(1895). Madagascar

S U B F A M. VII.

VATINÆ.

Genus 176. **Cardioptera.**

Burm. Handb. Ent. ii. p. 540 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869); Mém. Mex., Mant. p. 68 (1871); Miss. Mex., Orth. p. 267 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 43 (1877).

- *1. **C. Brachyptera, Burm.** (*Mantis B.*) Brazil.
Handb. Ent. ii. p. 541. n. 47 (1838).
Mantis Sublobata, Serv. Ins. Orth. p. 180
(1839); Charp. Germar, Zeitschr. Ent.
iii. p. 290 (1841); Orth. pl. 37 (1845).
C. Sublobata, Sauss. Mém. Mex., Mant.
p. 75 (1871).
♂. *Mantis Pilipes, Serv.* l. c. p. 192
(1839).

Genus 177. **Oxyops.** (*Type no. 1.*)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Mex., Mant. p. 41 (1871); Miss. Mex., Orth. i. p. 253 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 189 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 68 (1877).

- *1. **O. Rubicunda, Stoll,** (*Mantis R.*) Spectres, Guiana,
Mantes, p. 73, pl. 25. f. 96 (1813). Brazil.
O. Rubicunda, Sauss. Mém. Mex., Mant.
p. 41 (1871); Miss. Mex., Orth. p. 254

(1872) ; Sauss. & Zehntn. l. c. p. 189. n. 1 (1894); Stål, l. c. p. 71. n. 1 (1877); Westw. Rev. Mant. p. 15. n. 378, pl. 6. f. 3 (1889).	
<i>Stagmatoptera Diluta</i> , ♂ (neq ♀), <i>Sauss.</i> Mém. Mex., Mant. p. 87, pl. 1. f. 6 (1871).	
2. O. Dubiosa, Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 18 (1898).	Ecuador.
3. O. Acutipennis, Stål , l. c. p. 71. n. 2 (1877).	Peru.
4. O. Media, Stål , l. c. n. 3 (1877).	Brazil.
5. O. Obtusa, Stål , l. c. p. 72. n. 4 (1877).	id.
6. O. Icterica, Sauss. & Zehntn. l. c. p. 190. n. 2 (1894).	S. America.
7. O. Borellii, Giglio-Tos , l. c. xii. (302) p. 15 (1897).	Bolivia.
8. O. Paraguayensis, Brancs. Jahresh. Ver. Trenesin. Com. xix.-xx. p. 64, pl. 1. f. 10 (1898).	Paraguay.

Genus 178. **Pseudoxyops.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894).

1. **P. Perpulchra, Westw.** (*Stagmatoptera P.*) Rev. Mant. p. 36, pl. 11. f. 8 (1889). | Ega.

Genus 179. **Parastagmatoptera.** (*Type no. 1.*)

Sauss. Mém. Mex., Mant. p. 83 (1871) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 188 (1894) ; Stål, Bilang Svenska Akad. iv. (10) p. 68 (1877).

- | | |
|--|--------------------------|
| 1. P. Flavoguttata, Serv. (<i>Mantis F.</i>) Ins.
Orth. p. 183 (1839). | Cayenne. |
| *1 a. P. Unipunctata, Burm. (<i>Mantis U.</i>)
Handb. Ent. ii. p. 540. n. 43 (1838) ;
Berlin. Ent. Zeitschr. viii. p. 238 (1864). | Brazil,
Buenos Aires. |
| 2. P. Ciliata, Stål , (<i>Mantis C.</i>) Eugenie's Resa, Orth. p. 313 (1858). | Rio Janeiro. |
| **3. P. Serricornis, Kirb. (n. n.).
(<i>Mantis Serricornis, Bates, MS.</i>)
 <i>Stagmatoptera Flavoguttata, Sauss.</i> l. c.
p. 84, pl. 1. f. 5 (1871) ; <i>Miss. Mex.</i> ,
Orth. p. 256 (1872). | Santarem. |

<i>P. Unipunctata</i> , Sauss. & Zehntn. l. c. p. 188. n. 1 (1894).	
<i>P. Flavoguttata</i> , Westw. Rev. Mant. p. 16. n. 392, pl. 6. f. 1 (1889).	
4. P. Tessellata , Sauss. & Zehntn. l. c. p. 188. n. 2 (1894).	Cayenne.
**5. P. Lobipes , Redt. Proc. Zool. Soc. Lond. 1892, p. 206, pl. 15. f. 8 ; Brunn, op. cit. 1893, p. 605, pl. 52. f. 4 ; Sauss. & Zehntn. l. c. p. 189. n. 3 (1894).	W. Indies : St. Vincent, Grenada.
6. P. (?) Simulacrum , Fabr. (<i>Mantis S.</i>) Ent. Syst. ii. p. 21. n. 34 (1793).	America.
7. P. (?) Diluta , Stoll, (<i>Mantis D.</i>) Spectres, Mantes, p. 66, pl. 22. f. 83 (1813). <i>Stagmatoptera Diluta</i> , ♀, Sauss. ll. cc. p. 87 (1871) ; p. 256 (1872).	Surinam.

Genus 180. **Stagmatoptera.** (*Type no. 10.*)

Burm. Handb. Ent. ii. p. 537 (1838) ; Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869) ; Mém. Soc. Genève, xxi. p. 64 (1871) ; Mém. Mex., Mant. p. 80 (1871) ; Miss. Mex., Orth. p. 255 (1872) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894) ; Grandier, Hist. Madagascar, Orth. i. p. 223 (1895) ; Stål, Bihang Svenska Akad. iv. (10) pp. 68, 72 (1877).

*1. S. Biocellata , Sauss. ll. cc. p. 67 (1869) ; p. 96 (1871) ; p. 257 (1872).	Brazil.
2. S. Supplicaria , Burm. (<i>Mantis S.</i>) l. c. p. 542. n. 52 (1838). <i>Mantis Hyalina</i> , Burm. l. c. p. 532. n. 11 (1838).	Guiana, Brazil.
<i>Mantis Precaria</i> , Licht. Trans. Linn. Soc. Lond. vi. p. 26. n. 16 (1802) ; Stoll, Spectres, Mantes, p. 51, pl. 17. f. 62 (1813). <i>Mantis Flavipennis</i> , Serv. Ins. Orth. p. 182 (1839). <i>S. Supplicaria</i> , Sauss. Mém. Mex., Mant. p. 94. n. 8, pl. 1. ff. 11, 11 (1871).	
3. S. Hyaloptera , Perty, (<i>Mantis II.</i>) Delectus Anim. Art. p. 117, pl. 23. f. 6 (1832). <i>S. Hyaloptera</i> , Sauss. l. c. p. 95, pl. 1. f. 12 (1871) ; Miss. Mex., Orth. p. 257 (1872).	Amazons, Cayenne.

- | | |
|--|-------------------------|
| *4. S. Luna, Serv. (<i>Mantis L.</i>) l. c. p. 183
(1839). | Argentine Republic. |
| *5. S. Predicatoria, Sauss. Mitth. Schweiz.
Ent. Ges. iii. p. 232 (1870).
<i>S. Predicatoria, Sauss.</i> Mém. Mex., Mant.
p. 92, pl. 1. f. 10 (1871); (?) Westw.
Rev. Mant. p. 16. n. 386, pl. 4. f. 6
(1889). | Brazil. |
| <i>Mantis Rogatoria, Burm.</i> l. c. p. 540. n. 41
(1838). | |
| 6. S. Binotata, Scudd. Proc. Boston Soc.
Nat. Hist. xii. p. 341 (1869). | Napo (?). |
| **7. S. Septentrionalis, Sauss. & Zehntn.
l. c. p. 186, pl. 8. f. 2 (1894). | Panama,
Trinidad. |
| *8. S. Minor, Sauss. & Zehntn. (<i>S. Septen-</i>
<i>trionalis</i> , var. <i>Minor</i>) l. c. p. 187 (1894). | Colombia,
Venezuela. |
| 9. S. Pia, Sauss. & Zehntn. l. c. p. 187.
n. 2 (1894). | Brazil. |
| *10. S. Præcaria, Linn. (<i>Gryllus (Mantis)</i>
<i>Præcarius</i>) Syst. Nat. (ed. x.) i. p. 426.
n. 7 (1758).
<i>Gryllus Mantis Precarius, Linn.</i> Mus.
Ludov. Ulr. p. 114 (1764).
<i>Mantis Præcaria, De Geer</i> , Mém. Ins. iii.
pp. 406, 407. n. 3, pl. 37. ff. 4, 8, 9
(1773); Herbst, Fuessly, Arch. Ins.
p. 186, pl. 50. f. 1 (1786); Oliv. Enc.
Méth., Ins. vii. p. 628. n. 13 (1792);
Beauv. Ins. Afr. Amér. p. 61, Orth.
pl. 12. f. 1 (1805); Hahn, Ieon. Orth.,
Mant. t. A. f. 1 (1836); Serv. Ins. Orth.
p. 181 (1839).
<i>Mantis Præcaria, Burm.</i> l. c. p. 539. n. 40
(1838); Berlin. Ent. Zeitschr. viii. p. 236.
n. 1 (1864).
<i>S. Precaria, Brunn.</i> Obs. Color. Ins. p. 3,
pl. 2. f. 22 a (1897).
<i>S. Flavipennis, Brunn.</i> l. c. f. 22, b (1897).
<i>Mantis Cubitata, Goeze</i> , Ent. Beytr. ii. p. 34.
n. 27 (1778); Oliv. Enc. Méth., Ins. vii.
p. 642. n. 21 (1792) (Seba, Thes. iv.
pl. 69. ff. 3, 4).
<i>Mantis Observaria, Licht.</i> Trans. Linn. Soc.
vi. p. 28. n. 25 (1802).
<i>Mantis Ocellata, Oliv.</i> l. c. p. 639. n. 77
(1792). | S. America. |

- Mantis Annulata*, Stoll, Spectres, Mantes, p. 55, pl. 18, f. 66 (1813).
- S. Annulata*, Sauss. l. c. p. 91, pl. 1, ff. 9, 9 (1871); Miss. Mex., Orth. p. 256, n. 4 (1872); Sauss. & Zehntn. l. c. p. 187, n. 3 (1894).
- Mantis Royatoria*, Stoll, l. c. p. 73, pl. 25, f. 95 (1813).
11. **S. Femoralis**, Sauss. & Zehntn. l. c. p. 187, n. 4 (1894). Cayenne.
- ?*Mantis Praecaria*, Müll. Naturs. Linn., Ins. i. p. 413, pl. 9, f. 3 (1774).
12. **S. Indicator**, Oliv. (*Mantis I.*) l. c. p. 641, n. 16 (1792). Surinam.
- Mantis Bodegetica*, Licht. l. c. p. 26, n. 20 (1802).
- Mantis Sancta*, Stoll, l. c. p. 52, pl. 17, f. 63 (1813); Burm. l. c. p. 542, n. 51 (1838).
- 12 a. **S. Pagana**, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870). Bogota.
- ||*S. Sancta*, Sauss. Mém. Mex., Mant. p. 88, pl. 1, f. 7 (1871).
- 12 b. **S. Costalis**, Burm. (*Mantis C.*) l. c. p. 532, n. 9 (1838). Brazil.
13. **S. Insatiabilis**, Rehn, Proc. U. S. Nat. Mus. xxvii. p. 572 (1904). Costa Rica.
14. **S. Abdominalis**, Oliv. (*Mantis A.*) l. c. p. 640, n. 8 (1792). Surinam.
- Mantis Birivia*, Stoll, l. c. p. 28, pl. 9, f. 31 (1813); Burm. l. c. p. 541, n. 45 (1838).
- S. Birivia*, Sauss. & Zehntn. l. c. p. 186 (1894).
- Mantis Urbana*, Licht. l. c. p. 27, n. 23 (1802).
15. **S. Freyi**, Brancs. (*Hierodula (Sphodromantis) F.*) Jahresh. Ver. Trenesin. Com. xv.-xvi. p. 177, pl. 9, ff. 1, 1a (1892). Madagascar.
- S. Freyi*, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 224, pl. 6, ff. 1, 2 (1895).
- *16. **S. Acutipennis**, Westw. (*Hierodula A.*) id. Rev. Mant. p. 34, pl. 1, f. 8 (1889).
- S. Acutipennis*, Sauss. & Zehntn. l. c. p. 228, pl. 7, f. 5 (1895).
- S. Grandidieri*, Sauss. & Zehntn. l. c. p. 226, pl. 7, ff. 3, 4 (1895).

Genus 181. **Heterovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 85 (1872); Miss. Mex., Orth. p. 289 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

1. **H. Pardalina, Sauss.** Il. ec. p. 85, pl. 9. | Brazil.
f. 32 (1871); p. 289 (1872).

Genus 182. **Zoolea.**

Serv. Ins. Orth. p. 154 (1839); Sauss. Mém. Mex., Mant. pp. 156, 160 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

|| *Vates, Stål*, Bihang Svenska Akad. iv. (10) pp. 69, 73 (1877).

- *1. **Z. Lobipes, Oliv.** (*Mantis L.*) Enc. Méth. vii. p. 637. n. 65 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 9 (1802); Charp. Germar, Zeitschr. Ent. v. p. 294 (1844). “Tran- quebar,” Brazil, Guiana.

Empusa Lobipes, Guér. Icon. R. Anim., Ins. p. 327, pl. 52. f. 5 (1829–1844); Gray, Griffith, Anim. Kingd. xv. p. 172, pl. 104. f. 5 (1832); Duncan, Nat. Libr., Ins. i. p. 237, pl. 10. f. 2 (1840).

Theoclytes Lobipes, Serv. Ins. Orth. p. 254 (1839).

Mantis Macroptera, Stoll, Spectres, Mantes, p. 26, pl. 8. f. 30 (1813).

Vates Macropterus, Burm. Handb. Ent. ii. p. 544. n. 3 (1838); Charp. Orth. pls. 25, 26 (1842).

Z. Macroptera, Sauss. Mém. Mex., Mant. p. 161 (1871).

Vates Orbus, Burm. l. c. p. 544. n. 2 (1838).

Genus 183. **Phyllovates, Kirb.** (n. n.). (*Type* no. 1.)

Theoclytes (2^{me} subdiv.), Serv. Ins. Orth. p. 153 (1839), *neec* *seet. typ.*

|| *Theoclytes*, Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60

(1869); Mém. Mex., Mant. p. 172 (1871); Miss. Mex., Orth. p. 292 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 190 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 69 (1877).

*1. P. Chlorophæa, Blanch. (<i>Mantis C.</i>)	N. & Centr. America.
Mag. Zool., Ins. pl. 135 (1836).	
<i>Theoclytes</i> (?) <i>Chlorophæa</i> , Serv. l. c. p. 153 (1839); Sauss. Mém. Mex., Mant. p. 173 (1871); Miss. Mex., Orth. p. 292, pl. 5. ff. 4, 4a (1872); Sauss. & Zehntn. l. c. p. 191, n. 1 (1894).	
<i>Theoclytes Azteca</i> , Sauss. Rev. Zool. (2) xi. p. 61 (1859).	
<i>Theoclytes Mexicana</i> , Sauss. l. c. (2) xiii. p. 127 (1861).	
**1 a. P. Cornuta, Sauss. & Zehntn. (<i>Theoclytes Chlorophæa</i> , var. <i>Cornuta</i>) l. c. p. 191 (1894).	Guatemala.
**2. P. Maya, Sauss. & Zehntn. (<i>Theoclytes M.</i>) l. c. p. 192, n. 2 (1894).	Mexico.
<i>Theoclytes Chlorophæa</i> , var., Sauss. & Zehntn. l. c. pl. 10, f. 33 (1894).	
*3. P. Brevicornis, Stål, (<i>Pseudovates B.</i>) l. c. p. 74 (1877).	Colombia, Brazil.
4. P. Cingulata, Drury, (<i>Mantis C.</i>) Ill. Ex. Ent. ii. pl. 49. f. 2 (1773); Oliv. Enc. Méth., Ins. vii. p. 635, n. 49 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 22 (1802).	Jamaica.
<i>Mantis Bidens</i> , Haan, Temminck, Verhandel., Orth. p. 79 (1842).	
<i>Theoclytes Cingulata</i> , Sauss. & Zehntn. l. c. p. 192, n. 3 (1894).	
<i>Mantis Hyalina</i> , Fabr. Syst. Ent. p. 277. n. 16 (1775); Oliv. Enc. Méth., Ins. vii. p. 629. n. 17 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 3 (1802).	
5. P. Stollii, Sauss. & Zehntn. (<i>Mantis S.</i>) l. c. p. 192. n. 4 (1894).	Guiana, Brazil.
<i>Mantis Cingulata</i> , Stoll, Spectres, Mantes, p. 28, pl. 9. f. 32 (1813); Burm. Handb. Ent. ii. p. 542. n. 53 (1838); Serv. l. c. p. 197 (1839).	
<i>Theoclytes Cingulata</i> , Sauss. Mém. Mex., Mant. p. 174 (1871); Miss. Mex., Orth. p. 293 (1872).	

*6. P. Parallela, Haan, (<i>Mantis P.</i>) l. c. p. 79 (1842).	Guiana.
<i>Theoclytes Parallela, Sauss.</i> Il. ec. p. 176, pl. 2. f. 33 (1871); p. 294 (1872); <i>Sauss. & Zehntn.</i> l. c. p. 193. n. 5 (1894).	
<i>Theoclytes Surinamensis, Sauss.</i> <i>Mitth. Schweiz. Ent. Ges.</i> iii. p. 60 (1869); <i>Mém. Mex., Mant.</i> pl. 1. f. 19 (1871).	
*7. P. Spinicollis, Sauss. & Zehntn. (<i>Theoclytes S.</i>) l. c. p. 193. n. 6, pl. 6. f. 2 (1894).	Brazil.
8. P. Iheringi, Sauss. & Zehntn. (<i>Theoclytes I.</i>) l. c. p. 193. n. 7 (1894).	R. Grande do Sol.
*9. P. Minor, Sauss. (<i>Theoclytes M.</i>) <i>Mém. Soc. Genève</i> , xxiii. p. 85, pl. 9. f. 33 (1872); <i>Miss. Mex., Orth.</i> p. 294 (1872).	Brazil.
9 a. P. Parvulus, Westw. (<i>Theoclytes (Vates) P.</i>) <i>Rev. Mant.</i> p. 46 (1889).	id.

Genus 184. **Pseudovates.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 60, 221 (1869, 1870); *Stål, Bihang Svenska Akad.* iv. (10) pp. 69, 74 (1877); *Sauss. & Zehntn. Biol. Centr.-Amer., Orth.* i. pp. 190, 194 (1894).

*1. P. Tolcea, Sauss. (<i>Theoclytes T.</i>) <i>Rev. Zool.</i> (2) xi. p. 61 (1859).	Mexico.
<i>Vates Tolcea, Sauss.</i> <i>Mém. Mex., Mant.</i> p. 167 (1871); <i>Miss. Mex., Orth.</i> p. 291, pl. 5. ff. 3, 3a-c (1872); <i>Sauss. & Zehntn.</i> l. c. p. 194. n. 1 (1894).	
*2. P. Paraensis, Sauss. (<i>Vates P.</i>) <i>Mém. Mex., Mant.</i> p. 168 (1871); <i>Sauss. & Zehntn.</i> l. c. p. 195. n. 2, pl. 6. f. 1, pl. 10. ff. 28, 29 (1894).	Para. Mexico.
3. P. Bidens, Fabr. (<i>Mantis B.</i>) <i>Syst. Ent.</i> p. 227. n. 17 (1775); <i>Oliv. Enc. Méth., Ins.</i> vii. p. 629. n. 19 (1792); <i>Licht. Trans. Linn. Soc. Lond.</i> vi. p. 24. n. 13 (1802). <i>Vates Bidens, Sauss.</i> l. c. p. 169, pl. 2. ff. 35, 35a (1871). <i>P. Consobrina, Sauss.</i> <i>Mitth. Schweiz. Ent. Ges.</i> iii. p. 222 (1870).	Brazil.
4. P. Longicollis, Stål, l. c. p. 74 (1877). <i>Vates Longicollis, Sauss. & Zehntn.</i> l. c. p. 195. n. 3 (1894).	Mexico.

Genus 185. **Vates.** (*Type* no. 2 b.)

Burm. Handb. Ent. ii. p. 543 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60, 221 (1869, 1870); Mém. Mex., Mant. pp. 156, 162 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 184, 194 (1894).

Theoclytes, Serv. Ins. Orth. p. 150 (1839). (*Type* no. 2 b.)

*1. V. Pectinata, Sauss. Mém. Mex., Mant. p. 163, pl. 2. f. 34 (1871); Sauss. & Zehntn. I. c. p. 196. n. 4, pl. 6. ff. 4, 5, pl. 10. ff. 30-32 (1894).	Mexico.
2. V. Foliata, Licht. (<i>Mantis F.</i>) Trans. Linn. Soc. Lond. vi. p. 24. n. 11 (1802). <i>Mantis Subfoliata</i> , Stoll, Spectres, Mantes, p. 55, pl. 18. f. 67 (1813). <i>Vates Subfoliata</i> , Sauss. I. c. p. 166 (1871).	“Bengal.”
2 a. V. Sphingicornis, Stoll , (<i>Mantis S.</i>) I. c. p. 59, pl. 20. f. 74 (1813).	“Amboina.”
2 b. V. Lobata, Fabr. (<i>Mantis L.</i>) Ent. Syst., Suppl. p. 190 (1798). <i>Empusa Hyalina</i> , Charp. Silbermann, Rev. Ent. iii. p. 316 (1835); Charp. Germar, Zeitschr. Ent. i. p. 372 (1839); Charp. Orth. pl. 2 (1841). <i>V. Cnemidotus</i> , Burm. I. c. p. 543. n. 1 (1838); Charp. Germar, Zeitschr. Ent. iii. p. 295 (1841). <i>Theoclytes Foliata</i> , Serv. I. c. p. 151 (1839). <i>V. Sphingicornis</i> , Sauss. I. c. p. 164 (1871). <i>V. Subfoliata</i> , Sauss. & Zehntn. I. c. p. 196. n. 5 (1894).	Cayenne, Brazil.
3. V. Denticulata, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870).	Surinam.
4. V. Pectinicornis, Stål , (<i>Theoclytes P.</i>) Bihang Svenska Akad. iv. (10) p. 73 (1877). <i>V. Pectinicornis</i> , Sauss. & Zehntn. I. c. p. 197. n. 6 (1894).	Panama.
5. V. Serraticornis, Stål , (<i>Theoclytes S.</i>) I. c. p. 73 (1877).	N. Granada.

6. **V. Amazonicus, Westw.** (*Theoclytes A.*) Amazons.
Rev. Mant. p. 46 (1889).
V. Amazonica, Sauss. & Zehntn. l. c. p. 197.
n. 7 (1894).
7. **V. Annectens, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 85 (1900). Mexico.
8. **V. Townsendi, Rehn,** Proc. U. S. Nat. Mus. xxvii. p. 573 (1904).
Vates sp., Rehn, Trans. Amer. Ent. Soc. xxvii. p. 221 (1904). id.

Genus 186. **Hagiota.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 197 (1894).

- **1. **H. Hofmanni, Sauss. & Zehntn.** l. c. | Brazil.
p. 197, pl. 8. f. 5 (1894).

Genus 187. **Stenophylla.**

Westw. Arc. Ent. ii. p. 52 (1845); Sauss. Mém. Mex., Mant. p. 154 (1871); Miss. Mex., Orth. p. 282 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

1. **S. Cornigera, Westw.** l. c. pl. 62. f. 2 | Brazil.
(1845); Rev. Mant. p. 45 (1889); Sauss.
ll. cc. p. 155 (1871); p. 283 (1872);
Mém. Soc. Genève, xxiii. p. 82, pl. 9.
f. 30 (1872); Sharp, Cambridge Nat.
Hist., Ins. i. pp. 257, 258, f. 147 (1895).

Genus 188. **Stenovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 84 (1872);
Miss. Mex., Orth. p. 286 (1872).

1. **S. Pantherina, Sauss.** ll. cc. p. 84, pl. 9. | "C.Amer."
ff. 31, 31 a (1872); p. 287 (1872); Brunn.
Ann. Mus. Genova, xxxiii. p. 74 (1893). | White
Nile.

Genus 189. **Heterochæta.** (*Type* no. 1.)

Westw. Arc. Ent. i. p. 162 (1845);
Sauss. Mém. Soc. Genève, xxi. pp. 140, 164 (1871).

1. **H. Tenuipes, Westw.** (*Toxodera T.*) | Senegal.
Ann. Nat. Hist. (1) viii. p. 272 (1841). |

Toxodera (Heterocharta) Tenuipes, Westw.

Arc. Ent. i. p. 162, pl. 41 (1845).

H. Tenuipes, Westw. Rev. Mant. p. 41
(1889).

2. **H. Orientalis, Kirb. Ann. Nat. Hist. (7) E. Africa.
xiii. p. 87 (1904).

(?) *H. Tenuipes*, Gerst. Mitth. Ver. Vor-
pomm. xiv. p. 94 (1883).

Genus 190. **Pseudochæta**.

Kirb. Ann. Nat. Hist. (7) xiii. p. 87 (1904).

1. **P. Strachani, Kirb. l. c. p. 88 (1904). | Lagos.

Genus 191. **Severinia**.

Finot, Ann. Soc. Ent. Belg. xlvi. p. 433 (1902).

1. **S. Lemoroi**, Finot, (*Heterocharta L.*) Bull. | Algeria.
Soc. Ent. France, 1893, p. xxix; Ann. |
Soc. Ent. Belg. xlvi. p. 432 (1902).

Genus 192. **Heterochætula**. (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 308 (1889).

1. **H. Fissispinis**, Wood-Mason, l. c. | Mysore.
p. 309 (1889).

2. **H. Tricolor**, Wood-Mason, (*Hetero-* | Calcutta,
chætu T.) Ann. Nat. Hist. (4) xviii. | Orissa.
p. 441 (1876).

Genus 193. **Paradanuria**. (*Type* no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 220 (1877);
Journ. Asiatic Soc. Bengal, lviii. p. 314 (1889).

*1. **P. Orientalis**, Wood-Mason, Ann. Nat. | India.
Hist. (4) xix. p. 220 (1877).

Toxodera (Paradanuria) Orientalis, Westw.
Rev. Mant. p. 41, pl. 12. f. 9 (1889).

2. **P. Parvula**, Westw. (*Toxodera (Para-* | Hab. — ?
danuria) P.) l. c. p. 41 (1889).

3. **P. Fortnumi**, Westw. (*Toxodera (Para-* | N. Australia.
danuria) F.) l. c. p. 41, pl. 8. f. 7 (1889).

Genus 194. **Euthyphleps**.

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 315 (1889).

1. **E. Rectivenis**, Wood-Mason, l. c. | N.W.
p. 317 (1889). | Himalayas.
x 2

Genus 195. **Aethalochroa.** (*Type* no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 308 (1877); Journ. Asiatic Soc. Bengal, lviii. p. 310 (1889).
Arsacia, Stål, Bihang Svenska Akad. iv. (10) p. 70 (1877).
Arteria, Brunn, Ann. Mus. Genova, xxxiii. p. 74 (1893).

- | | |
|--|----------------------|
| 1. Æ. Ashmoliana , Westw. (<i>Vates Ashmolianus</i>) Ann. Nat. Hist. (1) viii. p. 271 (1841); Arc. Ent. ii. p. 52 note (1845).
<i>Popa</i> (?) <i>Ashmolianus</i> , Sauss. Mém. Soc. Genève, xxi. p. 161 (1871).
Æ. Ashmoliana , Wood-Mason, ll. cc. p. 308 (1877); p. 312 (1889); Westw. Rev. Mant. p. 46, pl. 12. f. 6 (1889).
Æ. Ashmoliana , var. <i>Simplicipes</i> , Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 584.
Æ. Ashmoliana , var. <i>Insignis</i> , Wood-Mason, l. c. (1878). | India. |
| 2. Æ. Affinis , Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 313 (1889). | Bombay,
N. India. |
| 3. Æ. Spinipes , Wood-Mason, l. c. (1889). | Sind. |
| | Karachi. |

Genus 196. **Pseudempusa.**

Brann. Ann. Mus. Genova, xxxiii. p. 73 (1893).

- | | |
|--|--------|
| 1. P. Pinnapavonis , Brunn. l. c. p. 75, pl. 2. f. 25 (1893); Obs. Color. Ins. p. 5, pl. 4. f. 50 (1897). | Burma. |
|--|--------|

Genus 197. **Popa.** (*Type* no. 2.)

Stål, Öfsv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. pp. 386, 397 (1871); Bihang Svenska Akad. iv. (10) p. 70 (1877); Sauss. Mém. Soc. Genève, xxi. pp. 140, 160 (1871); Sauss. & Zelmtn. Grandidier, Hist. Madagascar, Orth. i. p. 229 (1895).

- | | |
|---|--|
| *1. P. Undata , Fabr. (<i>Mantis U.</i>) Ent. Syst. ii. p. 19. n. 28 (1793).
(?) <i>Mantis Undata</i> , Charp. Orth. pl. 38 (1841). | Tranquebar,
Bombay :
S. Africa (?) |
| *2. P. Spurca , Stål, ll. cc. p. 169 (1856), p. 387 (1871).
 <i>Theoclytes</i> (?) <i>Undata</i> , Serv. Ins. Orth. p. 152 (1839). | S. & E.
Africa,
Madagascar |

<i>P. Undata</i> , Sauss. l. c. xxiii. p. 79 (1872); Sauss. & Zehntn. l. e. p. 233 (1895).	
<i>P. Undata</i> , var. <i>Pallida</i> , Sauss. & Zehntn. l. e. p. 234 (1895).	
3. P. Batesi, Sauss. & Zehntn. l. e. p. 230 (1895).	Madagascar
<i>P. Undata</i> , pt., <i>Bates</i> , Proc. Zool. Soc. Lond. 1863, p. 480.	

Genus 198. **Macrodanuria.** (*Type* no. 1.)

Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 22 (1900).

- *1. **M. Phasmoides, Sjöst.** l. e. p. 23, pl. 1. Congo.
ff. 1, 2 (1900).
- 2. **M. Elongata, De Borre** (*Danuria E.*)
Ann. Soc. Ent. Belg. xxvii. p. 76 (1883).
- *3. **M. Bolauana, Sauss.** (*Danuria B.*) Mitth.
Schweiz. Ent. Ges. iii. p. 70 (May,
1869).
Danuria Bolauana, Sauss. Mém. Soc.
Genève, xxi. p. 162 (1871).
Mantis (*Danuria?*) *Superciliaris*, Gerst.
Arch. Naturg. xxxv. p. 210. n. 25
(1869); Von der Decken's Reisen in
Ost-Afrika, Ins. p. 15, pl. 1. ff. 7, 7 a, b
(1873).
Danuria (?) Caffra. Westw. Rev. Mant.
p. 42, pl. 1. f. 5 (1889).

Genus 199. **Danuria.** (*Type* no. 1.)

Stål, Öefv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 387
(1871); Bihang Svenska Akad. iv. (10) p. 70 (1877);
Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869); Mém.
Soc. Genève, xxi. pp. 161, 319 (1871); Karsch, Ent.
Nachr. xv. p. 270 (1889).

Danura, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869).

- *1. **D. Thunbergi, Stål**, ll. cc. p. 169 (1856),
p. 387 (1871); Sauss. Mém. Soc. Genève,
xxi. pp. 163, 320, pl. 7. ff. 66, 67 (1871);
Karsch, l. e. p. 273 (1889); (?) Sauss. &
Zehntn. Grandidier, Hist. Madagascar,
Orth. i. p. 228 (1895).
- *2. **D. Buchholzi, Gerst.** Mitth. Ver. Vor-
pomm. xiv. p. 93 (1883). W. Africa.

3. D. Gracilis, Schulth. (<i>Popa G.</i>) Ann.	Somali
Mus. Genova, xxxix. p. 180 (1898).	Land.
<i>D. Gracilis, Schulth.</i> Bull. Soc. Vaud. xxxv.	
p. 200 note (1899).	
*4. D. Impannosa, Karsch, l. c. p. 274	Nubia.
(1889).	
*5. D. Serratodentata, Karsch, l. c. p. 274	Congo,
(1889).	Angola.

Genus 200. **Danuriella.**

Westw. Rev. Mant. p. 42 (1889) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 235 (1895).

1. D. Irregularis, Westw. l. c. p. 42, pl. 1.	Madagascar
f. 9 (1889) ; Sauss. & Zehntn. l. c. p. 236,	
pl. 7. ff. 6, 7 (1895).	

Genus 201. **Phitrus.**

Karsch, Ent. Nachr. xviii. p. 149 (1892).

1. P. Lobulipes, Karsch, l. c. (1892) ; Ber-	Cameroons.
lin. Ent. Zeitschr. xxxix. p. 279, pl. 20.	
f. 8 (1894).	

S U B F A M. VIII.

E M P U S I N Æ.

Genus 202. **Gongylus.** (*Type no. 1.*)

Thunb. Mém. Pétersb. v. p. 220 (1815) ; Burm. Handb. Ent. ii. p. 545 (1838) ; Sauss. Mém. Soc. Genève, xxi. p. 185 (1871) ; Stål, Bihang Svenska Akad. iv. (10) p. 75 (1877).

*1. G. Gongylodes, Linn. (<i>Gryllus Mantis G.</i>)	India,
Syst. Nat. (ed. x.) i. p. 426. n. 4 (1758) ;	Ceylon.
Mus. Ulr. p. 112 (1764).	
—, Rossel, Ins. Belnst. ii. Loensta Indica,	
pl. 7. ff. 1-3 (1749).	
<i>Mantis Gongylodes, Fabr.</i> Syst. Ent. p. 275.	
n. 6 (1775) ; Drury, Ill. Exot. Ent. i.	
pl. 50. f. 2 (1773) ; Oliv. Enc. Méth., Ins.	
vii. p. 626. n. 7 (1792) ; Licht. Trans.	
Linn. Soc. Lond. vi. p. 21. n. 6 (1802) ;	

Stoll, Spectres, Mantes, p. 46, pl. 16. ff. 58, 59 (1813); Brullé, Hist. Nat. Ins. ix. p. 78, pl. 6. f. 2 (1835).

G. Gongylodes, Thunb. l. c. p. 294 (1815); Sauss. l. c. xxi. p. 185 (1871); Sharp, Cambridge Nat. Hist., Ins. i. pp. 254-256, f. 146 (1895).

Empusa Gongylodes, Burm. l. c. p. 545. n. 1 (1838); Serv. Ins. Orth. p. 141 (1839); Duncan, Nat. Libr., Ins. i. p. 235, pl. 10. f. 1 (1840).

♂. *Mantis Flabellicornis*, Fabr. Ent. Syst. ii. p. 16. n. 16 (1793); Licht. l. c. p. 22. n. 7 (1802); Stoll, l. c. p. 49, pl. 17. f. 61 (1813).

*2. **G. Trachelophyllus**, Burm. (*Empusa Trachelophylla*) l. c. p. 545. n. 2 (1838).

G. Trachelophyllus, Sauss. l. c. xxi. p. 186 (1871), xxiii. p. 86, pl. 9. f. 34 (1872).

India,
Ceylon.

Genus 203. **Empusa**. (Type no. 6.)

Hiller, Käfer Preuss. p. 499 (1798); Latr. Gen. Crust. Ins. iii. p. 90 (1807); Serv. Ann. Sci. Nat. xxi. p. 47 (1831); Ins. Orth. p. 140 (1839); Burm. Handb. Ent. ii. pp. 544, 546 (1838); Fisch. Waldh. Orth. Ross. p. 94 (1846); Fisch. Orth. Eur. p. 131 (1853); Sauss. Mém. Soc. Genève, xxi. p. 186 (1871); Bol. Sim. Ortópt. Espan. p. 65 (1876); Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877); Brunn. Prodr. Eur. Orth. p. 69 (1882); Finot, Faune France, Orth. p. 91 (1890); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 240 (1895); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 154 (1902).

Ampusa, Ramb. Faune And. ii. p. 17 (1842).

1. **E. Pectinata**, Dru. (*Mantis P.*) Ill. Exot. "Jamaica."
Ent. i. pl. 50. f. 1 (1773).

|| *E. Pennicornis*, Westw. ed. Drury, l. c. (1837).

*1 a. **E. Egena**, Charp. Germar, Zeitschr. Ent. iii. p. 298 (1841); Fisch. Waldh. l. c. p. 97, pl. 1. f. 7 (1846); Fisch. l. c. p. 132 (1853); Sauss. l. c. p. 189 (1871); Bol. l. c. p. 66, pl. 1. f. 24 a, b (1876); Brunn. l. c. p. 70 (1882); Finot, l. c. p. 91, pl. 3. f. 53 (1890).

|| *Mantis Pauperata*, Rossi, Faune Etr. i. p. 258 (1783); Cyr. Ent. Neap. pl. 6. f. 1, pl. 8. f. 1 (1797).

S. Europe,
N. Africa,
W. Asia.

- W *E. Pauperata*, *Charp. Hor. Ent.* p. 87 ;
Burm. l. c. p. 547. n. 6 (1838); *Serv. Ins. Orth.* p. 145 (1839); *Fisch.* l. c. p. 135 (1853).
- || *Ampusa Pauperata*, *Ramb.* l. c. p. 17 (1842)
- || *Mantis Pectinicornis*, *Cyr.* l. c. pl. 9. f. 5 (1797); *Stoll*, *Spectres, Mantes*, p. 30, pl. 9. f. 34 (1813).
- Empusa Stollii*, *Sauss.* l. c. p. 188 (1871).
- E. Brachyptera*, *Fisch. Waldh.* l. c. p. 97, pl. 1. f. 8 (1846).
- E. Europaea*, *Fieb. Lotos*, iii. p. 96. n. 1 (1853).
- E. Occidentalis*, *Fisch.* l. c. p. 133 (1853).
- ?? *Mantis Clavata*, *Goeze*, *Ent. Beytr.* ii. p. 34. n. 24 (1778); *Oliv. Ene. Méth.*, *Ins. vii.* p. 642. n. 18 (1792) (*Seba, Thesaurus*, iv. pl. 68. ff. 11, 12).
- ?? *Mantis Tricornis*, *Goeze*, l. c. n. 26, pl. 69. ff. 1, 2 (1778); *Oliv. l. c. n. 20* (1792) (*Seba, l. c. pl. 69. ff. 1, 2*).
- ?? *Mantis Spuria*, *Goeze*, l. c. p. 37. n. 39 (1778); *Oliv. l. c. n. 33* (1792) (*Seba, l. c. pl. 76. ff. 13, 14*).
- E. Tricornis*, *Jacobs. & Bianki*, l. c. p. 155 (1902).
- *2. **E. Hedenborgi**, **Stål**, l. c. p. 77 (1877). Nubia.
- || *E. Pectinicornis*, *Burm.* l. c. p. 546. n. 4 (1838).
- *3. **E. Fasciata**, **Brullé**, *Expl. Morée*, *Ins.* p. 83, pl. 6. f. 4 (1836); *Fisch.* l. c. p. 133 (1853); *Brunn. l. c. p. 70*, pl. 3. f. 19 (1882); *Jacobs. & Bianki*, l. c. p. 155 (1902). Balkan Peninsula, W. Asia, Egypt.
4. **E. Unicornis**, **Joh.** (*Gryllus U.*) *Amoen. Aead.* vi. p. 396. n. 27 (1764). China.
- Mantis Pectinicornis*, *Linn. Syst. Nat.* (ed. xii.) i. (2) p. 691. n. 10 (1767); *Fabr. Syst. Ent.* p. 276. n. 12 (1775); *Oliv. l. c. p. 632. n. 32* (1792).
- *5. **E. Pennicornis**, **Pall.** (*Mantis P.*) *Reise*, ii. p. 728. n. 80 (1773); *Goeze*, *Ent. Beytr.* ii. p. 31. n. 18 (1778); *Oliv. l. c. p. 635. n. 50* (1792). S.E. Russia, W. Asia.
- E. Pennicornis*, *Sauss.* l. c. p. 188. n. 5 (1871); *Brunn. l. c. p. 71* (1882); *Jacobs. & Bianki*, l. c. p. 155 (1902).

Mantis Pallasiiana, Oliv. l. c. p. 637. n. 66
(1792).

¶ *Mantis Pectinicornis*, Licht. Trans. Linn.
Soc. Lond. vi. p. 22. n. 8 (1802). ~~○ ~ X ~~~

E. Orientalis, Burm. l. c. p. 546. n. 5
(1838); Fisch. Waldh. l. c. p. 97, pl. 1.
f. 6 (1846); Fisch. l. c. p. 132 (1853).

|| *E. Pauperata*, Kitt. Bull. Soc. Mose. xxii.
p. 443 (1849).

(?) *Gongylus Pennatus*, Thunb. Mém. Soc.
Pétersb. v. p. 294 (1815).

(?) *Gongylus Marginatus*, Thunb. l. c. (1815).

6. **E. Pauperata, Fabr. (*Mantis P.*) Spec.
Ins. i. p. 346. n. 9 (1781); Herbst,
Fuessly, Arch. Ins. p. 187, pl. 51. f. 1
(1786); Oliv. l. c. p. 627. n. 8 (1792);
Licht. l. c. p. 24. n. 12 (1802); Stoll, l. c.
p. 33, pl. 10. f. 40 (1813).

E. Humbertiana, Sauss. Mitth. Schweiz.
Ent. Ges. iii. p. 60 (1869).

|| *E. Unicornis*, Sauss. Mém. Soc. Genève. xxi.
p. 189 (1871).

7. **E. Guttulus, Thunb.** (*Gongylus G.*) Hab. — ?
l. c. p. 294 (1815).

*7 a. **E. Binotata, Serv.** Ins. Orth. p. 143
(1839).

|| *Mantis Pectinicornis*, Stoll, l. c. p. 30, pl. 9.
f. 35 (1813).

|| *E. Fronticornis*, Burm. l. c. p. 546. n. 3
(1838); Sauss. Mém. Soc. Genève, xxi.
p. 86 (1871).

8. **E. Dolosa, Serv.** l. c. p. 143 (1839).

9. **E. Servillii, Sauss.** l. c. xxiii. p. 88. n. 3
(1872); Sauss. & Zehntn. l. c. p. 240
(1895).

|| *E. Fronticornis*, Serv. l. c. p. 144 (1839).

India,
Ceylon.

Hab. — ?

S. Africa.

Senegal.
Hab. — ?

Genus 204. HEMIEMPUSA.

Sauss. & Zehntn. Grandidier, Hist. Madagascar,
Orth. i. p. 242 (1895).

*1. **H. Fronticornis, Stoll**, (*Mantis F.*) S. & E.
Spectres, Mantes, p. 63, pl. 21. f. 79 (1813). Africa.

Empusa Capensis, Burm. Handb. Ent. ii.
p. 547. n. 7 (1838); Sauss. Mém. Soc.
Genève, xxiii. p. 88 (1872).

<i>Idolomorpha (Hemimempusa) Capensis</i> , Sauss. & Zehmtn. l. c. p. 242, pl. 10. f. 43 (1895).
<i>Vates Wahlbergi</i> , Stål, Öefv. Vet.-Akad. Förh. xiii. p. 167 (1856).
<i>Empusa Wahlbergi</i> , Stål, l. c. xxviii. p. 382 (1871); Sauss. l. c. p. 88 (1872).
<i>Empusa Purpuripennis</i> , Serv. Ins. Orth. p. 145 (1839).
<i>Mantis Nympha</i> , Stoll, l. c. p. 72, pl. 24. f. 94 (1813).

Genus 205. **Hypsicorypha.**

Krauss, Zool. Anz. xv. p. 166 (1892); Sauss. & Zehmtn.
Grandidier, Hist. Madagascar, Orth. i. p. 240 (1895).

- | | |
|---|------------|
| 1. H. Juliæ, Krauss , l. c. p. 166 (1892); | Teneriffe. |
| Rebeur-Paschwitz, Berlin. Ent. Zeitschr. | |
| xl. p. 265, pl. 2. ff. 1-5 (1895). | |

Genus 206. **Idolomorpha.** (*Type no. 1.*)

Burm. Handb. Ent. ii. p. 547 (1838); Sauss. Mém. Soc.
Genève, xxi. p. 191 (1871); Sauss. & Zehmtn. Grandidier,
Hist. Madagascar, Orth. i. p. 241 (1895).

- | | |
|--|-----------|
| *1. I. Lateralis, Burm. (<i>Empusa L.</i>) l. c.
p. 547. n. 8 (1838). | W. Afria. |
| 2. I. Defoliata, Serv. (<i>Empusa D.</i>) Ins.
Orth. p. 147 (1839). | Senegal. |
| 3. I. Spinifrons, Sauss. (<i>Empusa S.</i>) Rev.
Zool. (2) xi. p. 61 (1859). | id. |
| <i>I. Spinifrons</i> , Sauss. Mitth. Schweiz. Ent.
Ges. iii. p. 61 (1869); Sauss. & Zehmtn.
l. c. p. 244, pl. x. f. 12 (1895). | |
| 4. I. Sagitta, Sjöst. Bilang Svenska Akad.
xxv. (4 : 6) p. 25 (1900). | Congo. |
| 5. I. Longifrons, Sauss. l. c. p. 224 (1870);
Mém. Soc. Genève, xxi. p. 193 (1871);
Sauss. & Zehmtn. l. c. p. 244 (1895). | Tunis. |
| 6. I. Gracilis, Burm. (<i>Empusa G.</i>) l. c. p. 547.
n. 9 (1838). | Hab. —? |

- *7. **I. Dentifrons, Sauss. & Zehntn.** l. c. p. 244 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 599 (1899).
- **8. **I. Madagascariensis, Westw.** Rev. Mant. p. 46, pl. 6. f. 7 (1889); Sauss. & Zehntn. l. c. p. 242, pl. 10. f. 41 (1895). | Zanzibar,
Kilimanjaro
- Madagascar

Genus 207. **Blepharodes.**

Bol. An. Soc. Espa . xix. p. 303 (1890).

1. **B. Candelarius, Bol.** l. c. p. 306, pl. 1. f. 4 (1890). | Mogadixo.
2. **B. (?) Cornuta, Schulth.** (*Blepharis C.*) Zool. Jahrb. Syst. viii. p. 72, pl. 4. f. 1 (1895); Ann. Mus. Genova, xxxix. p. 18 (1898). | Somali
Land.
3. **B. (?) Kotschyi, Schulth.** l. c. p. 72 (1895). | Sennaar.

Genus 208. **Blepharopsis.**

Rehn, Canad. Ent. xxxiv. p. 316 (1902).

Blepharis, Serv. Ann. Sci. Nat. xxii. p. 47 (1831); Ins. Orth. p. 148 (1839); Burm. Handb. Ent. ii. p. 547 (1838); Sauss. M . Soc. Gen ve, xxi. pp. 179, 181 (1871); St l, Bihang Svenska Akad. iv. (10) p. 76 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 155 (1902).

- *1. **B. Mendica, Fabr.** (*Mantis M.*) Syst. Ent. p. 275. n. 7 (1775); Oliv. Enc. M th., Ins. vii. p. 627. n. 9 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 10 (1802); Stoll, Spectres, Mantes, p. 41*, pl. 12. f. 47 (1813); Brull , Hist. Nat. Ins. ix. p. 77, pl. 6. f. 1 (1835). | N. Africa,
W. Asia.
- Blepharis Mendica*, Burm. l. c. p. 548 (1838); Serv. l. c. p. 149 (1839); Sauss. l. c. p. 181 (1871); Jacobs. & Bianki, l. c. p. 155 (1902).
- Mantis Marmorata*, Oliv. l. c. p. 641. n. 10 (1792).

Genus 209. **Idolum.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 53 (1869) ;
Mém. Soc. Genève, xxi. p. 182 (1871).

- *1. **I. Diabolicum, Sauss.** ll. cc. pp. 60, 223 | E. Africa.
(1869-1870) ; p. 183, pl. 5. ff. 36, 36a
(1871) ; Westw. Rev. Mant. p. 26, pl. 5.
f. 1 (1889) : Sharp, Proc. Cambridge
Soc. Nat. Hist. x. p. 175, pl. 2 (1899) ;
Shelf. Zoologist, (4) vii. p. 298 (1903).
I. Diabroticum, Shewf. l. c. p. 295 note
(1903).

FAM. V.

PHASMIDÆ.

SUBFAM. I.

LONCHODINÆ.

Genus 1. **Stælonchodes.** (*Type* no. 7.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 372 (1904).

Lonchodes. pt., Gray (*nec sect. typ.*), Syn. Phasm. p. 19 (1835); Stål, Rec. Orth. iii. pp. 8, 64 (1875).

**1. S. Praon, Westw. (<i>Lonchodes P.</i>) Cat.	Ceylon.
Phasm. p. 41. n. 110, pl. 6. ff. 3, 3 a-c (1859).	
**2. S. Porus, Westw. (<i>Lonchodes P.</i>) l. c. p. 42. n. 113, pl. 7. ff. 9, 9 a (1859); Wood-Mason, Proc. Asiatic Soc. Bengal, 1877, p. 162; Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 40. <i>Lopaphus Porus.</i> Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 348 (1877).	Upper Tenasserim.
**3. S. Nigropunctatus, Kirb. (<i>Lonchodes</i> N.) Trans. Linn. Soc. Lond. Zool. (2) vi. p. 453 (1896).	Lizard I.
4. S. Sinkiebensis, Wood-Mason, (<i>Bac-</i> <i>teria S.</i>) Journ. Asiatic Soc. Bengal, xlvi. p. 343 (1879).	Sumatra. Sinkieb I.
*5. S. Sarawaca, Westw. (<i>Bacteria S.</i>) l. c. p. 31. n. 89, pl. 25. ff. 1, 1 a, 2, 2 a, b (1859).	Sarawak.
6. S. Steira, Westw. (<i>Lonchodes S.</i>) l. c. p. 40. n. 108, pl. 23. ff. 5, 5 a (1859).	Amboina.
*7. S. Geniculatus, Gray, (<i>Lonchodes G.</i>) l. c. p. 19 (1835); Westw. l. c. p. 37. n. 101 (1859). <i>Phasma (Bacteria) Geniculatum.</i> Westw. Cab. Orient. Ent. p. 80, pl. 39. f. 4 (1848).	Penang. Prince of Wales I.
8. S. Forcipatus, Bates, (<i>Lonchodes F.</i>) Trans. Linn. Soc. Lond. xxv. p. 338 (1865).	Celebes.

**9. S. Stomphax, Westw. (<i>Lonchodes S.</i>) Cat. Phasm. p. 38. n. 104, pl. 4. f. 8 (1859).	Hong Kong.
10. S. Tagalicus, Stål, (<i>Lonchodes T.</i>) Cf. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).	Philippines.
11. S. Dispar, Bates, (<i>Lonchodes D.</i>) l. c. p. 337 (1865).	Sarawak.
**12. S. Catori, Kirb. (<i>Lonchodes C.</i>) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 454 (1896).	Sandakan.
13. S. Nodosus, Haan, (<i>Phasma (Bacteria) Nodosum, ♂</i>) Temminck, Verhandel., Orth. p. 133, pl. 11. f. 3 (1842). <i>Lonchodes Nodosus, ♂</i> , Westw. l. c. p. 37. n. 100 (1859).	Java, Timor.
**14. S. Trollius, Westw. (<i>Lonchodes T.</i>) l. c. p. 40. n. 109, pl. 23. ff. 1, 1a (1859).	Philippines.
**15. S. Confucius, Westw. (<i>Lonchodes C.</i>) l. c. p. 46. n. 124, pl. 7. ff. 2, 2a, 3, 3a (1859).	China.
16. S. Asperatus, Bates, (<i>Lonchodes A.</i>) l. c. p. 339 (1865).	Darjiling.
**17. S. Batesii, Kirb. (<i>Lonchodes B.</i>) l. c. p. 452 (1896).	Bouru (?).
*18. S. Hæmatomus, Westw. (<i>Lonchodes II.</i>) l. c. p. 39. n. 106, pl. 24. ff. 8, 8a (1859).	Sarawak.
**19. S. Myrina, Westw. (<i>Lonchodes M.</i>) l. c. p. 38. n. 105, pl. 24. ff. 7, 7a (1859).	N. India.
**20. S. Virgatus, Kirb. (<i>Lonchodes V.</i>) l. c. p. 452 (1896).	Bouru (?).
21. S. Alluaudi, Bol. (<i>Lonchodes A.</i>) Ann. Soc. Ent. France, 1895, p. 372.	Seychelles.
22. S. Sechellensis, Bol. (<i>Lonchodes S.</i>) l. c. p. 373 (1895).	id.
23. S. Denticauda, Bates, (<i>Lonchodes D.</i>) l. c. p. 336 (1865).	Ceylon.
**24. S. Gracillimus, Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).	Tonkin.
**25. S. Baucis, Westw. (<i>Bacteria B.</i>) l. c. p. 21. n. 56, pl. 8. f. 8 (1859). <i>L. Baucis</i> , Wood-Mason, l. c. xlvi. p. 349, pl. 2. f. 2 (1877).	Assam, &c.

Genus 2. **Greenia.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).

- *1. **G. Furcata, Bates,** (*Lonchodes Furcatus*) | Ceylon.
 Trans. Linn. Soc. Lond. xxv. p. 335,
 pl. 44. ff. 5, 6 (1865).
 || *Lonchodes Praon*, ♀, *Sauvage*. Mém. Soc.
 Genève, xx. p. 302, pl. 2. ff. 6, 6 a
 (1870).

Genus 3. **Thrasyllus.**

Stål, Öefv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

1. **T. Macilentus, Stål**, l. c. (1877). | Philippines.

Genus 4. **Chondrostethus.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 455 (1896).

- **1. **C. Woodfordi, Kirb.** l. c. pl. 39. ff. 1, | Solomon
 1 a, 2, 2 a (1896). | Isl.

Genus 5. **Mithrenes.**

Stål, Öefv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

1. **M. Asperulus, Stål**, l. c. p. 40 (1877). | Philippines.
 2. **M. (?) Whiteheadi, Kirb. (*Lonchodes* | Luzon.
 W.) Trans. Linn. Soc. Lond., Zool. (2) |
 vi. p. 451 (1896).

Genus 6. **Phraortes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 8 (1875).

- *1. **P. Elongata, Thunb.** (*Phasma E.*) Mém. Japan.
 Soc. Pétersb. v. p. 299 (1815); Westw.
 Cat. Phasm. p. 183. n. 4 (1859).
P. Elongatus, Stål, l. c. p. 64 (1875).
Phasma (Bacteria) Nipponense, Haan, Tem-
 minck, Verhandel., Orth. p. 134 (1842).
Lonchodes Nipponensis, Westw. l. c. p. 46.
 n. 123 (1859).
 2. **P. Mikado, Rehn**, Proc. Acad. Nat. Sci. | Yekohama.
 Philad. 1904, p. 40.

Genus 7. **Periphetes.**

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).

**1. P. Graniferum, Westw. (<i>Phasma G.</i>)	Philippines.
Cat. Phasm. p. 35. n. 97, pl. 3. f. 4 (1859).	
2. P. (?) Duivenbodei, Kaup, (<i>Lonchodes D.</i>) Berlin. Ent. Zeitschr. xv. p. 30, pl. 2. f. 3 (1871).	Celebes, Menado.

Genus 8. **Mnesilochus.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

1. M. Capreolus, Stål, l. c. (1877).	Philippines.
2. M. Hædulus, Stål, l. c. (1877).	id.

Genus 9. **Carausius.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 8 (1875).

1. C. Strumosus, Stål, l. c. p. 64 (1875).	Java.
2. C. Macer, Stål, l. c. p. 65 (1875).	id.
3. C. Mercurius, Stål, C. R. Soc. Ent. Belg. xx. p. lxii (1877).	Hab. — ?
4. C. Bracatus, Rehn, Proc. Aead. Nat. Sci. Philad. 1904, p. 42.	Siam.
5. C. Mammatus, Rehn, l. c. p. 44 (1904).	Obi.
6. C. Obiensis, Rehn, l. c. p. 46 (1904).	id.
7. C. (?) Granulatus, Brunn. Ann. Mus. Genova, xxxiii. p. 81, pl. 2. f. 26 (1893).	Tenasserim.

Genus 10. **Myronides.** (*Type* no. 3.)

Stål, Rec. Orth. iii. pp. 8, 63 (1875).

**1. M. Crishna, Westw. (<i>Lonchodes C.</i>) Cat. Phasm. p. 44. n. 117, pl. 24, f. 9 (1859).	Java.
**2. M. Bootanicus, Westw. (<i>Lonchodes B.</i>) l. c. p. 43. n. 115, pl. 26. f. 8 (1859). <i>Lopaphus Bootanicus</i> , Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 318, pl. 2. f. 1 (1877).	Bootan, Naga Hills.

**3. M. Pfeifferæ, Westw. (<i>Lonchodes P.</i>)	Amboina,
l. c. p. 44, n. 118, pl. 5. f. 6 (1859).	Ceram.
<i>M. Pfeifferæ, Stål</i> , l. c. p. 63, n. 1 (1875);	
Kirb. Trans. Linn. Soc. Lond., Zool. (2)	
vi. p. 451 (1896).	
4. M. Kaupii, Stål , l. c. p. 63, n. 2 (1875).	Moluecas.
5. M. Filum, Sharp , Willey, Zool. Results,	New
p. 81, pl. 7. f. 1 (1898).	Britain.
6. M. Ashmeadi, Rehn , Proc. Acad. Nat.	Siam.
Sci. Philad. 1904, p. 38.	
7. M. Binodis, Sharp , l. c. p. 82, pl. 7. f. 2	New
(1898).	Britain.
8. M. Bituber, Sharp , l. c. p. 82 (1898).	id.
9. M. Simplex, Sharp , l. c. (1898).	id.
10. M. Sordidus, Sharp , l. c. p. 83 (1898).	id.
11. M. Ramulus, Sharp , l. c. pl. 7. f. 3	id.
(1898).	

Genus 11. **Lonchodes.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 19 (1835); Westw. Cat. Phasm. p. 36 (1859); Sauss. Mém. Soc. Genève, xx. p. 299 (1870); Stål, Bihang Svenska Akad. iii. (14) p. 7 (1875); Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).

Dixippus, Stål, Rec. Orth. iii. pp. 9, 66 (1875). (*Type* no. 3.)

**1. L. Brevipes, Gray , l. c. p. 19, n. 1 (1835); Westw. l. c. p. 36, n. 99 (1859).	Malabar, Singapore.
♀. <i>L. Pterodactylus</i> , Gray, l. c. n. 3 (1835).	
**2. L. Sodalis, Kirb. (<i>Dixippus S.</i>) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 459 (1896).	N. Borneo (Baram).
*3. L. Uniformis, Westw. (<i>Phasma (Lonchodes) Uniforme</i>) Cab. Orient. Ent. p. 79, pl. 39. f. 3 (1848).	Prince of Wales I., Singapore.
<i>L. Uniformis</i> , Westw. Cat. Phasm. p. 37, n. 102 (1859).	
<i>Dixippus Uniformis</i> , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 42.	
*4. L. Sumatranaus, Haan , (<i>Phasma Sumatranum</i>) Temminck, Verhandel., Orth. pl. 13. f. 6 (1842).	Sumatra, Bornee.
<i>Dixippus Sumatranaus</i> , Rehn, l. c. p. 41 (1904).	
<i>Phasma (Baeteria) Nodosum</i> , ♀, Haan, l. c. p. 133 (1842).	
<i>L. Nodosus</i> , ♀, Westw. l. c. p. 37, n. 100 (1859).	

**5. L. Cornutus , Kirb. (<i>Dixippus C.</i>) l. c. p. 459 (1896).	Hong Kong.
6. L. Verrucifer , Wood-Mason, Proc. Asiatic Soc. Bengal, 1876, p. 95; Journ. Asiatic Soc. Bengal, xlv. p. 47, pl. 11 (1876).	Andaman Islands.
7. L. Godama , Wood-Mason, Proc. Asiatic Soc. Bengal, 1877, p. 162.	Upper Tenasserim.
**8. L. (?) Beecheyi , Gray, (<i>Bacillus B.</i>) Syn. Phasm. p. 21 (1835); Westw. l. c. p. 12. n. 28 (1859).	Sandwich Isl. (?).
**9. L. Shiva , Westw. (<i>Bacteria S.</i>) l. c. p. 32. n. 90, pl. 8. f. 6 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 342, pl. 2. f. 3 (1877).	N. India.
**10. L. (?) Viridis , Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).	Tonkin.

Genus 12. **Hermagoras.** (*Type no. 5.*)

Stål, Rec. Orth. iii. p. 8 note (1875); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).
Prisomera, pt., Gray, Syn. Phasm. p. 15 (1835); Brunn. Ann. Mus. Genov. xxxiii. p. 81 (1893).

1. H. Verrucosus , Haan, (<i>Phasma (Acanthoderus) Verrucosum</i>) Temminck, Verhandel., Orth. p. 136, pl. 14. f. 1 (1842). <i>Prisomera Verrucosum</i> , Westw. Cat. Phasm. p. 48. n. 128 (1859).	Sumatra.
**2. H. Cristatus , Kirb. l. c. p. 457 (1896).	N. Borneo (Baram). id.
**3. H. Hosei , Kirb. l. c. pl. 40. ff. 1, 1 a (1896).	Amboina.
4. H. Foliopeda , Oliv. (<i>Mantis F.</i>) Ene. Méth. vii. p. 638. n. 72 (1792). <i>Phasma Latipes</i> , Licht. Cat. Mus. Zool. Hamburg, iii. p. 78. n. 15 (1796); Trans. Linn. Soc. Lond. vi. p. 11. n. 6 (1802). <i>Phasma Femorata</i> , Stoll, Spectres, Mantes, p. 44, pl. 14. f. 54 (1813). <i>Bacteria Femorata</i> , Burm. Handb. Ent. ii. p. 565. n. 5 (1838). <i>Prisomera Femoratum</i> , Gray, Syn. Phasm. p. 15 (1835); Westw. l. c. p. 47. n. 125 (1859).	

- *5. **H. Personatus, Bates,** (*Lonchodes P.*) Bouru.
Trans. Linn. Soc. Lond. xxv. p. 336,
pl. 44. f. 7 (1862).
6. **H. Valgus, Wood-Mason,** (*Lonchodes V.*) Ann. Nat. Hist. (4) xix. p. 487 | Perak.
(1877).

Genus 13. **Prisomera.**

Gray, Syn. Phasm. p. 15 (1835);
Westw. Cat. Phasm. p. 47 (1859).

- **1. **P. Spinicollis, Gray,** l. c. p. 16 (1835). | Ceylon.
Prisomera Spinicolle, Westw. l. c. p. 47.
n. 126 (1859).

Genus 14. **Sthenobœa.** (*Type* no. 7.)

Stål, Rec. Orth. iii. pp. 10, 68 (1875);
Bihang Svenska Akad. iii. (14) p. 8 (1875).

- **1. **S. Cyllabacus, Westw.** (*Lonchodes C.*) | Ceylon.
Cat. Phasm. p. 45. n. 120, pl. 6. f. 4 (1859).
1 a. **S. (?) Flavicornis, Bates,** (*Lonchodes F.*) Trans. Linn. Soc. Lond. xxv. p. 333 | id.
(1865).

- **2. **S. Taprobanæ, Westw.** (*Lonchodes T.*) | id.
l. c. p. 41. n. 111, pl. 6. f. 6, pl. 24. f. 12
(1859); (?) Sauss. Rev. Zool. (2) xx. p. 66.
n. 13 (1868); Mém. Soc. Genève. xxi.
p. 304, pl. 2. ff. 7, 7 a, b (1870).

- 2 a. **S. (?) Auscultator, Bates,** (*Lonchodes A.*) l. c. p. 334 (1865).

- **3. **S. Amaurops, Westw.** (*Lonchodes A.*) Sarawak.
l. c. p. 43. n. 116, pl. 24. f. 10 (1859).

- **4. **S. Tuberculata, Kirb.** Trans. Linn. Soc. | id.
Lond., Zool. (2) vi. p. 462 (1896).

- *5. **S. Phyllopus, Haan,** (*Phasma (Acan-*
thoderus) P.) Temminck, Verhandel., Java,
Orth. p. 135, pl. 12. f. 5 (1842).
Acanthoderus Phyllopus, Westw. l. c. p. 50.
n. 137 (1859).

- *6. **S. Bifoliata, Haan,** (*Phasma (Acan-*
thoderus) Bifoliatum) l. c. p. 136, pl. 14.
f. 2 (1842).
Prisomera Bifoliatum, Westw. l. c. p. 47.
n. 127 (1859).

- | | |
|--|----------|
| 7. S. Malaya, Stål, Rec. Orth. iii. p. 68
(1875). | Malacca. |
| 8. S. (?) Canna, Haan, (<i>Phasma (Bacteria) C.</i>) l. c. p. 101 (1842). | Cape. |
| <i>Bacteria Canna, Westw.</i> l. c. p. 21. n. 54
(1859). | |

Genus 15. **Phasgania.** (*Type* no. 2.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 461 (1896).

- | | |
|--|---------------------|
| 1. P. Crawangensis, Haan, (<i>Phasma Crawangense</i>) Temminck, Verhandel., Orth. pl. 13. f. 1 (1842). | Java. |
| <i>Phasma (Bacteria) Nematodes</i> , ♀, Haan, l. c. p. 132 (1842). | |
| <i>Lonchodes Nematodes</i> , ♀, Westw. Cat. Phasm. p. 42. n. 112 (1859). | |
| **2. P. Everetti, Kirb. l. c. p. 461, pl. 40. ff. 2, 2a (1896). | N.W.
Borneo. |
| **3. P. Insularis, Kirb. (<i>Divippus (?) I.</i>) l. c. p. 460 (1896). | Thursday
Island. |
| 4. P. (?) Squeleton, Oliv. (<i>Mantis S.</i>) Enc. Méth., Ins. vii. p. 639. n. 74 (1792). | China. |
| <i>Phasma Sceleton</i> , Licht. Cat. Mus. Zool. Hamburg, iii. p. 78. n. 17 (1796); Trans. Linn. Soc. Lond. vi. p. 10. n. 5 (1802). | |
| <i>Phasma Simplex</i> , Stoll, Spectres, Phasmes, p. 45, pl. 14. f. 55 (1813). | |
| <i>Bacteria Simplex</i> , Gray, Syn. Phasm. p. 17 (1835); Burn. Handb. Ent. ii. p. 565. n. 4 (1838); Westw. l. c. p. 23. n. 60 (1859). | |

Genus 16. **Oxyartes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 18, 73 (1875).

- | | |
|--|---------|
| *1. O. Despectus, Westw. (<i>Phasma (Aeanthoderus) Despectum</i>) Cab. Orient. Ent. p. 80, pl. 39. f. 5 (1848). | Silhet. |
| <i>Anophelepis Despecta</i> , Westw. Cat. Phasm. p. 68. n. 179, pl. 3. f. 6 (1859). | |
| <i>Anophelepis Despecta</i> , var. <i>Cresphonites</i> , Westw. l. c. f. 1 (1859). | |

2. **O. Ceylonicus, Sauss.** (*Anophelepis Ceylonica*) Rev. Zool. (2) xx. p. 67. n. 18 (1868); Mém. Soc. Genève, xx. p. 298, pl. 2. f. 5 (1870).
 3. **O. Lamellatus, Kirb.** Ann. Nat. Hist. (7) xiii. p. 374 (1904). | Ceylon.
 Tonkin.

Genus 17. **Neohirasea.**

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 84.

1. **N. Japonicus, Haan,** (*Phasma (Acanthoderus) Japonicum*) Temminck, Verhandel., Orth. p. 135, pl. 12. f. 4 (1842). | Japan.
Acanthoderus Japonicus, Westw. Cat. Phasm. p. 50. n. 136 (1859). |

Genus 18. **Menexenus.** (*Type no. 6.*)

Stål, Rec. Orth. pp. 18, 33 (1875).

Menexenus, Brunn. Ann. Mus. Genova, xxxiii. p. 81 (1893).

- * 1. **M. Lacertinus, Westw.** (*Phasma (Acanthoderus) Lacertinum*) Cab. Orient. Ent. p. 80, pl. 39. f. 6 (1848). | Assam,
Acanthoderus Lacertinus, Westw. Cat. Phasm. p. 49. n. 133 (1859). | Bootan.
- ** 2. **M. Mimas, Westw.** (*Acanthoderus M.*) l. c. p. 55. n. 150, pl. 1. f. 3 (1859). | Ceylon.
- * 3. **M. Luteoviridis, Westw.** (*Phasma (Lonechodes) Luteoviride*) Cab. Orient. Ent. p. 78, pl. 38. f. 7 (1848). | Assam,
Lonechodes Luteoviridis, Westw. Cat. Phasm. p. 38. n. 103 (1859). | Sikkim.
4. **M. Bicoronatus, Westw.** (*Phasma (Acanthodera) Bicornuta*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848). | Himalayas.
Acanthoderus Bicoronatus, Westw. Cat. Phasm. p. 50. n. 134 (1859).
5. **M. Semiarmatus, Westw.** (*Phasma (Acanthodera) Semiarmata*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848). | id.
Acanthoderus Semiarmatus, Westw. Cat. Phasm. p. 50. n. 135 (1859).

Genus 19. **Promachus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 17, 73 (1875) :
Bihang Svenska Akad. iii. (14) p. 9 (1875).

- **1. **P. Wallacei, Westw.** (*Acanthoderus W.*) Aru.
Cat. Phasm. p. 181. n. 468, pl. 40. ff. 7,
8 (1859).
- **2. **P. (?) Lætus, Kirb.** Ann. Nat. Hist. (7) Tonkin.
xiii. p. 375 (1904).
- *3. **P. Doreyanus, Bates,** (*Lonchodes D.*) N. Guinea
Trans. Linn. Soc. Lond. xxv. p. 332 (Dorey).
(1865).
- 4. **P. Servillei, Montr.** (*Bacteria S.*) Ann. Woodlark I.
Phys. Lyon, vii. p. 80 (1855); Westw.
l. c. p. 182. n. 1 (1859).
Acanthoderus Servillei, Westw. l. c. p. 58.
n. 159 (1859).
- 5. **P. Austeni, Wood-Mason,** (*Lonchodes A.*) Assam.
Journ. Asiatic Soc. Bengal, xliv.
p. 216 (1875), xlvi. p. 343, pl. 3. f. 4
(1877).
- *6. **P. Hispa, Bates,** (*Lonchodes H.*) l. c. N. Guinea,
p. 333 (1865). Salwatty.
- 7. **P. Hystrix, Kaup,** (*Acanthoderus (?) H.*) Aru.
Berlin. Ent. Zeitschr. xv. p. 32, pl. 2. f. 4
(1871).
- **7a. **P. Insularis, Kirb.** l. c. (6) iv. p. 231 Louisiades
(1889). (Sudest I.).
- **8. **P. Sordidus, Kirb.** Trans. Linn. Soc. Thursday I.
Lond., Zool. (2) vi. p. 463, pl. 40. ff. 4,
4a (1896).
- **9. **P. Spinosus, Kirb.** Ann. Nat. Hist. (6) Louisiades
iv. p. 230 (1889). (Rossel I.).
- 10. **P. Rachis, Sauss.** (*Acanthoderus R.*) New
Rev. Zool. (2) xx. p. 64 (1868); Mém.
Soc. Genève, xx. p. 295 (1870). Caledonia.
Acanthoderus Rachis, Sauss. l. c. pl. 3.
ff. 10, 10a (1870).
- *11. **P. Rosarius, Perch.** (*Bacteria Rosaria*) South
Gen. Ins., Orth. pl. 5 (1838?). America(?).
Acanthoderus Rosarius, Westw. l. c. p. 56.
n. 154 (1859).
- **12. **P. (?) Bicolor, Kirb.** l. c. (7) xiii. p. 377 Tonkin.
(1901).

On p. 317 Vol II Kirby gives 1875 as date for P.
polymerita, which stands next this sp. 1838 is nearer right, as
in p. 317 a. VI part word.

S U B F A M. I I.

B A C T R I C I I N Æ.

Genus 20. **Bactricia.** (*Type* no. 1.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 463 (1896).
Scaphegyna, Karsch, Ent. Nachr. xxiv. pp. 364, 366 (1898).
 (Type no. 1.)

**1. B. Trophinus , Westw. (<i>Bacteria T.</i>) Cat.	Natal,
Phasm. p. 30. n. 85, pl. 5. f. 5 (1859).	Mozam-
<i>B. Trophinus</i> , Kirb. l. c. p. 463, pl. 39. ff. 3,	bique.
3 a, 4, 4 a (1896).	
♀. <i>Bacteria Bituberculata</i> , Westw. l. c.	
p. 180. n. 467 (1859).	
*2. B. Calametum , Bates, (<i>Phibalosoma</i> C.) Trans. Linn. Soc. Lond. xxv. p. 341 (1865).	Caffraria, Natal.
*3. B. Ridleyi , Kirb. Ann. Nat. Hist. (7) xiii. p. 429 (1904).	Singapore.

S U B F A M. I I I.

B A C I L L I N Æ.

Genus 21. **Baculum.** (*Type* no. 14.)

Sauss. Mém. Soc. Genève, xx. p. 292 (1870).
Clitumnus, Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875);
 Rec. Orth. iii. pp. 9, 66 (1875). (Type no. 4.)
Entoria, Stål, Rec. Orth. iii. p. 15 (1875). (Type no. 8.)

**1. B. Stilpnus , Westw. (<i>Lonchodes S.</i>) Cat.	N. India,
Phasm. p. 39. n. 107, pl. 25. f. 8 (1859).	Java.
**2. B. Stilpnoides , Kirb. (<i>Clitumnus S.</i>) Proc. Zool. Soc. Lond. 1888, p. 547 (1889); Mon. Christmas I. p. 147, pl. 12. f. 1 (1900).	Christmas I
3. B. Russellii , Bates, (<i>Lonchodes R.</i>) Trans. Linn. Soc. Lond. xxv. p. 339 (1865).	Darjiling.

*4. B. Nematodes, Haan, (<i>Phasma (Bacteria) N.</i> , ♂) Temminck, Verhandel., Orth. p. 132, pl. 11. f. 6 (1842).	Sumatra, Singapore (eadem?).
(?) <i>Lonchodes Nematodes</i> , ♂, Westw. l. c. p. 42. n. 112, pl. 5. f. 7 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 261, f. 148 (1895).	
5. B. Subnematodes, Gieb. (<i>Bacteria S.</i>) Zeitschr. ges. Naturw. xviii. p. 113 (1861).	Java.
6. B. Phalangodes, Bates, (<i>Lonchodes P.</i>) l. c. p. 337 (1865).	Batclian.
7. B. Regulus, Westw. (<i>Bacillus R.</i>) l. c. p. 8. n. 19, pl. 22. f. 5 (1859).	India.
8. B. Denticorne, Stål, (<i>Entoria Denticornis</i>) Rec. Orth. iii. p. 72 (1875).	Philippines.
9. B. Westwoodii, Wood-Mason, (<i>Bacillus W.</i>) Journ. Asiatic Soc. Bengal, xlvi. p. 50, pl. 6. f. 3 (1873). <i>Lonchodes Westwoodii</i> , Wood-Mason, l. c. xliv. p. 215 (1875), xlvi. p. 342 (1877). <i>Entoria Spinicornis</i> , Stål, l. c. p. 72 (1875).	India, Andamans, Nicobar.
10. B. Bilobatum, Brunn. (<i>Entoria (?) Bilobata</i>) Ann. Mus. Genova, xxxiii. p. 90, pl. 3. f. 30* (1893).	Bhamo.
11. B. Grallator, Bates, (<i>Lonchodes G.</i>) Trans. Linn. Soc. Lond. xxv. p. 334 (1865).	Ceylon.
*12. B. Pseudoporus, Westw. (<i>Lonchodes P.</i>) l. c. p. 42. n. 114, pl. 4. f. 6 (1859); Sauss. Mém. Soc. Genève, xx. p. 300 (?) ♀, p. 304, pl. 2. f. 30 (1870). <i>Clitumnus Pseudoporus</i> , Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893). <i>Bacillus (Ramulus) Humberti</i> , Sauss. Ann. Soc. Ent. France, (4) i. p. 472 (1861).	id., Tenasserim.
13. B. Rusticus, Stål, (<i>Clitumnus R.</i>) Öfv. Vet.-Akad. Förh. xxxiv. p. 40 (1877).	Philippines.
**14. B. Cuniculus, Westw. (<i>Bacillus C.</i>) l. c. p. 9. n. 21, pl. 6. f. 2 (1859); Sauss. Mém. Soc. Genève, xx. pl. 2. fl. 2, 2a (1870). <i>Bacillus Cunicularis</i> , Sauss. l. c. p. 292 (1870).	Ceylon, India, Java (eadem?).
**15. B. Amathia, Westw. (<i>Bacillus A.</i>) l. c. p. 11. n. 25, pl. 23. f. 9 (1859).	N. India.

16. B. Scytale , Bates , (<i>Bacillus S.</i>) l. c. p. 328, pl. 44. f. 9 (1865).	Ceylon.
17. B. Artemis , Westw. (<i>Bacillus (?) I.</i>) l. c. p. 10. n. 24, pl. 26. f. 9 (1859). <i>Bacillus Patellifer</i> , Bates , l. c. p. 328 (1865). <i>Bacillus (Baculum) Artemis</i> , Wood-Mason , Journ. Asiatic Soc. Bengal, xlvi. p. 51, pl. 6. ff. 1, 2 (1873).	N. India.
18. B. Insignis , Wood-Mason , (<i>Bacillus (Baculum) I.</i>) l. c. p. 51, pl. 5. ff. 1, 2 (1873). <i>Lonchodes Insignis</i> , Wood-Mason , Ann. Nat. Hist. (4) xii. p. 348 (1873); Proc. Asiatic Soc. Bengal, 1873, p. 149.	id.
19. B. Penthesilea , Wood-Mason , (<i>Bacillus (Baculum) P.</i>) Journ. Asiatic Soc. Bengal, xlvi. p. 52, pl. 5. f. 5 (1873).	Bhutan.
20. B. Furcillatus , Wood-Mason , (<i>Bacillus (Baculum) F.</i>) l. c. p. 54, pl. 5. f. 6 (1873).	id.
21. B. Lævigatus , Wood-Mason , (<i>Bacillus L.</i>) l. c. p. 49, pl. 5. f. 4 (1873).	Assam.
22. B. Oxytenes , Wood-Mason , (<i>Bacillus O.</i>) l. c. p. 48, pl. 5. f. 3 (1873).	Pegu.
23. B. Ramosum , Sauss. Rev. Zool. (2) xiii. p. 127 (1861). <i>Bacillus (Baculum) Ramosus</i> , Sauss. Ann. Mus. Genova, xx. p. 294 (1870).	Brazil (?).

Genus 22. **Ramulus**. (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xx. p. 291 (1870).

1. R. Carinulatus , Sauss. (<i>Bacillus C.</i>) Rev. Zool. (2) xx. p. 33 (1868); Mém. Soc. Genève, xx. p. 291, pl. 2. f. 1 (1870).	Ceylon (?).
2. R. Ceylonicus , Sauss. (<i>Lonchodes C.</i>) ll. cc. p. 66 (1868); p. 301 (1870).	Ceylon.
**3. R. Humilis , Westw. (<i>Bacillus H.</i>) Cat. Phasm. p. 7. n. 14, pl. 2. f. 7 (1859).	id.
**4. R. Viridis , Gray , (<i>Bacteria V.</i>) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 32. n. 91 (1859).	Sandwich Isl. (?).

Genus 23. **Gratidia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 14 (1875); Brunn. Ann. Mus. Genova xxxiii. p. 88 (1893); Karsch, Ent. Nachr. xviii. pp. 365, 370 (1898).

1. **G. Sansibara,** Stål, l. c. p. 70 (1875); E. Africa.
Karsch, l. c. pp. 372-375 (1898).
G. Sansibarica, Schultz, Ann. Mus. Genova, xxxix. p. 182 (1898).
2. **G. Brunneri,** Kirb. (n. n.). Pegg.
|| *G. Sansibarica*, Brunn. l. c. p. 93, pl. 4.
f. 33 a-e (1893).
3. **G. Verruculosa,** Brunn. l. c. p. 94 Rangoon.
(1893).
4. **G. Bituberculata,** Redt. Wien. Ent. Zeit. viii. p. 26 (1889). Turco-mania.
- * * 5. **G. Hyphereon,** Westw. (*Bacillus H.*) Ceylon.
l. c. p. 9. n. 22, pl. 6. f. 1 (1859).

Genus 24. **Paraclitumnus.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 91 (1893).

1. **P. Lineatus,** Brunn. l. c. p. 91, pl. 4.
f. 31 a-e (1893). Burma,
Ceylon.
2. **P. Concisus,** Brunn. l. c. p. 92 (1893). Tenasserim.
3. **P. Productus,** Brunn. l. c. (1893). Pegu.
- * * 4. **P. Alauna,** Westw. (*Bacillus A.*) Cat. Phasm. p. 10. n. 23, pl. 23. f. 6 (1859). N. India.
- * 5. **P. Filiformis,** Herbst, (*Mantis F.*) id.
Fuessly, Arch. Ent. p. 187, pl. 51. ff. 2,
3 (1786).
- * * 6. **P. Indica,** Gray, (*Bacteria I.*) Syn. Phasm. p. 17 (1835). India.
Bacillus Indicus, Westw. Cat. Phasm. p. 7.
n. 16, pl. 22. f. 1 (1859).
7. **P. Fusclineatus,** Wood-Mason, (*Bacillus F.*) Journ. Asiatic Soc. Bengal, xlvi.
p. 46, pl. 5. f. 7 (1873). Punjab.
8. **P. Hispidulus,** Wood-Mason, (*Bacillus H.*) l. c. p. 47, pl. 7. ff. 2, 3 (1873). Andamans.
9. **P. Beroe,** Westw. (*Bacillus B.*) l. c. p. 8.
n. 18, pl. 22. f. 2 (1859). India.

10. **P. (?) Javanus, Haan,** (*Phasma (Bacillus) Jaramum*) Temminck, Verhandel.. | Java.
Orth. p. 138, pl. 15. f. 8 (1842).
Bacillus Javanus, Westw. Cat. Phasm. p. 7. |
n. 17 (1859).

Genus 25. **Hyrtacus.** (*Type no. 5.*)

Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. p. 10 (1875).
Candovia, Stål, Rec. Orth. iii. p. 12 (1875). (*Type no. 1.*)

- *1. **H. Cœnosa, Gray,** (*Bacteria C.*) Ent. Australia.
Austral. p. 17, pl. 2. f. 2 (1833); Syn.
Phasm. p. 18 (1835); Westw. Cat. Phasm.
p. 33. n. 93, pl. 27. f. 2 (1859).
Bacteria Fragilis, Gray, Il. ec. p. 22, pl. 7.
f. 1 (1833); p. 18 (1835).
- 2. **H. Frenchi, Wood-Mason,** (*Bacteria F.*) Ann. Nat. Hist. (4) xx. p. 74 (1877). id.
- *3. **H. Eutrachelia, Westw.** (*Bacteria E.*) id.
l. c. p. 32. n. 92, pl. 24. f. 11 (1859).
- **4. **H. Peridromes, Westw.** (*Bacillus P.*) id.
l. c. p. 13. n. 33, pl. 8. f. 2 b, c (1859).
- 5. **H. Tuberculatus, Stål**, Rec. Orth. iii. id.
p. 67 (1875).
- 6. **H. Carinatus, Kirb.** Distant, Ins. Transvaal. Transvaal. p. 46, pl. 2. ff. 3, 4 (1900).
- 7. **H. Lancettifer, Brancs.** Jahresh. Trencsin. Com. xv. p. 179, pl. 9. f. 2 (1893). Madagascar

Genus 26. **Brachyrtacus.**

Sharp, Willey, Zool. Results, p. 84 (1898).

1. **B. Celatus, Sharp**, l. c. pl. 7. f. 4 | New
(1898). | Britain.

Genus 27. **Rhamphophasma.**

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 92 (1893).

1. **R. Modestum, Brunn.** l. c. p. 93, pl. 4. | Burma.
f. 32 (1893).

Genus 28. **Macynia.**

Stål, Rec. Orth. iii. pp. 62, 102 (1875);
Karsch, Ent. Nachr. xxiv. p. 366 (1898).

- | | |
|--|-------------|
| 1. M. Labiata, Thunb. (<i>Mantis L.</i>) Nov. | Africa (?). |
| Spec. Ins. iii. p. 61 (1784); Oliv. Ene. | |
| Méth., Ins. vii. p. 634. n. 45 (1792). | |
| <i>Phasma Labiata,</i> Thunb. Mém. Acad. | |
| Pétersb. v. p. 299 (1815); Westw. Cat. | |
| Phasm. p. 183. n. 7 (1859). | |
| <i>M. Labiata,</i> Stål, l. c. p. 103. n. 3 (1875). | |

Genus 29. **Macella.** (*Type no. 2.*)

Stål, Rec. Orth. iii. p. 13 (1875).

- | | |
|--|------------|
| **1. M. Souchongia, Westw. (<i>Bacillus S.</i>) | China. |
| Cat. Phasm. p. 11. n. 26, pl. 7. f. 8
(1859). | |
| 2. M. Dentata, Stål, l. c. p. 70 (1875). | Cochin Ch. |
| 3. M. Caulodes, Rehn, Proc. Acad. Nat. | Siam. |
| Sci. Philad. 1904, p. 80. | |

Genus 30. **Phthoa.** (*Type no. 2.*)

Karsch, Ent. Nachr. xxiv. pp. 365, 368 (1898).

- | | |
|--|------------|
| **1. P. Stellenboschus, Westw. (<i>Bacillus S.</i>) | Cape. |
| Cat. Phasm. p. 5. n. 11, pl. 2. f. 4 (1859). | |
| *2. P. Prolixa, Karsch, l. c. p. 369, fig. | E. Africa. |
| (1898). | |
| *3. P. Annulata, Westw. (<i>Bacillus Annulatus</i>) l. c. p. 14. n. 36, pl. 7. f. 6 (1859). | Cape. |
| 4. P. Graminea, Bates, (<i>Bacillus Gramineus</i>) Trans. Linn. Soc. Loud. xxv. | Natal. |
| p. 326, pl. 44. f. 4 (1866). | |
| <i>Macynia Graminea,</i> Stål, Rec. Orth. iii. | |
| p. 103 (1875). | |
| 5. P. Hispanicus, Bol. An. Soc. Espan. | Spain. |
| vii. p. 423, pl. 4. ff. 2, 2a (1878); Brunn. | |
| Prodr. Eur. Orth. p. 77 (1882). | |
| <i>Bacillus Gallieus</i> , pt., Bol. Sin. Ortópt. | |
| Españ. pp. 68, 295, pl. 2. f. 1 (1876). | |

6. **P. Angolensis, Bol.** (*Bacillus A.*) Jorn. | Angola.
Sci. Lisboa, (2) i. p. 89 (1889).
- *7. **P. Ægyptiaca, Gray,** (*Bacteria Æ.*) Syn. | Egypt.
Phasm. p. 18 (1835).
Bacillus Ægyptiacus, Westw. l. c. p. 4.
n. 7 (1859).

Genus 31. **Parabacillus.** (*Type* no. 1.)

Caud. Ent. News, xiv. p. 314 (1903);
Proc. U. S. Nat. Mus. xxvi. p. 865 (1903).

1. **P. Coloradus, Scudd.** (*Bacillus C.*) Proc. | Western
Davenport Acad. Sci. ix. p. 21, pl. 1. f. 4 United
(1902); Psyche, vi. p. 372 (1903). States.
Bacillus Carinatus, Scudd. Psyche, vi.
p. 372 (1903).
P. Coloradus, Caud. Ill. ec. p. 314 (1903);
p. 865, pl. 57, f. 1, pl. 58, f. 1 (1903).
2. **P. Palmeri, Caud.** (*Bacillus C.*) Ent. Mexico.
News, xiii. p. 274 (1902).

Genus 32. **Bacillus.** (*Type* no. 1.)

St.-Farg. & Serv. Ene. Méth., Ins. x. p. 446 (1825); Serv.
Ann. Sci. Nat. xxii. p. 64 (1831); Ins. Orth. p. 255
(1839); Gray, Syn. Phasm. p. 20 (1835); Burm. Handb.
Ent. ii. p. 561 (1838); Fisch. Orth. Eur. p. 139 (1853);
Sauss. Mém. Soc. Genève, xx. p. 290 (1870); Stål, Bihang
Svenska Akad. ii. (17) pp. 5, 15 (1875), iii. (14) p. 21
(1875); Rec. Orth. iii. p. 61 (1875); Bol. Sin. Ortópt.
Espan. p. 68 (1876); Brunn. Prodr. Eur. Orth. p. 73
(1882); Fin. Faune Francee, Orth. p. 93 (1889); Tümp.
Geradtl. Mitteleurop. p. 236 (1900); Jacobs. & Bianki,
Prem. i Lozlm. Ross. Imp. p. 160 (1902).

|| *Phasma*, Ill. Käf. Preuss. p. 499 (1798); Latr. Hist. Nat.
Crust. Ins. iii. p. 272 (1802); Cuv. Règne Anim. iii.
p. 374 (1817).

1. **B. Redtenbacheri, Padew.** Glasnik | Croatia.
Narav. Drüst. xi. p. 20 (1899); Tümp. l. c.
p. 236 (1900); Jacobs. & Bianki, l. c.
p. 160 (1902).
- *2. **B. Rossia, Rossi,** (*Mantis R.*) Faun. Etr. | S. Europe,
i. p. 259, ii. pl. 8. f. 1 (1790), (ed. 2) | Algeria.
p. 447, pl. 8. f. 1 (1795); Mant. Ins. i.
p. 102 (1792); Fabr. Ent. Syst. ii. p. 13.
n. 4 (1793).

- Phasma Rossia*, *Fabr. Suppl. Ent. Syst.* p. 187 (1798).
- B. Rossia*, *Gray, Syn. Phasm.* p. 20 (1835); *Serv. Ins. Orth.* p. 256 (1839).
- Phasma Rossium*, *Charp. Hor. Ent.* p. 93 (1825).
- B. Rossii*, *Serv. Ann. Sci. Nat.* xxii. p. 65 (1831); *Burm. l. c. p. 561, n. 1* (1838); *Fisch. l. c. p. 139, pl. 8, ff. 9, 9a, b, ff. 10, 10a-e* (1853); *Westw. Cat. Phasm.* p. 3. n. 1 (1859); *Brnnn. l. c. p. 74, pl. 3, f. 20 a, b* (1882); *Finot, l. c. p. 93, pl. 3, ff. 54-56* (1889); *Azam, Bull. Soc. Ent. France*, 1898, p. 60; *Tümp. l. c. p. 236, pl. 15* (1900).
- || *Mantis Filiformis*, *Cyr. Ent. Neap.* pl. 5. f. 1, pl. 7. f. 1 (1787); *Petagn. Inst. Ent.* i. p. 307 (1792).
- || *B. Filiformis*, *Jacobs. & Bianki, l. c. p. 160, pl. 3* (1902).
3. **B. Lobipes, Luc.** *Expl. Alg., Ins.* p. 12, pl. 1. f. 5 (1849); *Westw. l. c. p. 4, n. 4* (1859). Algeria.
- *4. **B. Tripolitanus, Haan**, (*Phasma (Bacillus) Tripolitatum*) *Temminck, Verhandel., Orth.* p. 101 note, pl. 15. f. 3 (1842). Tripoli, Sicily.
- B. Tripolitanus*, *Westw. l. c. p. 4, n. 2* (1859).
- *5. **B. Atticus, Brunn.** *l. c. p. 75* (1882); *Jacobs. & Bianki, l. c. p. 161* (1902). Athens.
- *6. **B. Gallicus, Charp.** (*Phasma Gallicum*) *Hor. Ent.* p. 94 (1825). S. Europe.
- B. Gallicus*, *Serv. Ann. Sci. Nat.* xxii. p. 65 (1831); *Gray, l. c. p. 20* (1835); *Burm. l. c. p. 561, n. 2* (1838); *Fisch. l. c. p. 141, pl. 8, ff. 11, 11a, b* (1853); *Bol. l. c. p. 68* (1876); *Brnnn. l. c. p. 76, n. 3* (1882); *Fin. l. c. p. 94, pl. 3, ff. 57, 58* (1889); *Jacobs. & Bianki, l. c. p. 161* (1902).
- B. Graoulatus*, *Brullé, Expéd. Morée, Ent.* p. 84, pl. 29. f. 6 (1832); *Hist. Nat. Ins.* ix. p. 110, pl. 9. f. 1 (1835); *Gray, l. c. p. 20* (1835); *Serv. Ins. Orth.* p. 258 (1839); *Westw. l. c. p. 4, n. 3* (1859).
- B. Rossius*, *Ramb. Fânce Andal.* ii. p. 24 (1812).

7. **B. Algericus, Pant.** An. Soc. Espan. xix. Oran.
p. 394 (1890).
8. **B. (?) Tranquebaricus, Westw.** l. c. Tranquebar.
p. 7. n. 15 (1859).
Phasma Nympha, Stoll, Spectres, Phasmes,
p. 33, pl. 10. f. 39 (1813).
9. **B. (?) Inermis, Thunb.** (*Phasma I.*) Mém. Hab. — ?
Soc. Pétersb. v. p. 300 (1815); Westw.
l. c. p. 183. n. 6 (1859).

Genus 33. **Linocerus.**

Gray, Syn. Phasm. p. 19 (1835).

1. **L. Gracilis, Gray**, l. c. p. 20 (1835); China.
Burm. Handb. Ent. ii. p. 562 (1838).
Bacillus (Linocerus) Gracilis, Westw. Cat.
Phasm. p. 12. n. 27 (1859).

Genus 34. **Bathycharax.**Kirb. Ann. Nat. Hist. (6) xviii. p. 259 (1896).
Bathycharax, Karsch, Ent. Nachr. xxiv. p. 366 (1898).

- **1. **B. Granulatus, Kirb.** l. c. pl. 12. f. 9 W. Africa,
(1896). Ogowe.

Genus 35. **Leptynia.** (*Type no. 1.*)Pant. An. Soc. Espan. xix. p. 385 (1890); Caud. Ent. News,
xiv. p. 314 (1903).

1. **L. Attenuata, Pant.** l. c. p. 402 (1890). Spain.
2. **L. Koenigi, Krauss**, Wien. Ent. Zeit. xi. Tunis.
p. 147 (1892).

Genus 36. **Paraclonaria.** (*Type no. 3.*)

Brunn. Ann. Mus. Genova. xxxiiii. p. 89 (1893).

1. **P. Longelaminata, Schulth.** Ann. Mus. Somali
Genova, xxxix. p. 182. pl. 2. ff. 5, 5a Land.
(1898).

- | | |
|--|-----------------|
| 2. P. Affinis, Schulth. l. c. p. 183, pl. 2.
ff. 6, 6a (1898). | Somali
Land. |
| 3. P. Hamuligera, Schulth. l. c. p. 184,
pl. 2. ff. 7, 7a (1898). | id. |
| 4. P. Postrostrata, Karsch, (<i>Gratidia P.</i>)
Ent. Nachr. xxiv. p. 378 (1893).
<i>P. Postrostrata, Rehn,</i> Proc. Acad. Nat.
Sci. Philad. 1904, p. 83. | Mombasa, |

Genus 37. **Phalces.**

Stål, Rec. Orth. iii. pp. 62, 102 (1875).

- | | |
|--|------------|
| *1. P. Longiscaphum, Haan, (<i>Phasma (Bacillus) L.</i>) Temminck, Verhandel., Orth.
p. 101 note (1842).
<i>Bacillus Longiscaphum, Westw.</i> Cat. Phasm.
p. 5, n. 8 (1859). | S. Africa. |
| <i>Bacillus Coccineus, Westw.</i> l. c. p. 6, n. 12,
pl. 7, f. 5 (1859). | |

Genus 38. **Burria.** (*Type no. 1.*)

Brünn, Proc. Zool. Soc. Lond. 1900, p. 37.

- | | |
|---|-----------------|
| 1. B. Longixipha, Brünn. l. c. p. 38, pl. 2.
f. 6 (1900). | Somali
Land. |
| 2. B. Farinosa, Brünn. l. c. p. 38 (1900). | id. |

Genus 39. **Camax.**

Karsch, Ent. Nachr. xxiv. p. 380 (1898).

- | | |
|--|----------|
| 1. C. Acutus, Karsch, l. c. (1898). | Mombasa. |
|--|----------|

Genus 40. **Maransis.** (*Type no. 1.*)

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

- | | |
|--|------------------|
| 1. M. Mozambicus, Westw. (<i>Bacillus M.</i>)
Cat. Phasm. p. 179, n. 464 (1859). | Mozam-
bique. |
| 2. M. Trilineata, Stål, (<i>Macynia T.</i>) Rec.
Orth. iii. p. 103 (1875). | Transvaal. |

- *3. **M. Aspericollis, Bates,** (*Bacillus A.*) Natal.
Trans. Linn. Soc. Lond. xxv. p. 327 (1866).
M. Aspericollis, Kirb. Distant, Ins. Transvaal. p. 48 (1902).
4. **M. Rufolineatus, Schulth.** Bull. Soc. Vand. xxxv. p. 200, pl. 7, f. 4 (1899). Delagoa Bay.

Genus 41. **Clonaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 5, 13 (1875), iii. (14) p. 9 (1875); Rec. Orth. iii. pp. 14, 71 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893).

- **1. **C. Natalis, Westw.** (*Bacillus N.*) Cat. Phasm. p. 6. n. 13, pl. 23, ff. 7, 8 (1859).
2. **C. Abdul, Westw.** (*Bacillus A.*) l. c. p. 4. n. 6 (1859).
|| *Bacillus Gracilis, Burn.* Handb. Ent. ii. p. 561. n. 3 (1838).
- **3. **C. Gracilipes, Westw.** (*Bacillus G.*) l. c. p. 5. n. 9, pl. 8. f. 5 (1859).
4. **C. Gueinzii, Bates,** (*Bacillus G.*) Trans. Linn. Soc. Lond. xxv. p. 327, pl. 44. f. 14a (1865).
5. **C. Arcuata, Karsch,** (*Gratidia A.*) Ent. Nachr. xxiv. pp. 372, 375 (1898).
- *6. **C. Inclinata, Karsch,** (*Gratidia I.*) l. c. pp. 372, 375 (1898).
7. **C. Fissa, Karsch,** (*Gratidia F.*) l. c. pp. 372, 375 (1898).
8. **C. Bifurcata, Karsch,** (*Gratidia B.*) l. c. pp. 373, 378 (1898).
9. **C. Forcipata, Karsch,** (*Gratidia F.*) l. c. pp. 373, 378 (1898).
- *10. **C. Schaumi, Karsch,** (*Gratidia S.*) l. c. pp. 373, 378 (1898).
|| *Bacillus Gracilis, Schaum.* Peters' Reise Mossamb. v. p. 114 (1862).
11. **C. Arida, Karsch,** (*Gratidia A.*) l. c. pp. 374, 378 (1898).
12. **C. Talea, Karsch,** (*Gratidia T.*) l. c. pp. 374, 378 (1898).
13. **C. Evanescens, Karsch,** (*Gratidia E.*) l. c. pp. 374, 378 (1898).

14. C. Prodigiosa, Karsch, (<i>Gratidia P.</i>) l. c. pp. 374, 378 (1898).	Mombasa, Kilimanjaro Mombasa, Usambara.
15. C. Leprosus, Gerst. (<i>Bacillus L.</i>) Arch. Naturg. xxxv. p. 211 (1870); Von der Decken, Reisen in Ost-Afrika, Ins. p. 19 (1873). <i>Gratidia Leprosa, Karsch</i> , l. c. pp. 375, 380 (1898).	
16. C. Prolata, Karsch, (<i>Gratidia P.</i>) l. c. pp. 375, 380 (1898).	Usambara.
17. C. Capensis, Serv. (<i>Bacillus C.</i>) Ins. Orth. p. 257 (1839); Westw. l. c. p. 5. n. 10 (1859). <i>Phasma (Bacillus) Capense, Haan</i> , Tem- minek, Verhandel., Orth. p. 137 (1842).	Cape.
18. C. Trivittata, Gerst. (<i>Bacillus Trivit- tatus</i>) Mitth. Ver. Vorpomm. xiv. p. 98 (1883).	Gold Coast.
19. C. Buchholzi, Gerst. (<i>Bacillus B.</i>) l. c. p. 99 (1883).	Cameroons.
20. C. Aestuans, Sauss. (<i>Bacteria (Bacumen- lus) AE.</i>) Ann. Soc. Ent. France, (4) i. p. 474, pl. 11. f. 2 (1861).	Old Calabar.
21. C. (?) Lineata, Gray, (<i>Bacteria L.</i>) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 30. n. 86 (1859).	Sierra Leone.

Genus 42. **Arphax.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iii. (14) p. 14 (1875);
Rec. Orth. iii. pp. 37, 84 (1875).

*1. A. Australis, Charp. (<i>Bacillus A.</i>) Orth. pl. 57 (1845); Westw. Cat. Phasm. p. 12. n. 30 (1859).	Australia.
**2. A. Dolomedes, Westw. (<i>Bacillus D.</i>) l. c. p. 13. n. 31, pl. 5. f. 4 (1859).	id.
**3. A. (?) Brunneus, Gray, (<i>Bacillus B.</i>) Ent. Austral. p. 22, pl. 7. f. 3 (1833); Syn. Phasm. p. 21 (1835); Burn. Handb. Ent. ii. p. 562. n. 5 (1838); Westw. Cat. Phasm. p. 12. n. 29 (1859). <i>Phasma (Bacillus) Brunneum, Gray</i> , Ent. Austral. p. 28 (1833).	id., Swan River.

Genus 43. **Echetlus.**

Stål, Bihang Svenska Akad. ii. (17) p. 6 (1875).

- **1. **E. Peristhenes, Westw.** (*Bacillus P.*) Australia.
Cat. Phasm. p. 13. n. 32, pl. 7. f. 1, pl. 8.
f. 2 (1859).

Genus 44. **Acanthoderus.**

Gray, Syn. Phasm. p. 14 (1835); Westw. Cat. Phasm. p. 48 (1859); Stål, Rec. Orth. p. 49 note (1875).

- | | |
|---|-------------------------|
| 1. A. Spinosus, Gray, (<i>Phasma (Bacteria?) Spinorum</i>) Trans. Ent. Soc. Lond. i. p. 46 (1834). | Australia (Swan River). |
| <i>A. Spinosus, Gray</i> , Syn. Phasm. p. 15 (1835); Westw. l. e. p. 48. n. 129 (1859). | |

Genus 45. **Clitarchus.** (*Type no. 4.*)

Stål, Rec. Orth. iii. p. 34 (1875); Bihang Svenska Akad. iii. (14) p. 13 (1875); Hutt. Trans. N. Zeal. Inst. xxx. p. 162 (1898), xxxi. p. 54 (1899).

- | | |
|--|-------------|
| **1. C. Hookeri, White, (<i>Bacillus H.</i>) Voy. 'Erebus' & 'Terror,' Ins. p. 24, pl. 6. f. 6 (1846); Westw. Cat. Phasm. p. 14. n. 35 (1859); Hutt. Cat. Orth. N. Zealand, p. 74 (1881).
<i>C. Hookeri, Hutt.</i> Trans. N. Zealand Inst. xxx. p. 163 (1898), xxxi. p. 54 (1899). | N. Zealand. |
| *2. C. Coloreus, Col. (<i>Bacillus C.</i>) Trans. N. Zeal. Inst. xvii. p. 151 (1885).
<i>C. Coloreus, Hutt.</i> l. e. p. 163 (1898), p. 55 (1899). | id. |
| 3. C. Reductus, Hutt. l. e. xxxi. p. 55 (1899). | id. |
| *4. C. Læviusculus, Stål, Rec. Orth. iii. p. 82 (1875); Hutt. l. e. xxx. p. 163 (1898), xxxi. p. 56 (1899). | id. |

Genus 46. **Macracantha**, **Kirb.** (n. n.). (*Type* no. 1.)

Clitarchus, *sect. B*, *Hutt.* *Trans. N. Zealand Inst.* xxx. p. 164 (1898).

|| *Acanthoderus*, *Hutt.* l. c. xxxi. p. 56 (1899).

1. **M. Prasinus, **Westw.** (*Acanthoderus P.*) N. Zealand.

Cat. Phasm. p. 49. n. 132, pl. iii. f. 2 (1859); *Hutt. Cat. N. Zeal. Orth.* p. 77 (1881); *Hutt. Trans. N. Zeal. Inst.* xxxi. p. 56 (1899).

Bacillus Atroarticulus, *Col. Trans. N. Zeal.* Inst. xvii. p. 154 (1885).

2. **M. Suteri**, **Hutt.** (*Acanthoderus S.*) l. c. xxxi. p. 56 (1899).

|| *Acanthoderus Geisovii*, *Hutt.* l. c. xxx. p. 165 (1898).

3. **M. Geisovii**, **Kaup**, (*Bacillus G.*) Proc. Zool. Soc. Lond. 1866, p. 578; *Hutt. Cat. N. Zeal. Orth.* p. 75 (1881).

4. **M. Fasciatus**, **Hutt.** (*Acanthoderus F.*) Trans. N. Zeal. Inst. xxxi. p. 58 (1899).

id.

id.

id.

id.

Genus 47. **Argosarchus**. (*Type* no. 1.)

Hutt. Trans. N. Zeal. Inst. xxx. p. 165 (1898), xxxi. p. 58 (1899).

1. **A. Spiniger, **White**, (*Acanthoderus S.*) N. Zealand. Voy. 'Erebus' & 'Terror,' Ins. p. 24 (1846); *Westw. Cat. Phasm.* p. 48. n. 130 (1859); *Hutt. Cat. N. Zeal. Orth.* p. 76 (1881).

A. Spiniger, *Aljk. Abhandl. nat. Ver. Bremen*, xvii. p. 143 (1901).

Bacillus Filiformis, *Col. Trans. N. Zeal.* Inst. xvii. p. 153 (1885).

♀. *Acanthoderus Horridus*, *White*, l. c. p. 24, pl. 5. f. 4 (1846); *Westw.* l. c. p. 49. n. 131 (1859); *Hutt.* l. c. p. 76 (1881); *Huds. Man. N. Zeal. Ent.* p. 110, pl. 19 (1892).

A. Horridus, *Hutt. Trans. N. Zeal. Inst.* xxx. p. 165 (1898), xxxi. p. 59 (1899).

Bacillus Gerhardii, *Kaup*, *Proc. Zool. Soc. Lond.* 1866, p. 577; *Hutt. Cat. N. Zeal. Orth.* p. 75 (1881).

- | | |
|--|-------------|
| 1 a. A. Minimus, Col. (<i>Bacillus M.</i>) l. c. | N. Zealand. |
| xvii. p. 153 (1885). ○-4225 | |
| 2. A. Sylvaticus, Col. (<i>Bacillus S.</i>) l. c. | id. |
| xiv. p. 278 (1882). ○-3090 | |
| <i>A. Sylvaticus, Hutt. Trans. N. Zeal. Inst.</i> | |
| xxx. p. 166 (1898). | |

Genus 48. **Medaura.** (*Type* no. 1.)

- Stål, Rec. Orth. iii. p. 69 (1875); Brunn. Ann. Mus. Genova, xxxiii. pp. 89, 94 (1893).
Menaka, Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 342 (1877). (*Type* no. 1.)

- | | |
|--|-----------|
| 1. M. Scabriusculus, Wood-Mason, (<i>Bacillus S.</i>) l. c. xlvi. p. 55, pl. 7. f. 1 (1873). | Silhet. |
| <i>Menaka Scabriuscula</i> , Wood-Mason, l. c. xlvi. p. 342 (1877). | |
| <i>Sthenobora (Medaura) Brunneri</i> , Stål, l. c. p. 69 (1875). | |
| 2. M. Stæli, Brunn. (<i>M. Ståli</i>) l. c. p. 94, pl. 4. f. 34 (1893). | Pegu. |
| **3. M. (?) Darnis, Westw. (<i>Bacillus D.</i>) Cat. Phasm. p. 8. n. 20, pl. 23. ff. 2, 3 (1859). | Sarawak. |
| 4. M. (?) Makassarinus, Westw. (<i>Bacillus M.</i>) l. c. p. 179. n. 465 (1859). | Macassar. |

Genus 49. **Manduria.**

- Stål, Öfv. Vet.-Akad. Förh. xxxiii. (10) p. 40 (1877).

- | | |
|---|--------------|
| **1. M. Systropedon, Westw. (<i>Lonchodes S.</i>) Cat. Phasm. p. 44. n. 119, pl. 3. f. 8 (1859). | Philippines. |
|---|--------------|

Genus 50. **Hemipachymorpha, Kirb.** (n. n.).

- N. g. sub *Pachymorpha*, Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893).

- | | |
|--|------------|
| **1. H. Omphale, Westw. (<i>Pachymorpha (?) O.</i>) Cat. Phasm. p. 16. n. 40, pl. 2. f. 5 (1859). | S. Africa. |
|--|------------|

Genus 51. **Pachymorpha.** (*Type* no. 1.)

Gray, *Syn. Phasm.* p. 21 (1835); Serv. *Ins. Orth.* p. 258 (1839); Westw. *Cat. Phasm.* p. 15 (1859); Stål, *Bihang Svenska Akad.* iii. (14) p. 8 (1875); Rec. *Orth.* iii. p. 11 (1875); Brunn. *Ann. Mus. Genova*, xxxiii. p. 95 (1893); Hutt. *Trans. N. Zeal. Inst.* xxx. p. 161 (1898), xxxi. p. 52 (1899).

- | | |
|--|-------------|
| *1. P. Squalida, Gray, (<i>Bacillus Squalidus</i>) | Australia. |
| <i>Ent. Austral.</i> p. 18, pl. 3. f. 2 (1833). | |
| <i>P. Squalida</i> , Gray, <i>Syn. Phasm.</i> p. 21 (1835); Burm. <i>Handb. Ent.</i> ii. p. 562 (1838); Westw. <i>I. c.</i> p. 15, n. 37 (1859). | |
| 2. P. Pasithoe, Westw. (<i>Bacillus P.</i>) <i>I. c.</i> | <i>id.</i> |
| p. 15 (1859). | |
| <i>P. Squalida</i> , var., Westw. <i>I. c.</i> pl. 22. f. 4 (1859). | |
| 3. P. Simplicipes, Serv. <i>I. c.</i> p. 259 (1839). | <i>id.</i> |
| <i>P. (?) Simplicipes</i> , Westw. <i>I. c.</i> p. 15, n. 38 (1859). | |
| 4. P. Novæ-Guineæ, Kaup, <i>Berlin. Ent. Zeitschr.</i> xv. p. 26 (1871). | N. Guinea. |
| **5. P. Hystriculea, Westw. <i>I. c.</i> p. 16, n. 39, pl. 1. f. 4 (1859); Hutt. <i>I. c.</i> xxxi. p. 52 (1899). | N. Zealand. |
| <i>Bacillus Hystriculea</i> , Hutt. <i>Cat. N. Zeal. Orth.</i> p. 75 (1881). | |
| 6. P. Salebrosa, Hutt. <i>Trans. N. Zeal. Inst.</i> xxxi. p. 52 (1899). | <i>id.</i> |
| <i>P. Hystriculea</i> , Hutt. <i>I. c.</i> xxx. p. 162 (1898). | |
| 7. P. Annulata, Hutt. <i>I. c.</i> xxx. p. 162 (1898), xxxi. p. 53 (1899). | <i>id.</i> |
| 8. P. Acornuta, Hutt. <i>I. c.</i> xxxi. p. 53 (1899). | <i>id.</i> |

Genus 52. **Parapachymorpha.** (*Type* no. 1.)

Brunn. *Ann. Mus. Genova*, xxxiii. p. 95 (1893).

- | | |
|---|------------|
| 1. P. Nigra, Brunn. <i>I. c.</i> p. 96, pl. 4. f. 35 <i>a, b</i> (1893). | Burma. |
| 2. P. Spinitosa, Brunn. <i>I. c.</i> f. 36 (1893). | <i>id.</i> |

Genus 53. **Charidas.**

Stål, Rec. Orth. iii. p. 56 note (1875).

- **1. **C. Cerberus**, Westw. (*Anisomorpha* (?)) | Ceylon.
C.) Cat. Phasm. p. 19. n. 50, pl. 1. f. 6 |
(1859). |

S U B F A M. IV.

F R
D I A P H O M E R I N Æ.Genus 54. **Hesperophasma.** (*Type* no. 2.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901).

|| *Phantasis*, Sauss. (nec Thoms.) Miss. Mex., Orth. p. 188 (1872);
Stål, Bihang Svenska Akad. iii. (14) p. 10 (1875); Rec.
Orth. iii. pp. 19, 73 (1875).

- | | |
|--|-------------|
| **1. H. Planulum , Westw. (<i>Phasma P.</i>) Cat. Phasm. p. 34. n. 95, pl. 1. f. 7 (1859). | S. Domingo. |
| 2. H. Saussurei , Bol. (<i>Phantasis S.</i>) Mém. Soc. Zool. France, i. p. 136 (1888).
<i>Phantasis Planula</i> , Sauss. l. c. p. 188 (1872). | Cuba. |
| 3. H. Lyratum , Bol. (<i>Phasma Lyrata</i>) l. c. p. 137 (1888). | id. |
| **1. H. Vittatum , Westw. (<i>Anophelepis Vitata</i>) l. c. p. 69. n. 181 (1859).
<i>Phantasis Vittata</i> , Sauss. l. c. p. 189 (1872). | Mexico. |
| **5. H. (?) Scythrus , Westw. (<i>Anophelepis S.</i>) l. c. p. 68. n. 180, pl. 2. f. 3 (1859).
<i>Phantasis Scythrus</i> , Sauss. l. c. p. 190 (1872). | id. |

Genus 55. **Lamponius.**

Stål, Rec. Orth. iii. pp. 19, 73 (1875).

1. **L. Guerini**, Sauss. (*Pygirhynchus G.*) Rev. Zool. (2) xx. p. 64 (1868); Miss. Mex., Orth. p. 169, pl. 3. ff. 13, 13 a (1872). | Guadeloupe

Genus 56. **Caulonia.** (*Type* no. 2.)

Stål, Bilang Svenska Akad. iii. (14) p. 10 (1875); Rec. Orth. iii. pp. 20, 74 (1875).
 || *Ceroys*, *Sauss.* Miss. Mex., Orth. p. 166 (1872).

1. C. Rhabdota , Westw. (<i>Ceroys R.</i>) Cat. Phasm. p. 61, n. 169, pl. 22, f. 6 (1859).	Colombia.
2. C. Bigibbus , Rehn, (<i>Ceroys B.</i>) Proc. Acad. Nat. Sci. Philad. 1904, p. 48.	Nicaragua, Costa Rica.
3. C. Bifolia , Stål, Rec. Orth. iii. p. 74 (1875).	Colombia.
4. C. Columbina , Westw. (<i>Ceroys C.</i>) l. c. p. 62, n. 170, pl. 24, f. 1 (1859).	id.
5. C. Thestylis , Westw. (<i>Bacteria T.</i>) l. c. p. 29, n. 83, pl. 24, f. 2 (1859).	id.
6. C. Molita , Westw. (<i>Bacteria M.</i>) l. c. n. 82, pl. 24, f. 3 (1859).	id.
7. C. Tolima , Westw. (<i>Acanthoderus T.</i>) l. c. p. 56, n. 156, pl. 24, f. 5 (1859).	id.
8. C. Senticosa , Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 28 (1898).	Ecuador.
9. C. Conradi , Giglio-Tos, l. c. p. 30 (1898).	id.
10. C. Poeyi , Bol. Mém. Soc. Zool. France, i. p. 137 (1888).	Cuba.
11. C. Triedrica , Bol. l. c. p. 138 (1888).	id.
**12. C. Spinosissima , Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 464, pl. 40, ff. 5., 5a (1896).	Archidona.
**13. C. (?) Iphiclus , Westw. (<i>Pygirhynchus I.</i>) l. c. p. 58, n. 163, pl. 2, f. 2 (1859). <i>C. Iphiclus</i> , Bol. Ann. Soc. Ent. France, (6) x. p. 138 (1890).	Colombia, Venezuela.
14. C. Capreolus , Kaup, (<i>Ceroys C.</i>) Berlin. Ent. Zeitschr. xv. p. 34 (1871).	Mexico.
15. C. (?) Quindensis , Goud. (<i>Bacteria Q.</i>) Mag. Zool. 1843, Ins. no. 125, p. 5. <i>Acanthoderus Quindensis</i> , Westw. l. c. p. 57, n. 158, pl. 25, ff. 3, 4 (1859).	N. Granada.

Genus 57. **Parobrimus.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 205 (1896).

1. P. Immanis , Scudd. (<i>Acanthoderus I.</i>) l. c. xii. p. 340 (1869).	Peru.
**2. P. (?) Laciniatus , Westw. (<i>Ceroys L.</i>) Ties. Ent. Oxon. p. 174, pl. 32, f. 4 (1874).	Nicaragua.

Genus 58. **Libethra.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 20, 74 (1875).

- **1. **L. Ignavus,** Westw. (*Ceroys I.*) Cat. Tapajos. Phasm. p. 61, n. 168, pl. 4, f. 7 (1859).
- 2. **L. Nisseri,** Stål, l. c. p. 74 (1875). Colombia.
- 3. **L. Ramale,** Giglio-Tos, Boll. Mus. Ecuador. Torino, xiii. (311) p. 27 (1898).
- 4. **L. (?) Palmes,** Giglio-Tos, l. c. p. 28 id. (1898).
- 5. **L. Strigiventris,** Westw. (*Bacteria S.*) Colombia. l. c. p. 28, n. 79, pl. 24, f. 6 (1859).
- 6. **L. Sutoria,** Stål, l. c. p. 75 (1875). Bogota.

Genus 59. **Sermyle.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 23, 77 (1875).

- 1. **S. Mexicanus,** Sauss. (*Acanthoderus M.*) Mexico. Rev. Zool. (2) xx. p. 62 (1868).
Ceroys Mexicanus, Sauss. Miss. Mex., Orth. p. 167, pl. 4, ff. 17, 17a (1872).
S. Mexicana, Stål, l. c. p. 76 (1875).
- 2. **S. Saussurii,** Stål, l. c. p. 77 (1875). id.
- 3. **S. Physconia,** Rehn, Proc. Acad. Nat. Costa Rica. Sci. Philad. 1904, p. 51.
- 4. **S. Azteca,** Sauss. (*Bacteria A.*) Rev. Mexico. Zool. (2) xi. p. 62 (1859); Miss. Mex., Orth. p. 155, pl. 3, ff. 9, 9a (1872).
- 5. **S. Linearis,** Sauss. (*Ceroys L.*) Rev. S. America. Zool. (2) xx. p. 65 (1888); Miss. Mex., Orth. vi. p. 168, pl. 4, ff. 16, 16a (1872).

Genus 60. **Pseudosermyle.** (*Type* no. 1.)

Caud. Proc. U. S. Nat. Mus. xxvi. p. 867 (1903).

- 1. **P. Arbuscula,** Rehn, (*Sermyle A.*) California Canad. Ent. xxxiv. p. 273 (1902). (San
P. Arbuscula, Caud. l. c. p. 868, pl. 57, Diego). f. 3, pl. 58, f. 4 (1903).
- 2. **P. Truncata,** Caud. l. c. p. 869, pl. 58. Arizona, ff. 3, 3a, b (1903). California.
- 3. **P. Strigata,** Scudd. (*Sermyle S.*) Proc. Texas. Davenport Acad. viii. p. 94, pl. 1, f. 3 (1900); Caud. l. c. p. 870, pl. 56, f. 3, pl. 58, f. 8 (1903).

- | | |
|---|-------------|
| 4. P. Stramineus, Scudd. (<i>Bacunculus S.</i>)
l. c. ix. p. 20, pl. 1. f. 1 (1902). | New Mexico. |
| <i>P. Stramineus, Caud.</i> l. c. p. 871, pl. 58.
f. 2 (1903). | |
| 5. P. Banksii, Caud. l. c. p. 871 (1903). | Texas. |
| 6. P. Strigiceps, Kaup, (<i>Diapheromera S.</i>)
Berlin. Ent. Zeitschr. xv. p. 28 (1871). | Mexico. |
| *7. P. Tridens, Burm. (<i>Bacteria T.</i>) Handb.
Ent. ii. p. 567. n. 13 (1838); Westw.
Cat. Phasm. p. 27. n. 75 (1859); Sauss.
Miss. Mex., Orth. p. 157 (1872); Rehn,
Trans. Amer. Ent. Soc. xxvii. p. 87 (1900). | id. |

Genus 61. **Pseudobacteria.** (*Type no. 1.*)

Sauss. Miss. Mex., Orth. p. 157 (1872).

- | | |
|---|-------------------------------|
| **1. P. Crudelis, Westw. (<i>Bacteria C.</i>) Cat.
Phasm. p. 24. n. 65 (1859).
<i>Bacteria Antillarum</i> , Sauss. Rev. Zool. (2)
xx. p. 65 (1868); Miss. Mex., Orth.
p. 157 (1872). | Guade-
loupe,
Dominica. |
| 2. P. Yersiniana, Sauss. (<i>Bacteria Y.</i>) ll.
cc. p. 65 (1868); p. 158 (1872). | Porto
Rico. |
| 3. P. Cubaensis, Haan, (<i>Phasma (Bac-
teria) Cubaense</i>) Temminck, Verhandel.,
Orth. p. 101 (1842).
<i>Bacteria Cubaense</i> , Westw. l. c. p. 26. n. 68
(1859).
<i>Bacteria Cubaensis</i> , Sauss. Miss. Mex.,
Orth. p. 159 (1872).
<i>Bacunculus Cubensis</i> , Bol. Mém. Soc.
Zool. Francee, i. p. 139 (1888). | Cuba. |

Genus 62. **Diapheromera.** (*Type no. 1.*)

Gray, Syn. Phasm. p. 18 (1835); Westw. Cat. Phasm. p. 20 (1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål, Bilang Svenska Akad. ii (17) pp. 7, 13 (1875); Rec. Orth. iii. p. 21 (1875); Caud. Proc. U. S. Nat. Mus. xxvi. p. 873 (1903).

- | | |
|---|--|
| *1. D. Femorata, Say, (<i>Spectrum Femoratum</i>) N. America.
Long's 2nd Exped. St. Peter's River, i.
p. 297 (1824); Amer. Ent. iii. p. 37,
pl. 27 (1828); Leidy, Proc. Acad. Nat.
Sci. Philad. iii. p. 80 (1846).
<i>D. Femorata</i> , Harr. Ins. Inj. Veget.
p. 119 (1841), ed. 3, pp. 146, 147, f. 67 | |
|---|--|

- (1862); Caud. l. c. p. 874, pl. 57, f. 4, pl. 58, f. 6 (1903); Howard, Insect Book, pp. 323-325 (1902); Seudd. Psyche, ix. p. 189 (1901).
- D. Sayi*, Gray, l. c. p. 18 (1835); Westw. l. c. p. 20, n. 51 (1859); Sauss. Miss. Mex., Orth. p. 165 (1872).
- Bacteria Sayi*, Burm. Handb. Ent. ii. p. 566, n. 10 (1838); Charp. Orth. pl. 4 (1841).
- Bacteria Linearis*, Gosse, Lett. Alabama, p. 275 (1859).
2. **D. Velii**, Walsh, Proc. Ent. Soc. Philad. iii. p. 410 (1864); Seudd. l. c. p. 189 (1901).
- D. Veliei*, Caud. l. c. p. 876, pl. 58, f. 5 (1903).
3. **D. Arizoneensis**, Caud. l. c. p. 877 (1903).
4. **D. Carolina**, Scudd. l. c. p. 188 (1901); Caud. l. c. p. 877 (1903).
5. **D. Mesillana**, Scudd. l. c. p. 189 (1901); Caud. l. c. p. 878 (1903).
6. **D. (?) Bidens**, Kaup, Berlin. Ent. Zeitsehr. xv. p. 28 (1871).
7. **D. Beckeri**, Kaup, l. c. p. 27 (1871).
8. **D. Calcarata**, Burm. (*Bacteria C.*) l. c. p. 566, n. 11 (1838).
- D. Calcarata*, Westw. l. c. p. 20, n. 52 (1859); Sauss. l. c. p. 164, pl. 3, ff. 5, 5a (1872); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 50.
9. **D. Faunus**, Westw. (*Bacteria F.*) l. c. p. 28, n. 78 (1859).
- ||*Bacteria Viridis*, Burm. l. c. p. 568, n. 18 (1838).
- **10. **D. (?) Saussurii**, Kirb. Ann. Nat. Hist. (6) iii. p. 501 (1889).
- S. United States, Mexico.
- Arizona.
- N. Carolina.
- New Mexico.
- Mexico.
- id.
- id.
- S. America.
- Dominica.

Genus 63. **Megaphasma.**

Caud. Proc. U. S. Nat. Mus. xxvi. p. 878 (1903).

1. **M. Denticrus**, Stål, (*Diaphoromera D.*) Southern Rec. Orth. iii. p. 76 (1875); Seudd. United Psyche, ix. p. 187 (1901); Harper's Mag. lxxxviii. p. 456, f. 1 (1894).
- M. Denticrus*, Caud. l. c. p. 878, pl. 57, ff. 2, 2a, b (1903).

SUBFAM. V.

BACTERIINÆ.

Genus 64. **Heteronemia.** (*Type* no. 1.)

Gray, Syn. Phasm. pp. 13, 19 (1835).

||*Bacunculus*, Sauss. Miss. Mex., Orth. p. 154 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 7, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 23 (1875); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872 (1903).

**1. H. Mexicana , Gray, l. c. p. 19 (1835). <i>Bacteria Mexicana</i> , Westw. Cat. Phasm. p. 25, n. 67 (1859); Sauss. Rev. Zool. (2) xx. p. 357 (1868); Miss. Mex., Orth. p. 152, pl. 3, ff. 10, 11, 11a (1872). <i>Bacteria Tolteca</i> , Sauss. Rev. Zool. (2) xi. p. 62 (1859).	Mexico.
2. H. Ignava , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 54.	Costa Rica.
*3. H. Striata , Burm. (<i>Bacteria S.</i>) Handb. Ent. ii. p. 567, n. 14 (1838); Westw. l. c. pp. 28, 180, n. 76 (1859); Sauss. Miss. Mex., Orth. p. 156, ff. 7, 8, 8a (1872).	Mexico.
4. H. Tenuescens , Scudd. (<i>Bacunculus T.</i>) Proc. Davenport Acad. viii. p. 95, pl. 1, f. 1 (1900); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872, pl. 56, ff. 1, 2 (1903).	Florida.
*5. H. Hastata , Burm. (<i>Bacteria H.</i>) l. c. p. 567, n. 11 (1838); Westw. l. c. pp. 23, 179, n. 61 (1859).	Ega.
6. H. Olmeica , Sauss. (<i>Bacteria O.</i>) l. c. p. 156 (1872).	Mexico.
7. H. Festæ , Giglio-Tos, (<i>Bacunculus F.</i>) Boll. Mus. Torino, xiii. (311) p. 22 (1898).	Ecuador.
8. H. Festuca , Giglio-Tos, (<i>Bacunculus F.</i>) l. c. p. 24 (1898).	id.
*9. H. Mimus , Giglio-Tos, (<i>Bacunculus M.</i>) l. c. p. 25 (1898).	id.
10. H. Sarmentum , Giglio-Tos, (<i>Bacunculus S.</i>) l. c. (1898).	id.
11. H. Palea , Giglio-Tos, (<i>Bacunculus P.</i>) l. c. p. 26 (1898).	id.

12. **H. Fallax, Giglio-Tos,** (*Bacunculus F.*) Ecuador.
l. c. p. 26 (1898).
13. **H. Gramen, Giglio-Tos,** (*Bacunculus G.*) id. l. c. (1898).
14. **H. Nodosus, Giglio-Tos,** (*Bacunculus N.*) id. l. c. p. 27 (1898).
15. **H. Laticauda, Bates,** (*Bacteria L.*) Ega.
Trans. Linn. Soc. Lond. xxv. p. 329,
pl. 44. f. 11 a (1865).
16. **H. Amazonica, Bates,** (*Bacteria A.*) id.
l. c. p. 330 (1865).
17. **H. Culmus, Bates,** (*Bacteria C.*) l. c. Brazil.
p. 331 (1865).
18. **H. Cacica, Kaup,** (*Bacteria C.*) Berlin. Mexico.
Ent. Zeitschr. xv. p. 28 (1871).
19. **H. Arampes, Kaup,** (*Bacteria A.*) l. c. Brazil.
p. 30 (1871).
- **20. **H. Samouellii, Gray,** (*Bacteria S.*) l. c. Hab. — ?
p. 43 (1835); Westw. l. c. p. 33. n. 94
(1859).
- **21. **H. Tenuis, Westw.** (*Bacteria T.*) l. c. Hab. — ?
p. 31. n. 88, pl. 8. f. 1 (1859).

Genus 65. **Bacunculus.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 566 (1838);
Westw. Cat. Phasm. p. 26 (1859).

- *1. **B. Phyllopus, Gray,** (*Prisomera (?) P.*) Chile.
Syn. Phasm. p. 16 (1835).
Bacteria (Bacunculus) Phyllopoda, Westw.
l. c. p. 180. n. 71 (1859).
Bacteria Spatulata, Burm. l. c. p. 566.
n. 9 (1838).
Bacteria (Bacunculus) Spatulata, Westw.
l. c. pp. 26, 179. n. 71 (1859).
B. Spatulatus, Bol. Viaje al Pacif., Neur. y
Ortópt. p. 27 (1884).
2. **B. Foliacea, Blanch.** (*Bacteria F.*) Gay.
Hist. Chile. Zool. vi. p. 26 (1852);
Westw. l. c. p. 26. n. 70 (1859).
3. **B. Chilensis, Westw.** l. c. p. 180. n. 466
(1859).
|| *Bacteria Spatulata*, Blanch. l. c. p. 25. pl. 1.
f. 6 (1852).
4. **B. Unifoliatus, Phil.** (*Bacteria Unifoliata*) id.,
Stettin. Ent. Zeit. xxvi. p. 64 (1865). Valdivia.

Genus 66. **Oreophœtes.**

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 56.

1. **O. Peruana, Sauss.** (*Bacteria P.*) Rev. Zool. (2) xx. p. 65. n. 11 (1868); Miss. Mex., Orth. p. 160, pl. 3. ff. 12, 12a (1872). | Peru.

Genus 67. **Dyme.** (*Type no. 1.*)

Stål, Rec. Orth. iii. p. 24 (1875).

1. **D. Bifrons, Stål,** l. c. p. 77 (1875); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 56. | Peru.
- *2. **D. Muricata, Burm.** (*Bacteria M.*) Handb. Ent. ii. p. 564. n. 2 (1838); Westw. Cat. Phasm. pp. 23, 179. n. 59 (1859). | Para.
- **3. **D. Emesa, Westw.** (*Bacteria E.*) l. c. p. 30. n. 87, pl. 5. f. 3 (1859). | Hab. — ?
4. **D. Serricauda, Bates,** (*Bacteria S.*) Trans. Linn. Soc. Lond. xxv. p. 331, pl. 44. f. 13a (1865). | Ega.
5. **D. Sakai, Bates,** (*Bacteria S.*) l. c. p. 332, pl. 44. f. 1 (1865). | id.

Genus 68. **Bostra.** (*Type no. 1.*)

Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875); Rec. Orth. iii. p. 24 (1875).

- **1. **B. Turgida, Westw.** (*Bacteria T.*) Cat. Phasm. p. 28. n. 80, pl. 8. ff. 4, 9 (1859). | Venezuela.
2. **B. Dorsuaria, Stål,** Rec. Orth. iii. p. 79 (1875). | Chiriqui.
3. **B. Exigua, Scudd.** (*Bacteria E.*) Proc. Boston Soc. Nat. Hist. xvii. p. 278 (1875). | Peruvian Andes.
4. **B. Incompta, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 57. | Costa Rica.
5. **B. Remiformis, Rehn,** l. c. p. 58 (1904). | id.

Genus 69. **Cncotophasma.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 59.

- | | |
|--|-------------|
| 1. O. Martini, Griff. (<i>Bostra M.</i>) Boll. Mus. Torino, xi. (236) p. 10, fig. (1896). | Colombia, |
| | Costa Rica. |
| 2. O. Podagrifica, Stal, (<i>Bostra P.</i>) Rec. Orth. iii. p. 79 (1875). | Panama. |

Genus 70. **Clonistria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 25 (1875).

- | | |
|---|---|
| 1. C. Bartholomæa, Stål , II. cc. ii. (17) p. 16 (1875), iii. p. 80 (1875). | W. Indies
(St. Barth.). |
| *2. C. Linearis, Dru. (<i>Mantis L.</i>) Ill. Exot. Ent. i. pl. 50. f. 3 (1773).
<i>Bacteria Linearis</i> , Gray, Syn. Phasm. p. 17 (1835); Westw. Cat. Phasm. p. 24. n. 64 (1859).
(?) <i>C. Linearis</i> , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 60.
<i>Pseudobacteria Longiceps</i> , Kirb. Ann. Nat. Hist. (6) iii. p. 503 (1889). | Antigua,
St. Lucia,
Montserrat,
Grenada, &
St. Vincent. |
| ***3. C. Haita, Westw. (<i>Bacteria H.</i>) l. c. p. 25. n. 66, pl. 25. ff. 5, 6 (1859).
<i>Bacteria Dryas</i> , Westw. l. c. p. 27. n. 74 (1859).
 <i>Bacteria Spinosa</i> , Burm. Handb. Ent. ii. p. 567. n. 12 (1838). | Haiti. |
| 4. C. Comis, Bates , (<i>Bacteria C.</i>) Trans. Linn. Soc. Lond. xxv. p. 330, pl. 44. f. 12 b (1865). | Bogota. |
| 5. C. Gracilis, Burm. (<i>Bacteria G.</i>) Handb. Ent. ii. p. 567. n. 15 (1838); Westw. l. c. p. 28. n. 77 (1859). | La Guayra. |
| *6. C. Calamus, Fabr. (<i>Mantis C.</i>) Ent. Syst. ii. p. 13. n. 3 (1793).
<i>Phasma Calamus</i> , Fabr. l. c. Suppl. p. 187. n. 3 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 4 (1802).
<i>Bacteria Calamus</i> , Gray, l. c. p. 17 (1835); Westw. Cat. Phasm. p. 20. n. 53 (1859). | S. America,
W. Indies. |

Genus 71. **Tersomia.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 431 (1904).

1. **T. Brasiliensis, Kirb. l. c. p. 432 (1904). | Iguarassu.Genus 72. **Bactridium.**

Sauss. Rev. Zool. (2) xx. p. 66 (1868); Mém. Soc. Genève, xx. p. 305 (1869); Stål, Rec. Orth. iii. pp. 30, 82 (1875).

1. **B. Coulonianum**, Sauss. ll. cc. p. 66 | Australia(?) (1868); p. 306, pl. 2. ff. 8, 8a, 9, 9a | Chili (?). (1869).Genus 73. **Abrachia.** (*Type* no. 3.)

Kirb. Ann. Nat. Hist. (6) iii. p. 503 (1889); Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).

1. **A. Phyllocephala**, Westw. (*Acanthodernis Phyllocephalus*) Cat. Phasm. p. 58. n. 160 (1859).*Phibalosoma Phyllocephalum*, Westw. l. c. p. 73. n. 188, pl. 33. f. 1 (1859).|| *Bacteria Aurita*, Burm. Handb. Ent. ii. p. 565. n. 7 (1838).2. **A. Extensa**, Bates, (*Phibalosoma Eeten-sum*) Trans. Linn. Soc. Lond. xxv. p. 349 (1865).**3. **A. Brevicornis**, Kirb. ll. cc. p. 504 (1889); p. 475 (1896). Theresopolis4. **A. Longimana**, Sauss. (*Bacteria L.*) Rev. Zool. (2) xi. p. 61 (1859).*Phibalosoma Longimanum*, Sauss. Miss. Mex., Orth. p. 177, pl. 4. f. 20 (1872).5. **A. Emortualis**, Sauss. (*Bacteria E.*) id. Rev. Zool. (2) xi. p. 61 (1859).*Phibalosoma Emortuale*, Sauss. Miss. Mex., Orth. p. 175, pl. 4. ff. 21, 21a (1872).6. **A. Clinteria**, Westw. (*Bacteria C.*) Cat. Phasm. p. 27. n. 73, pl. 25. f. 9 (1859);*Bactridium Clinteria*, Giglio-Tos, Boll. Mus. Torino, xv. (377) p. 2 (1900).

Genus 74. **Calynda.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 21 (1875).

1. **C. Bicuspidis**, Stål, l. c. p. 78 (1875); Chiriqui.
Rehm, Proc. Acad. Nat. Sci. Philad. 1904, p. 57.
- **2. **C. Cyphus**, Westw. (*Bacteria C.*) Cat. W. Indies, Phasm. p. 24, n. 63, pl. 7, f. 7 (1859).
|| *Phasmat Cornutum*, Guild, Trans. Linn. Soc. Lond. xiv. p. 137, pl. 6 (1825).
- *3. **C. Ceratoskeleton**, Oliv. (*Mantis Keratoskeleton*) Erc. Méth. Ins. vii. p. 639, n. 75 (1792).
Phasma Cornutum, Licht. Cat. Mus. Zool. Hamburg, iii. p. 78, n. 16 (1796); Trans. Linn. Soc. Lond. vi. p. 10, n. 3 (1802).
Phasma Bicornis, Stoll, Spectres, Phasmes, p. 46, pl. 15, ff. 57, 57 A (1813).
Bacteria Bicornis, Gray, Syn. Phasm. p. 16 (1835); Burm. Handb. Ent. ii. p. 566, n. 8 (1838); Westw. l. c. p. 23, n. 62 (1859).

Genus 75. **Canuleius.**

Stål, Rec. Orth. iii. p. 53 (1875).

- **1. **C. Euterpinus**, Westw. (*Acanthoderus E.*) Cat. Phasm. p. 56, n. 155 (1859).
Bacteria Euterpina, Sauss. Miss. Mex., Orth. p. 161 (1872).
C. Euterpinus, Stål, l. c. p. 94 (1875).
|| *Bacteria Spinosa*, Gray, Syn. Phasm. p. 43 (1835).
Bacteria Spinigera, Sauss. Rev. Zool. (2) xi. p. 62 (1859).
2. **C. (?) Bicornis**, Thunb. (*Phasma B.*) Hab. —? Mém. Acad. Pétersb. v. p. 298 (1815); Westw. l. c. p. 183, n. 9 (1859).

Genus 76. **Phanocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 28, 81 (1875).

1. **P. Burkartii**, Sauss. (*Bacteria B.*) Rev. Zool. (2) xx. p. 65 (1868); Miss. Mex., Orth. p. 151, pl. 3, f. 6 (1872).
♂. || *Bacteria Cornuta*, Sauss. Rev. Zool. (2) xiii. p. 128 (1861).

2. P. AEtolus, Westw. (<i>Bacteria A.</i>) Cat.	Mexico.
Phasm. p. 27. n. 72, pl. 22. f. 3 (1859).	
<i>Phibalosoma AEtolus, Sauss.</i> Miss. Mex., Orth. p. 174 (1872).	
3. P. Sartoriana, Kaup, (<i>Bacteria S.</i>)	id.
Berlin. Ent. Zeitschr. xv. p. 29 (1871).	
**4. P. Curvipes, Redt. Proc. Zool. Soc.	W. Indies.
Lond. 1892, p. 207, pl. 15. f. 9.	St. Vincent.

Genus 77. **Ceroys.** (*Type* no. 4.)

Serv. Ins. Orth. p. 262 (1835); Westw. Cat. Phasm. p. 59 (1859).

Cladomorphus, pt., Gray, Syn. Phasm. p. 15 (1835); Stål, Bihang Svenska Akad. ii. (17) pp. 13, 94 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 53, 94 (1875), *nec sect. typ.*

1. C. Cornutus, Burm. (<i>Acanthoderus C.</i>)	W. Indies.
Handb. Ent. ii. p. 569. n. 4 (1838);	St. Thomas.
Westw. Cat. Phasm. p. 56. n. 153 (1859).	
<i>Bacteria Cornuta, Sauss.</i> Rev. Zool. (2)	
xx. p. 65 (1868); Miss. Mex., Orth.	
p. 161, pl. 4. ff. 14, 14a (1872).	
2. C. Baculus, Sauss. (<i>Bacteria B.</i>) ll. cc.	S. America.
(2) xi. p. 61 (1859); p. 163, pl. 4. ff. 15,	
15a, b (1872).	
3. C. Cyrtocnemis, Bates, (<i>Bacteria C.</i>)	Ega.
Trans. Linn. Soc. Lond. xxv. p. 329,	
pl. 44. f. 10 (1865).	
**4. C. Perfoliatus, Gray, (<i>Cladomorphus P.</i>)	Brazil.
Syn. Phasm. p. 15 (1835).	
<i>Acanthoderus Perfoliatus, Burm.</i> Handb.	
Ent. ii. p. 569. n. 1 (1838).	
<i>C. Perfoliatus, Serv.</i> Ins. Orth. p. 263	
(1839); Westw. l. c. p. 59. n. 164	
(1859).	
5. C. Ramulus, Giglio-Tos, (<i>Bacunculus R.</i>)	Ecuador.
Boll. Mus. Torino, xiii. (311) p. 21	
(1898).	
6. C. Borellii, Giglio-Tos, (<i>Bacunculus B.</i>)	id.
l. c. p. 22 (1898).	
7. C. Multispinosus, Serv. l. c. p. 264	Brazil.
(1839); Westw. l. c. p. 59. n. 165	
(1859).	

8. **C. Oryx, Westw.** (*Acanthoderus O.*) l. c. Brazil.
p. 56. n. 152 (1859).
|| *Acanthoderus Seabrosus*, Burm. Handb.
Ent. ii. p. 569. n. 3 (1838).
9. **C. Vigilans, Westw.** (*Acanthoderus V.*) id.
l. c. p. 56. n. 151 (1859).
|| *Acanthoderus Auritus*, Burm. l. c. p. 569.
n. 2 (1838).
10. **C. Scops, Kaup**, (*Acanthoderus S.*) Ber-
lin. Ent. Zeitschr. xv. p. 32 (1871).
11. **C. Coronatus, Thunb.** (*Phasma Coro-
nata*) Mém. Soc. Pétersb. v. p. 299
(1815); Westw. l. c. p. 183. n. 8 (1859).

Genus 78. **Bacteria.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 446 (1825); Gray,
Syn. Phasm. p. 16 (1835); Burm. Handb. Ent. ii. p. 563
(1838); Serv. Ins. Orth. p. 223 (1839); Haan, Tem-
minck, Verhandel. Orth. p. 132 (1842); Westw. Cat.
Phasm. p. 20 (1859); Sauss. Miss. Mex., Orth. p. 151
(1872); Stål, Bihang Svenska Akad. ii. (17) pp. 6, 14
(1875), iii. (14) p. 11 (1875); Rec. Orth. iii. p. 29
(1875).

- *1. **B. Baculus, Oliv.** (*Mantis B.*) Enc. Surinam,
Méth., Ins. vii. p. 138. n. 71 (1792). British
Phasma Arumata, Stoll, Spectres, Phasmes, Giaiana,
p. 41, pl. 13. f. 51 (1813). Cayenne.
B. Arumata, Gray, l. c. p. 16 (1835);
Serv. l. c. p. 223 (1839).
- *2. **B. Remphan, Westw.** l. c. p. 22 (1859). Venezuela,
B. Arumata, var., Westw. l. c. pl. 23. Ecuador.
ff. 4, 4a (1859).
- **3. **B. Simplicitarsis, Gray**, l. c. p. 43 Jamaica,
(1835); Westw. l. c. p. 21. n. 55 Antigua,
(1859). &c.
|| *Phasma Filiformis*, Stoll, l. c. p. 64, pl. 22.
f. 81 (1813).
Phasma Filiforme, Licht. Trans. Linn. Soc.
Lond. vi. p. 9. n. 1, pl. 1. f. 1 (1802).
4. **B. Ferula, Fabr.** (*Mantis F.*) Ent. Syst. W Indies.
ii. p. 12. n. 2 (1793).
Phasma Ferula, Fabr. Suppl. Ent. Syst.

- p. 187. n. 2 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 2 (1802).
B. Ferula, Burm. l. c. p. 564. n. 3 (1838).
 ||*B. Arumata*, Westw. l. c. p. 22. n. 57 (1859).
5. **B. (?) Filiformis, Fabr.** (*Mantis Filiformes*) Mant. Ins. i. p. 227. n. 1 (1787).
Mantis Filiformis, Fabr. Ent. Syst. ii. p. 12. n. 1 (1793).
Phasma Filiformis, Fabr. Suppl. Ent. Syst. p. 106. n. 1 (1798).
B. Filiformis, Westw. l. c. p. 22. n. 58 (1859).
6. **B. Nigripes, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 278 (1875).
7. **B. Granulicollis, Blanch.** Gay, Hist. Chil., Zool. vi. p. 26 (1851); Westw. l. c. p. 26. n. 69 (1859).
- S. America
Peruvian
Andes.
Chili.

Genus 79. **Phibalosoma.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 42 (1835); Westw. Cat. Phasm. p. 71 (1859); Sauss. Miss. Mex., Orth. p. 172 (1872); Stål, Bilang Svenska Akad. ii. (17) pp. 8, 14 (1875); Rec. Orth. iii. p. 28 (1875).
Cladomorphus, pt., Gray, l. c. p. 15 (1835); Serv. Ins. Orth. p. 224 (1839).

- *1. **P. Phyllinus, Gray**, (*Cladomorphus P.*) Brazil.
 l. c. p. 15 (1835); Serv. l. c. p. 225 (1839).
 ♂. *P. Lepelletieri*, Gray, l. c. p. 42 (1835).
P. Lepeletieri, Westw. l. c. p. 72. n. 186 (1859); Sauss. l. c. p. 180 (1872).
Cladoxenus Phyllinus, Burm. Handb. Ent. ii. p. 571. n. 1 (1838); Charp. Orth. pls. 34, 35 (1845); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 61.
 (?) *Bacteria Calamus*, ♀, Burm. l. c. p. 564. n. 1 (1838).
2. **P. Rubispinosa, Serv.** (*Bacteria R.*) l. c. p. 224 (1839); Westw. l. c. p. 30. n. 84 (1859).
 Cayenne.
- **3. **P. Dilatipes, Gray**, (*Cladomorphus D.*) Brazil.
 l. c. p. 15 (1835).
P. Lepelletieri, larva, Westw. l. c. p. 72 (1859).

- P. Lepeletieri*, var. *Dilatipes*, *Sauss.* l. c.
p. 181 (1872).
4. **P. Rubus, Sauss.** (*Cladoxerus R.*) Rev. Brazil
Zool. (2) xiii. p. 128 (1861). (Bahia).
P. Lepeletieri, var. *Rubus*, *Sauss.* Miss.
Mex., Orth. p. 181 (1872).
5. **P. Coronata, Stål**, Rec. Orth. iii. p. 80 Brazil.
(1875). |

Genus 80. **Xylocus.**

Sauss. Rev. Zool. (2) xi. p. 62 (1859);
Miss. Mex., Orth. p. 182 (1872).

1. **X. Adumbratus, Sauss.** Rev. Zool. (2) Porto Rico.
xi. p. 62 (1859).
Phibalosoma Adumbratum, *Sauss.* Miss.
Mex., Orth. p. 182, pl. 4. ff. 19, 19a, b
(1872). |

Genus 81. **Cladomorphus.**

Gray, Syn. Phasm. p. 15 (1835).

1. **C. Ceratocephalus, Gray**, l. c. (1835). Brazil.
Phibalosoma Ceratocephalum, Westw. Cat.
Phasm. p. 72. n. 187, pl. 36. f. 2 (1859). |

Genus 82. **Cladoxerus.** (*Type no. 1.*)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 445 (1825); Serv.
Ann. Sci. Nat. xxii. p. 59 (1831); Ins. Orth. p. 254
(1839); Gray, Syn. Phasm. p. 42 (1835); Burm. Handb.
Ent. ii. p. 571 (1838).

- *1. **C. Gracilis, St.-Farg. & Serv.** l. c. Brazil.
p. 445 (1825); Serv. II. cc. p. 59
(1831); p. 255, pl. 7 (1839); Gray, l. c.
p. 42 (1835); Burm. l. c. p. 572. n. 2
(1838). |

Phibalosoma Gracilis, Westw. Cat. Phasm.
p. 77. n. 200 (1859). |

- **2. **C. Cryphaleus, Westw.** (*Phibalosoma C.*) id.
l. c. p. 78. n. 201, pl. 11. f. 3 (1859). |

3. C. Longipes , Gray, l. c. p. 42 (1835). <i>Phibalosoma Longipes</i> , Westw. l. c. p. 78. n. 202 (1859).	Demerara.
**4. C. Ditomus , Westw. (<i>Phibalosoma D.</i>) l. c. p. 78. n. 203, pl. 13. f. 1 (1859).	Brazil.
**5. C. Ploaria , Westw. (<i>Phibalosoma P.</i>) l. c. p. 79. n. 204, pl. 13. f. 4 (1859).	Central America(?)
6. C. Cubensis , Sauss. (<i>Phyalosoma C.</i>) Rev. Zool. (2) xx. p. 67 (1868). <i>Phibalosoma Cubense</i> , Sauss. Miss. Mex., Orth. p. 179, pl. 4. ff. 22, 22 a (1872). <i>Bacteria Cubensis</i> , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 62.	Cuba.
**7. C. Phantasma , Westw. (<i>Phasma P.</i>) l. c. p. 126. n. 331, pl. 12. f. 5 (1859).	Tapajos.
**8. C. Valgius , Westw. (<i>Phasma V.</i>) l. c. p. 126. n. 330, pl. 10. f. 3 (1859).	Hab. — ?
**9. C. Puppeius , Westw. (<i>Phasma P.</i>) l. c. p. 125. n. 329, pl. 10. f. 1 (1859).	Tapajos.

S U B F A M. VI.

P H R Y G A N I S T R I I N Æ.

Genus 83. **Phryganistria**.

Stål, Bihang Svenska Akad. ii. (17) pp. 7, 14 (1875), iii. (14) p. 7 (1875); Rec. Orth. iii. p. 6 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 81 (1893).

*1. P. Sarmentosa , Westw. (<i>Bacteria S.</i>) Cab. Orient. Ent. p. 65, pl. 32. f. 1 (1848). ♂. <i>Bacteria Virgea</i> , Westw. l. c. p. 66, pl. 32. f. 2 (1848). <i>Lonchodes Virgeus</i> , Westw. Cat. Phasm. p. 46. n. 122 (1859). <i>P. Sarmentosa</i> , Stål, Rec. Orth. p. 63 (1875).	Sylhet.
---	---------

Genus 84. **Sadyattes**.

Stål, Rec. Orth. iii. p. 41 (1875).

1. S. Borrii , Stål, l. c. p. 88 (1875).	Hab. — ?
---	----------

Genus 85. **Pharnacia.** (*Type* no. 3.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).
Phryganistria, div. a. Stål, Rec. Orth. iii. p. 63 (1875).

- **1. **P. Serratipes,** Gray, (*Cladoxerus* S.) Malabar,
 Syn. Phasm. p. 42 (1835). Penang,
Phibalosoma Serratipes, Westw. Cat. Phasm. Singapore,
 p. 75. n. 192 (1859). Java.
 ♀. *Bacteria Acanthopus*, Burm. Handb.
 Ent. ii. p. 565. n. 6 (1838).
Phasma (Cladoxerus) Acanthopus, Haan.
 (♂; an ♀?) Temminck. Verhandel., Orth. p. 131 (1842).
Phibalosoma Acanthopus, Westw. (♂; an
 ♀?) l. c. p. 74. n. 190 (1859).
 (?) *Phibalosoma Acanthopus*, Wood-Mason,
 Proc. Asiatic Soc. Bengal, 1877, p. 161.
*1 a. **P. Maxima,** Bates, (*Phibalosoma Maxi-*
mum) Trans. Linn. Soc. Lond. xxv. Sumatra,
 p. 341 (1865). Sarawak.
 || *P. Serratipes*, Kirby. Trans. Linn. Soc.
 Lond. Zool. (2) vi. p. 450 (1896).
 2. **P. Annamallayanum,** Wood-Mason, S. India.
 (*Phibalosoma A.*) l. c. p. 161 (1877);
 Journ. Asiatic Soc. Bengal, xlvi. p. 346
 (1877).
 3. **P. Ponderosa,** Stål, l. c. p. 40 (1877); Philippines.
 (?) Kirby. l. c. p. 451 (1896).
 4. **P. Feruloides, Westw. (*Lonchodes* F.) id.,
 Cat. Phasm. p. 45. n. 121, pl. 6. f. 5 Java
 (1859). (eadem?).

Genus 86. **Tirachoidea.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

1. **T. Cantori,** Westw. (*Phibalosoma C.*) Malacea.
 Cat. Phasm. p. 74. n. 191, pl. 37. f. 1, Siam.
 pl. 38. f. 1 (1859); Rehn, Proc. Acad.
 Nat. Sci. Philad. 1904, p. 70.
*1 a. **T. Tirachus,** Westw. (*Phibalosoma T.*) Assam.
 l. c. p. 75. n. 194. pl. 37. f. 3 (1859).
 2. **T. Westwoodi,** Wood-Mason, (*Phi-*
balosoma W.) Journ. Asiatic Soc. Bengal,
 xliv. p. 216 (1875), xlvi. p. 317. pl. 3.
 f. 1 (1877). id.

- **3. **T. Hypharpax, Westw.** (*Phibalosoma* Ceylon.
H.) l. c. p. 75, n. 193, pl. 13, f. 6 (1859);
 Kaup, Berlin. Ent. Zeitschr. xv. p. 37
 (1871).

Genus 87. **Lopaphus.**

Westw. Cat. Phasm. p. 99 (1859); Sauss. Mém. Soc. Genève, xx. p. 312 (1870); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 347 (1877).

Phasma, group 15, *Haan*, Temminck, Verhandel., Orth. p. 125 (1842).

- | | |
|---|----------|
| 1. L. Brachypterus, Haan, (<i>Phasma Brachypterum</i>) l. c. p. 125, pl. 13, f. 2 (1842).
<i>L. Brachypterus</i> , Westw. l. c. p. 99, n. 254 (1859). | Sumatra. |
| 2. L. (?) Hellotis, Westw. l. c. p. 101, n. 259, pl. 40, f. 1 (1859). | Borneo. |
| 3. L. (?) Hadrillus, Westw. l. c. p. 100, n. 258, pl. 28, f. 4 (1859). | Sarawak. |

Genus 88. **Phænopharos.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 433 (1904).

- **1. **P. Struthioneus, Westw.** (*Lopaphus S.*) Singapore.
 Cat. Phasm. p. 101, n. 260, pl. 34, f. 3 (1859).

S U B F A M. VII.

P A L O P H I N Æ.

Genus 89. **Hermarchus.** (*Type* no. 3.)

Stål, Rec. Orth. iii. p. 45 (1875);
 Bihang Svenska Akad. iii. (14) p. 17 (1875).

- | |
|---|
| **1. H. Apollonius, Westw. (<i>Phibalosoma A.</i>) Fiji.
Cat. Phasm. p. 181, n. 469, pl. 40, f. 4 (1859).
<i>Phibalosoma Pythonius</i> , ♂, Westw. l. c. p. 73, n. 189, pl. 35, f. 3 (1859). |
|---|

2. **H. Novæ-Britanniæ, Wood-Mason,** New
Ann. Nat. Hist. (4) xx. p. 75 (1877). Britain.
 ***3. **H. Pythonius, Westw.** (*Phibaloosoma*
P., ♀) l. c. p. 73. n. 189, pl. 12. f. 1 Fiji.
(1859); Sauss. Miss. Mex., Orth. pl. 3.
ff. 1-3, details (1872).
 4. **H. (?) Trigonus, Thunb.** (*Phasma Tri-
gonum*) Mém. Soc. Pétersb. v. p. 300 Hab. — ?
(1815); Westw. l. c. p. 183. n. 5 (1859).

Genus 90. **Tæniosoma.**

Bol. Act. Soc. Esp. 1897, p. 30.

1. **T. Sanchezi, Bol.** l. c. pp. 31, 32, fig. Philippines.
(1897).

Genus 91. **Diagoras.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

1. **D. Ephialtes, Stål**, l. c. (1877). | Palau.

Genus 92. **Cranidium.**

Burm. Handb. Ent. ii. p. 574 (1838); Westw. Arc. Ent. ii. p. 49 (1845).

Diapherodes, pt., Burm. l. c. p. 573 (1838); Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

- *1. **C. Gibbosum, Burm.** (*Diapherodes Gib-
bosa*) l. c. p. 575. n. 3 (1838); Sauss. Brazil.
Miss. Mex., Orth. p. 187 (1872).
Monandroptera (?) *Gibbosa*, Westw. Cat.
Phasm. p. 80. n. 209 (1859).
Diapherodes (Cranidium) Serricollis, Westw.
Arc. Ent. ii. p. 49, pl. 61. f. 1 (1845).
 ***2. **C. (?) Pumilio, Westw.** (*Diapherodes* Jamaica.
(Cranidium) P.) l. c. p. 50, pl. 61. f. 2 (1845).
Monandroptera Pumilio, Westw. Cat.
Phasm. p. 80. n. 208 (1859).

Genus 93. **Hirtuleius.**

Stål, Rec. Orth. iii. p. 29 (1875).

1. **H. Læviceps, Stål**, l. c. p. 81 (1875). | Brazil.

Genus 94. **Pterinoxylus.** (*Type* no. 2.)

Serv. Ins. Orth. p. 226 (1839); Westw. Cat. Phasm. p. 89 (1859); Stål, Rec. Orth. p. 29 (1875).

1. **P. Eucnemis,** Burm. (*Haploptis E.*) Brazil.
Handb. Ent. ii. p. 577. n. 2 (1838).
P. Difformipes, Westw. l. c. p. 90. n. 231,
pl. 36. f. 1 (1859).
2. **P. Difformipes,** Serv. l. c. p. 227 (1839). id.
- **3. **P. Crassus,** Kirb. Ann. Nat. Hist. (6) iii. Dominica.
p. 502 (1889).

Genus 95. **Diapherodes.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 33 (1835); Burm. Handb. Ent. ii. p. 573 (1838); Haan, Temminck, Verhandel., Orth. p. 109 (1842); Westw. Cat. Phasm. p. 84 (1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 11 (1875); Rec. Orth. iii. p. 31 (1875).

- *1. **D. Gigantea,** Gmel. (*Mantis G.*) Syst. Nat. | St. Vincent,
i. (4) p. 2055. n. 49 (1788). Guadeloupe.
|| *Mantis Gigas*. Drury, Ill. Exot. Ent. ii.
pl. 50 (1773).
|| *D. Gigas*, Gray, l. c. p. 33 (1835); Westw.
l. c. p. 84. n. 215 (1859).
Mantis Angulata, Fabr. Ent. Syst. ii. p. 13.
n. 5 (1793).
Phasma Angulata, Fabr. l. c. Suppl. p. 187.
n. 5 (1798).
Phasma Angulatum, Licht. Trans. Linn.
Soc. Lond. vi. p. 11. n. 8 (1802).
D. Angulata, Burm. l. c. p. 574. n. 2 (1838).
|| *Cyphocrana Cornuta*, St.-Farg. & Serv.
Enc. Méth., Ins. x. p. 445 (1825).
*2. **D. Christopheri,** Westw. l. c. p. 84. St. Kitts.
n. 217, pl. 33. f. 4 (1859).
3. **D. (?) Venustula,** Serv. (*Platycerana V.*) Cuba.
Ins. Orth. p. 242 (1839).
D. Venustula, Westw. l. c. p. 84. n. 216
(1859); Sauss. l. c. p. 185 (1872).
Phasma (Diapherodes) Venustum, Haan.
l. c. p. 109 (1842).
♀. *Phasma Haruniense*, Westw. l. c. p. 34.
n. 96, pl. 22. f. 7 (1859). |

4. **D. Grayi, Kaup,** (*Haplopus G.*) Berl. Molnecas
Ent. Zeitschr. xv. p. 36, pl. 2. f. 1 (an recte?).
(1871).

Genus 96. **Haplopus.** (*Type no. 4.*)

Aplopus, Gray. Syn. Phasm. p. 34 (1835).

|| *Haplopus, Burm.* Handb. Ent. ii. p. 576 (1838) : Haan, Temmink, Verhandel., Orth. p. 127 (1842) ; Westw. Cat. Phasm. p. 85 (1859) ; Sauss. Miss. Mex., Orth. p. 191 (1872) ; Stål, Rec. Orth. iii. p. 31 (1875).

- | | |
|---|--------------------|
| **1. H. Evadne, Westw. l. c. p. 85. n. 218,
pl. 18. f. 6 (1859) : Caud. Proc. U.S. Nat. Mus. xxvii. pp. 249–251, ff. 1, 2 (1904). | Haiti,
Florida. |
| 2. H. Cytherea, Westw. l. c. p. 86. n. 219,
pl. 18. f. 5 (1859) ; Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 63. | Haiti. |
| 3. H. Achalus, Rehn, (<i>Aplopus A.</i>) l. c.
p. 68 (1904). | Porto Rico. |
| *4. H. Jamaicensis, Dru. (<i>Mantis J.</i>) Ill. Exot. Ins. ii. pl. 49. f. 1 (1773) ; Fabr. Spec. Ins. i. p. 346. n. 6 (1781) ; Oliv. Enc. Méth., Ins. vii. p. 634. n. 42 (1792).
<i>Phasma Jamaicensis, Fabr.</i> Suppl. Ent. Syst. p. 188 (1798).
<i>Platyerana Jamaicensis, Gray,</i> l. c. p. 38 (1835). | Jamaica. |
| <i>H. Jamaicensis, Westw.</i> l. c. p. 86. n. 220 (1859). | |
| *5. H. Bispinosus, Fabr. (<i>Mantis Bispinosa</i>) Syst. Ent. p. 275. n. 4 (1775) ; Oliv. Enc. Méth., Ins. vii. p. 633. n. 41 (1792) ; Shaw, Nat. Misc. ix. pl. 323 (1798).
<i>Phasma Bispinosa, Fabr.</i> Suppl. Ent. Syst. p. 188 (1798).
<i>Phasma Bispinosum, Gray,</i> Syn. Phasm. p. 24 (1835). | Brazil. |
| <i>H. Bispinosus, Westw.</i> l. c. p. 87. p. 221 (1859). | |
| 6. H. Micropterus, St.-Farg. & Serv. (<i>Cyphocerana Mieroptera</i>) Enc. Méth., Ins. x. p. 445 (1825).
<i>Aplopus Micropterus, Gray,</i> l. c. p. 34 (1835).
<i>Phasma (Haplopus) Micropterum, Haan,</i> l. c. p. 128 (1842). | St. Thomas. |

	<i>H. Micropterus</i> , Westw. l. c. p. 87. n. 222 (1859).	
	<i>Phasma Angulata</i> , Stoll, Spectres, Phasmes, p. 61, pl. 21. f. 77 (1813).	
	<i>H. Angulatus</i> , Burm. l. c. p. 577. n. 1 (1838).	
7.	H. Spinipes , Gray, (<i>Diapherodes S.</i>) l. c. p. 34 (1835).	Haiti.
	<i>H. Spinipes</i> , Westw. l. c. p. 87. n. 223 (1859).	
	<i>Phasma Angulata</i> , Beauv. Ins. Afr. Amér. p. 166, Orth. pl. 14. f. 4 (1805).	
**7 a.	H. Ligia , Westw. l. c. p. 89. n. 230, pl. 11. ff. 1, 2 (1859).	id.
7 b.	H. Bicuspidatus , Haan, (<i>Phasma</i> (<i>Haplopus</i>) <i>Bicuspidatum</i>) l. c. p. 128 (1842).	Hab. — ?
	<i>H. Bicuspidatus</i> , Westw. l. c. p. 87. n. 224 (1859).	
8.	H. Similis , Rehn, (<i>Aplopus S.</i>) l. c. p. 65 (1904).	Swan Isl., Caribb. Sea.
**9.	H. Glabricollis , Gray, (<i>Diapherodes G.</i>) l. c. p. 33 (1835); Burm. l. c. p. 575. n. 4 (1838).	Hab. — ?
	<i>H. Glabricollis</i> , Westw. l. c. p. 88. n. 227 (1859).	
10.	H. Bituberculatus , Haan, (<i>Phasma</i> (<i>Haplopus</i>) <i>Bituberculatum</i>) l. c. p. 128 (1842).	Hab. — ?
	<i>H. Bituberculatus</i> , Westw. l. c. p. 88. n. 225 (1859).	
**11.	H. Pulverulentus , Gray, (<i>Diapherodes</i> <i>P.</i>) l. c. p. 34 (1835).	Bahamas.
	<i>H. Pulverulentus</i> , Westw. l. c. p. 88. n. 226 (1859).	
12.	H. Seabriocollis , Gray, (<i>Diapherodes S.</i>) l. c. p. 34 (1835).	Hab. — ?
	<i>H. Seabriocollis</i> , Westw. l. c. p. 88. n. 228 (1859).	
13.	H. Dubius , Gray, (<i>Diapherodes D.</i>) l. c. p. 34 (1835).	Cayenne.
	<i>H. Dubius</i> , Westw. l. c. p. 89. n. 229 (1859).	
14.	H. Cubensis , Sauss. Rev. Zool. (2) xx. p. 68 (1868); Miss. Mex., Orth. p. 192 (1872); Bol. Mém. Soc. Zool. France, i. p. 140 (1888).	Cuba.
15.	H. Poeyi , Sauss. (<i>Creoxylus P.</i>) ll. cc. p. 68 (1868); p. 196 (1872).	id.

Genus 97. **Palophus.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 90 (1859); Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 193 (1892); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 465 (1896).

*1. P. Centaurus , Westw. l. c. p. 91, n. 233, pl. 32, ff. 1, 1a (1859); Brongn. l. c. p. 195, pl. 8 : 9, ff. 1-4 (1892); Sharp, Cambridge Nat. Hist., Ins. i. pp. 260, 275, f. 162 (1895).	W. Africa; Old Calabar, Cameroons.
**2. P. Episcopalis , Kirb. (<i>Ischnopoda E.</i>) l. c. p. 466 (1896).	Tanganyika.
3. P. (?) Hecticus , Licht. (<i>Phasma Hecticum</i>) Cat. Mus. Zool. Hamburg, p. 78, n. 8 (1796); Trans. Linn. Soc. Lond. vi. pp. 14, 39, n. 13, pl. 1, f. 2 (1802). <i>Platycrania Hectica</i> , Gray, Syn. Phasm. p. 34 (1835). <i>Cyphoerania (?) Hectica</i> , Westw. l. c. p. 109, n. 278 (1859).	"China" (?).
*3a. P. (?) Haworthii , Gray, (<i>Ctenomorpha H.</i>) l. c. p. 41 (1835). <i>P. Haworthii</i> , Westw. l. c. p. 90, n. 232, pl. 10, f. 5 (1859); Brongn. l. c. p. 202 (1892). ♀. <i>Haplopus Ceratophyllus</i> , Burm. Handb. Ent. ii. p. 577 (1838).	"Australia," S. Africa.
**4. P. (?) Moiræ , Kirb. Ann. Nat. Hist. (6) xviii. p. 463 (1896).	Br. Cent. Africa.

Genus 98. **Ischnopoda.** (*Type* no. 1.)

Grandidier, Rev. Zool. (2) xxi. p. 292 (1869); Luc. Ann. Soc. Ent. France, (4) ix. p. 430 (1870); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

*1. I. Reyi , Grandidier, l. c. p. 293 (1869); Luc. l. c. p. 430 (1870). <i>Palophus Reyi</i> , Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 198, pl. 9, ff. 5-8 (1892); Karsch, Werther, Mittl. Hochl. nördl. Deutsch-Ost-Afrika, p. 311, figs. (1898); Ent. Nachr. xxiv. p. 376, fig. (1898).	E. Africa.
--	------------

*2. I. Brevitarsis, Stål, (<i>Bactrododema B.</i>)	E. Africa,
Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 67 (1876).	Damara Land.
3. I. Hippotaurus, Karsch, (<i>Palophus H.</i>)	E. Africa.
Stett. Ent. Zeit. lvii. p. 245 (1896); Ent. Nachr. xxiv. pp. 367, 368 (1898).	
**4. I. Phillipsi, Kirb. l. c. p. 467, pl. 40. ff. 3, 3a (1896); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 69.	Somali Land.

Genus 99. **Bactrododema.** (*Type no. 1.*)

Stål, Œfv. Vet.-Akad. Förh. xv. p. 308 (1858); Bihang Svenska Akad. ii. (17) p. 14 (1875), iii. (14) p. 12 (1875); Rec. Orth. iii. p. 32 (1875).

*1. B. Tiaratum, Stål, (<i>B. Tiarata</i>) Œfv. Vet.-Akad. Förh. xv. p. 308 (1858), xxxiii. (3) p. 66 (1876); Rec. Orth. iii. p. 82 (1875).	Damara Land, Transvaal.
<i>B. Tiaratum</i> , Kirb. Distant, Ins. Transvaal. p. 47 (1902).	
<i>Palophus Tiaratus</i> , Griff. Boll. Mus. Torino. xii. (290) p. 11 (1897).	
2. B. Aculiferum, Kirb. l. c. p. 47, pl. 2. ff. 1, 1a-e, 2, 2a (1902).	Transvaal.
**3. B. Lugardi, Kirb. Ann. Nat. Hist. (7) ix. p. 448 (1902).	Lake N'Gami.
**4. B. Wayi, Kirb. l. c. p. 449 (1902).	Ft. Johnston
5. B. Minotaurus, Gerst. (<i>Palophus M.</i>) Mitth. Ver. Vorpomm. xiv. p. 100 (1883); Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 201 (1892).	Gold Coast.
**6. B. Æstuans, Westw. (<i>Cyphocrania Æ.</i>) Cat. Phasm. p. 109. n. 279, pl. 7. f. 4 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 266, f. 153 (1895). <i>Palophus Æstuans</i> , Brongn. l. c. p. 202 (1892),	Congo, Senegal.
*7. B. Miliaris, Bol. Jorn. Sci. Lisboa, (2) i. p. 87 (1889); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 70.	W. Africa; St. Thomas.
8. B. Welwitschi, Bol. l. c. p. 88 (1889).	Loanda.

Genus 100. **Candaules.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 43 (1875).

- *1. **C. Iolas,** Westw. (*Necroscia I.*) Cat. Phasm. p. 145, n. 377, pl. 19, f. 2 (1859). Malacca, Johore.
Lopaphus Iolas, Wood-Mason, Journ. Asiatic Soc. Bengal, xlii, p. 217 (1875), xlvi, p. 347, pl. 3, f. 2 (1877).
 ♀. *Candaules Sparnius*, Stål, l. c. p. 87 (1875).
- *2. **C. Diardi,** Haan, (*Phasma Cladoverus D.*) Temminck, Verhandel., Orth. p. 131, pl. 12, f. 6 (1842). Borneo, Malacca.
Phibalosoma Diardi, Westw. l. c. p. 76, n. 195 (1859).
3. **C. Spinosus,** Sauss. Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 312, pl. 3, ff. 15, 15a (1870). Malacca.

Genus 101. **Asprenas.**

Stål, Rec. Orth. iii. p. 45 (1875).

Neanthes, Stål, l. c. (1875).

1. **A. Femoratus,** Stål, l. c. p. 89 (1875). New
 ♀. *Neanthes Brunneri*, Stål, l. c. p. 90 Caledonia. (1875).

Genus 102. **Orxines.** (*Type* no. 1.)

Stål, Rec. Orth. pp. 43, 87 (1875).

1. **O. Macklottii,** Haan, (*Phasma M.*) Temminck, Verhandel., Orth. p. 126, pl. 11, ff. 1, 2 (1842). Java.
Lopaphus Macklottii, Westw. Cat. Phasm. p. 100, n. 257 (1859).
- **2. **O. Zeuxis,** Westw. (*Necroscia Z.*) l. c. Sarawak. p. 151, n. 401, pl. 28, ff. 5, 6 (1859).
3. **O. Galacpterus,** Haan, (*Phasma Galacterus*) l. c. p. 127, pl. 13, ff. 4, 5 Sumatra. (1842).
Lopaphus Galacpterus, Westw. l. c. p. 100, n. 256 (1859).

- **4. **O. (?) Xiphias, Westw.** (*Anophelepis X.*) | Amboina,
l. c. p. 71. n. 185, pl. 4. ff. 4, 5 (1859); | Obi.
Rehm, Proc. Acad. Nat. Sci. Philad. 1904, |
p. 71.

Genus 103. **Lamachus.**

Stål, Dfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

1. **L. Semperi, Stål**, l. c. (1877). | Philippines.

S U B F A M. VIII.

N E C R O S C I I N E.

Genus 104. **Sosibia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 42 (1875).

- | | |
|--|-----------------------|
| 1. S. Nigrispina, Stål , l. c. p. 87 (1875). | Malaeca. |
| 2. S. Esepus, Westw. (<i>Necroscia E.</i>) Cat.
Phasm. p. 129. n. 337, pl. 16. f. 5
(1859). | id. |
| **3. S. Peninsularis, Kirb. Ann. Nat. Hist.
(7) xiii. p. 434 (1904). | Penang. |
| 4. S. Curtipes, Westw. (<i>Phasma</i> (<i>Necroscia C.</i>) Cab. Orient. Ent. p. 79, pl. 39.
f. 1 (1848).
<i>Necroscia Curtipes</i> , Westw. Cat. Phasm.
p. 143. n. 373 (1859). | Prince of
Wales I. |
| **5. S. Pholidotus, Westw. (<i>Necroscia P.</i>)
l. c. p. 143. n. 372, pl. 17. f. 4, pl. 20.
f. 6 (1859). | Silhet,
Assam. |
| **6. S. Gadarama, Westw. (<i>Necroscia G.</i>)
l. c. p. 130. n. 340, pl. 21. f. 4 (1859). | Java. |
| 7. S. Esacus, Westw. (<i>Necroscia E.</i>) l. c.
p. 132. n. 347, pl. 16. f. 4 (1859). | Singapore. |
| **8. S. Passalus, Westw. (<i>Necroscia P.</i>) l. c.
p. 132. n. 348, pl. 9. f. 8 (1859). | Ceylon. |
| **9. S. Euryalus, Westw. (<i>Necroscia E.</i>) l. c.
p. 144. n. 375, pl. 10. f. 4 (1859);
(?) Sanss. Mém. Soc. Genève, xx. p. 311
(1870). | id. |

10. **S. Humbertiana, Sauss.** (*Necroscia II.*) Ceylon.
Rev. Zool. (2) xx. p. 68 (1868); Mém.
Soc. Genève, xx. p. 315, pl. 3. f. 11
(1870).
- **11. **S. Mancinus, Westw.** (*Necroscia M.*) Philippines.
l. c. p. 144. n. 374, pl. 14. f. 3 (1859).
- **12. **S. Samson, Westw.** (*Necroscia S.*) l. c. China.
p. 132. n. 346, pl. 10. f. 6 (1859).
- **13. **S. Ceramia, Westw.** (*Necroscia C.*) l. c. Ceram.
p. 141. n. 367, pl. 12. f. 2 (1859).
14. **S. Scabra, Stål,** (*Necroscia S.*) Cfsv. Vet.- Philippines.
Akad. Förh. xxxiv. (10) p. 43 (1877).
*Sipyloidea Scabra, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 76.*
15. **S. Vipera, Kaup,** (*Necroscia V.*) Berlin. Celebes.
Ent. Zeitschr. xv. p. 39 (1871).
- **16. **S. (?) Æsalus, Westw.** (*Necroscia Æ.*) Ceylon.
l. c. p. 133. n. 349, pl. 10. f. 7 (1859).
- *17. **S. (?) Tamyris, Westw.** (*Cyphocrania* Penang.
T.) l. c. p. 110. n. 281, pl. 38. f. 2
(1859).
18. **S. (?) Aurita, Fabr.** (*Mantis A.*) Ent. India (?).
Syst. ii. p. 15. n. 13 (1793).
Phasma Aurita, Fabr. l. c. Suppl. p. 189
(1798).
Phasma Auritum, Gray, Syn. Phasm. p. 23
(1835).
Creoxylus Auritus, Westw. l. c. p. 106.
n. 271 (1859).

Genus 105. **Calvisia.** (*Type no. 10.*)

Stål, Rec. Orth. iii. pp. 42, 87 (1875).

- *1. **C. Maculicollis, Westw.** (*Phasma (Ne- N. India,
croscia) M.*) Cab. Orient. Ent. p. 77, pl. 38. Tenasserim,
f. 2 (1847). Java,
Necroscia Maculicollis, Westw. Cat. Phasm. Sumatra.
p. 155. n. 408 (1859).
*C. Maculicollis, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 72.*
C. Atrosignata, Brunn. Ann. Mus. Genova,
xxxiii. p. 85, pl. 3. f. 27 (1893); Sharp,
Cambridge Nat. Hist., Ins. v. p. 273.
n. 159 (1895).
- **2. **C. Maculata, Kirb.** Ann. Nat. Hist. (7) Penang.
xiii. p. 135 (1901).

3. **C. Westermanni, Westw.** (*Necroscia W.*)
l. c. p. 157. n. 412, pl. 38. f. 3 (1859).
4. **C. Viridilineata, Bates,** (*Necroscia V.*)
Trans. Linn. Soc. Lond. xxv. p. 352 (1865).
C. Viridilineata, Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 71.
5. **C. Graminea, Bates,** (*Necroscia G.*) l. c.
p. 356 (1865).
C. Graminea, Rehn, l. c. p. 72 (1904).
♂. *Necroscia Smaragdula, Bates*, l. c.
p. 357, pl. 45. f. 7 (1865).
- *6. **C. Nigrofasciata, Haan,** (*Phasma (Ne-*
croscia) Nigrofasciatum) Temminck, Ver-
handel., Orth. p. 122 (1842).
Necroscia Nigrofasciata, Westw. l. c. p. 158.
n. 415 (1859).
C. Nigrofasciata, Rehn, l. c. p. 72 (1904).
- *7. **C. Medora, Westw.** (*Necroscia M.*) l. c.
p. 157. n. 411, pl. 27. ff. 1, 1a (1859).
8. **C. Torquata, Bates,** (*Necroscia T.*)
Trans. Linn. Soc. Lond. xxv. p. 359,
pl. 45. f. 3 (1865).
- *9. **C. Biguttata, Burm.** (*Phasma 2-gut-*
tatum) Handb. Ent. ii. p. 586. n. 11
(1838).
Necroscia Biguttata, Westw. l. c. p. 158.
n. 413 (1859).
- *10. **C. Sangarius, Westw.** (*Necroscia S.*) l. c.
p. 155. n. 410, pl. 17. f. 6, pl. 35. ff. 4,
5 (1859).
- *11. **C. Hilaris, Westw.** (*Phasma (Necroscia)*
Hilare) Cab. Orient. Ent. p. 77, pl. 8. f. 1
(1846).
Necroscia Hilaris, Westw. Cat. Phasm.
p. 155. n. 409 (1859); Wood-Mason,
Journ. Asiatic Soc. Bengal, xlvi. p. 350
(1877).
♂. *Necroscia Virbius, Westw.* l. c. p. 154.
n. 405, pl. 16. f. 2 (1859).
- *12. **C. Tages, Westw.** (*Necroscia T.*) l. c.
p. 152. n. 403, pl. 18. f. 1 (1859).
- *13. **C. Hemus, Westw.** (*Necroscia H.*) l. c.
p. 154. n. 406, pl. 16. f. 3 (1859).
14. **C. Hippolyte, Westw.** (*Necroscia H.*)
l. c. p. 182. n. 470 (1859).
15. **C. Costata, Thunb.** (*Phasma C.*) Mém.
Soc. Péttersb. v. p. 297 (1815); Westw.
l. c. p. 183. n. 11 (1859).
- Pulo
Penang.
Ceram,
Obi.
- Batchian,
Gilolo,
Obi.
- Sumatra.
- Sarawak.
- Cambodia.
- Borneo,
Singapore,
Penang.
- Malacea,
Borneo.
- Assam,
Sikhim,
Malacea,
Borneo.
- India.
- Malacea.
- Macassar.
- Hab. —?

Genus 106. **Marmessoidea.** (*Type no. 2.*)

Brunn. Ann. Mus. Genova, xxxiii. pp. 84, 85 (1893).

1. **M. Sumatrensis, Brancs.** Jahresh. Ver. Trenesin. Com. xv.-xvi. p. 201, pl. 11. f. 11a (1893). Sumatra.
- *2. **M. Rosea, Fabr.** (*Mantis R.*) Ent. Syst. ii. p. 16. n. 15 (1793). *Phasma Rosea*, Fabr. l. c. Suppl. p. 190 (1798). Malacca, Siam, Sumatra, Java.
Platycerana Rafflesii, Gray, Syn. Phasm. p. 37 (1835).
Phasma (Necroscia) Rafflesii, Haan, Temmink, Verhandel., Orth. p. 121 (1842).
Necroscia Rafflesii, Westw. Cat. Phasm. p. 149. n. 392 (1859).
Necroscia Marmessus, Westw. l. c. p. 149. n. 393, pl. 19. ff. 1, 7 (1859).
M. Marmessus, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 73.
Phasma Roseum, pt. Licht. Trans. Linn. Soc. Lond. vi. p. 14. n. 16 (1802).
3. **M. Cercyon, Westw.** (*Necroscia C.*) l. c. p. 146. n. 379, pl. 34. f. 1 (1859). *M. Cercyon*, Rehn, l. c. p. 73 (1904). *Polo*
Penang, Siam.
4. **M. Papua, Brancs.** (*Necroscia P.*) l. c. xix.-xx. p. 65, pl. 2. f. 11a, b (1897). Papua.
5. **M. Bisbiguttata, Burm.** (*Phasma Bis-2-guttatum*) Handb. Ent. ii. p. 586. n. 10 (1838). Java, Borneo.
Phasma Bisbiguttatum, Charp. Orth. pl. 11 (1841).
Necroscia Bis-2-guttata, Westw. l. c. p. 149. n. 39 (1859).
- *6. **M. Quadriguttata, Burm.** (*Phasma-4-guttatum*) l. c. p. 586. n. 9 (1838). *Phasma Quadriguttatum*, Charp. l. c. pl. 10 (1841). *iid.*
Phasma (Necroscia) 4-guttatum, Haan, l. c. p. 121 (1842).
Necroscia Quadriguttata, Serr. Ins. Orth. p. 253 (1839); Westw. l. c. p. 148. n. 390 (1859).
Necroscia Marmessus, var. *Eurybates*, Westw. l. c. p. 150, pl. 29. ff. 4, 4a (1859).

7. **M. Marginata, Brunn.** l. c. p. 86. pl. 3. f. 28 (1893). Pegu.
8. **M. Annulata, Fabr.** (*Phasma A.*) Ent. Syst., Suppl. p. 189 (1798). Tran-quebar.
Phasma Annulatum, Gray, l. c. p. 23 (1835).
Necroscia Annulata, Westw. l. c. p. 147. n. 385 (1859).
- **9. **M. Atricoxis, Westw.** (*Necroscia A.*) l. c. p. 146. n. 381, pl. 21. f. 5 (1859). India.
- *10. **M. Ismene, Westw.** (*Necroscia I.*) l. c. p. 145. n. 378, pl. 40. ff. 2, 3 (1859). Borneo.
11. **M. Bimaculata, Oliv.** (*Mantis B.*) Enc. Méth., Ins. vii. p. 637. n. 64 (1792). Tran-quebar.
Phasma Bimaculatum, Licht. l. c. p. 15. n. 19 (1802); *Gray*, l. c. p. 22 (1835); *Burm.* l. c. p. 586. n. 13 (1838).
Phasma Bimaculata, Stoll, Spectres, Phasmes, p. 26, pl. 8. f. 29 (1813).
Necroscia Bimaculata, Westw. l. c. p. 141. n. 368 (1859).

Genus 107. **Trigonophasma.** (Type no. 3.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).

- *1. **T. Vinosa, Serv.** (*Necroscia V.*) Ins. Orth. p. 253 (1839); Westw. Cat. Phasm. p. 147. n. 386 (1859). Java, Borneo.
Phasma (Necroscia) Vinosum, Haan, Temminek, Verhandel., Orth. p. 120 (1842).
- *2. **T. Rubicunda, Haan,** (*Phasma (Necroscia) Rubicundum*) l. c. p. 120, pl. 12. f. 2 (1842). Borneo.
Necroscia Rubicunda, Westw. l. c. p. 148. n. 387 (1859).
- *3. **T. Rubescens, Sauss.** (*Necroscia R.*) Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 317. pl. 3. f. 12 (1870). Malacea, Borneo.
4. **T. Conicipennis, Bates,** (*Necroscia C.*) Trans. Linn. Soc. Loud. xxv. p. 358 (1865). Sumatra.
5. **T. Atrophica, Pall.** (*Mantis A.*) Spicil. Zool. ix. p. 12, pl. 1. f. 7 (1772); Fabr. Spec. Ins. i. p. 345. n. 3 (1781); Oliv. Enc. Méth., Ins. vii. p. 633. n. 39 (1792). Java.
Phasma Atrophicum, Licht. Trans. Linn.

- Soc. Lond. vi. p. 14, n. 14 (1802); Gray,
Syn. Phasm. p. 23 (1835).
Phasma (Necroscia) Atrophicum, Haan, l. c.
p. 122 (1842).
Necroscia Atrophica, Westw. l. c. p. 131.
n. 341 (1859).
Phasma Minans, Serr. l. c. p. 268 (1839).
6. **T. Acanthophora**, Stoll, (*Phasma A.*) Amboina.
 Spectres, Phasmes, p. 62, pl. 21, f. 78
(1813).
Phasma Acanthopterum, Gray, l. c. p. 23
(1835); Burm. Handb. Ent. ii. p. 586.
n. 12 (1838).
Necroscia Acanthoptera, Westw. l. c. p. 147.
n. 383 (1859).
7. **T. Casignetus**, Westw. (*Necroscia C.*) Assam.
l. c. p. 147, n. 384, pl. 20, f. 5 (1859).

Genus 108. **Agondasoidea.** (*Type no. 6*)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

- *1. **A. Acanthocephala**, Haan, (*Phasma* Borneo.
(*Necroscia*) *Acanthocephalum*), Temminck,
Verhandel., Orth. p. 118 (1842).
Necroscia Acanthocephala, Westw. Cat.
Phasm. p. 128, n. 335, pl. 27, f. 4
(1859).
2. **A. Spiniceps**, Haan, (*Phasma (Necroscia)* id.
S.) l. c. p. 119 (*nec fig.*).
Necroscia Spiniceps, Westw. l. c. p. 128.
n. 334 (1859).
*3. **A. Malaccensis**, Kirb. (n. n.) Malacea.
 || *Necroscia Diacanthos*, Westw. l. c. pp. 128.
181, n. 336, pl. 19, ff. 5, 6 (1859).
4. **A. Diacanthos**, Haan, (*Phasma (Necroscia) D.*) l. c. p. 119, pl. 15, f. 4 Borneo.
(1842).
5. **A. Ceres**, Stål, (*Necroscia C.*) Efv. Vet.- Philippines.
Akad. Förh. xxxiv. (10) p. 42 (1877).
6. **A. Agondas**, Westw. (*Necroscia A.*) Borneo.
l. c. p. 129, n. 338, pl. 28, f. 2 (1859).

Genus 109. **Orthonecroscia.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).

||*Necroscia*, Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893),
nec *Serv.*

- | | |
|--|-----------------------|
| *1. O. Filum , Westw. (<i>Phasma (Necroscia) F.</i>) | Malacca, |
| Cab. Orient. Ent. p. 79, pl. 39. f. 1
(1847). | Prince of
Wales I. |
| <i>Phibalosoma Filum</i> , Westw. Cat. Phasm.
p. 77. n. 198 (1859). | |
| 2. O. Longicornis , Burm. (<i>Cladoxerus L.</i>) | Manilla. |
| Handb. Ent. ii. p. 572. n. 3 (1838). | |
| <i>Phibalosoma Longicorne</i> , Westw. l. c. p. 77.
n. 197 (1859). | |
| ***3. O. Pulcherrima , Kirb. l. c. p. 436 (1904). | Borneo. |
| ***4. O. Ruficeps , Kirb. l. c. p. 437 (1904). | Guadalecanar |

Genus 110. **Necroscia.** (*Type* no. 31.)

Serv. Ins. Orth. p. 250 (1839); Haan, Temminck, Verhandel., Orth. p. 119 (1842); Westw. Cat. Phasm. p. 128 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. pp. 41, 86 (1875); Kirb. Ann. Nat. Hist. (7) xiii. p. 437 (1904)

Sipyloidea, Brunn. Ann. Mus. Genova, xxxiii. pp. 84, 86 (1893).
(*Type* no. 17.)

- | | |
|---|--------------|
| 1. N. Inflexipes , Oliv. (<i>Mantis I.</i>) Ene. | China. |
| Méth., Ins. vii. p. 641. n. 14 (1792). | |
| <i>Phasma Valgum</i> , Licht. Cat. Mus. Zool. Hamburg, iii. p. 78. n. 14 (1796); Trans. Linn. Soc. Lond. vi. p. 16. n. 21 (1802). | |
| <i>Phasma Curvipes</i> , Stoll, Spectres, Phasmes, p. 43, pl. 13. f. 52 (1813). | |
| <i>Platyerana Curvipes</i> , Gray, Syn. Phasm. p. 37 (1835). | |
| <i>N. Curvipes</i> , Westw. l. c. p. 151. n. 400 (1859). | |
| 2. N. Flavoguttata , Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877). | Philippines. |
| 3. N. Fasciolata , Stål, l. c. (1877). | id. |
| 4. N. Nigrogranosa , Stål, l. c. (1877). | id. |
| 5. N. Conspersa , Stål, l. c. (1877). | id. |

6. **N. Virens, Stål**, l. c. p. 43 (1877). Philippines.
 7. **N. Berenice, Stål**, l. c. (1877). id.
 8. **N. Calliope, Stål**, l. c. (1877). id.
 9. **N. Philippa, Stål**, l. c. (1877). id.
 10. **N. Fatua, Stål**, l. c. (1877). id.
 11. **N. Eurynome, Stål**, l. c. p. 44 (1877). id.
 12. **N. Parvipennis, Stål**, l. c. (1877). id.
 13. **N. Eucerca, Stål**, l. c. (1877). id.
 14. **N. Icaris, Stål**, l. c. (1877). id.
 *15. **N. Ceylonica, Sauss.** Rev. Zool. (2) xx. Ceylon.
 p. 69 (1868); Mém. Soc. Genève, xx.
 p. 316, pl. 3. f. 14 (1870).
 16. **N. Panætius, Westw. l. c. p. 144. n. 376. id.
 pl. 12. f. 4 (1859); Sauss. Mém. Soc.
 Genève, xx. p. 319 (1870).
 17. **N. Sipylos, Westw. l. c. p. 138. n. 362. Assam,
 pl. 18. f. 4 (1859). Java.
 17 a. **N. Warasaca, Westw.** l. c. p. 139 Sarawak.
 (1859).
 18. **N. Pœciloptera, Rehn**, (*Sipylloidea P.*) Obi.
 Proc. Acad. Nat. Sci. Philad. 1904,
 p. 77.
 19. **N. Tonquinensis, Kirb. Ann. Nat. Hist. Tonkin.
 (7) xiii. p. 437 (1904).
 20. **N. Marginata, Gray, (*Phasma Marginatum*) l. c. p. 23 (1835). Malabar.
 N. Marginata, Westw. l. c. p. 148. n. 389
 (1859).
 21. **N. Acutipennis, Bates**, Trans. Linn. Soc. Ceylon.
 Lond. xxv. p. 354, pl. 45. f. 5 (1865).
 *22. **N. Chloris, Serv.** Ins. Orth. p. 253 (1839); Java,
 Westw. l. c. p. 151. n. 398 (1859). Borneo,
 N. Pallescens, Kaup, Berlin. Ent. Zeitschr. Singapora,
 xv. p. 41 (1871). Ceylon.
 *23. **N. Erechtheus, Westw.** l. c. p. 142. Ceylon,
 n. 369, pl. 9. f. 1, pl. 12. f. 3, pl. 14. f. 6 Borneo.
 (1859).
 24. **N. Larunda, Westw.** l. c. p. 140. n. 365, Sarawak.
 pl. 27. f. 3 (1859).
 25. **N. Tenebrosa, Bates**, l. c. p. 357 (1865). Ceylon.
 26. **N. Gularis, Haan**, (*Phasma (Neuroscia)* Ceylon.
 Gulare) l. c. p. 122 (1842). Borneo.
 N. Gularis, Westw. l. c. p. 158. n. 414
 (1859).
 *27. **N. Vittata, Serv.** l. c. p. 254 (1839); Java,
 Westw. l. c. p. 150. n. 395 (1859). Malacea.

28. **N. Brunneri, Kirb.** (n. n.).
 ||*Sipyloidea Vittata*, Brunn. Ann. Mus. Genova, xxxiii. p. 87, pl. 3. f. 29 (1893).
 Burma.
29. **N. Pictipes, Bates**, l. c. p. 352 (1865).
 Cambodia.
- *30. **N. Annulipes, Gray**, (*Phasma Annulipes*)
 l. c. p. 37 (1835).
N. Annulipes, Westw. l. c. p. 150. n. 394 (1859).
 Malacca.
- *31. **N. Roseipennis, Serv.** l. c. p. 252 (1839).
Phasma (Necroscia) Roseipenne, Haan, l. c. p. 121 (1842).
N. Roseipennis, Westw. l. c. p. 151. n. 397 (1859).
 Java,
 Borneo,
 Singapore,
 Penang.
32. **N. Euplectes, Westw.** l. c. p. 146. n. 380, pl. 28. f. 1 (1859).
 Sarawak.
33. **N. Chlorotica, Serv.** l. c. p. 252 (1839);
 Westw. l. c. p. 150. n. 396 (1859).
 Java.
34. **N. Malaccæ, Sauss.** Rev. Zool. (2) xx. p. 69 (1868); Mém. Soc. Genève, xx. p. 318, pl. 3. f. 13 (1870).
 Malacca.
- *35. **N. Westwoodi, Kirb.** (n. n.).
 ||*N. Punctata*, ♀, Westw. l. c. p. 142. n. 371, pl. 29. f. 5 (1859).
 Singapore.
- *36. **N. Haanii, Kirb.** (n. n.).
Phasma (Necroscia) Punctatum, var. *a*, Haan, l. c. p. 121 (1842).
 Borneo.
- *37. **N. Horsfieldii, Kirb.** (n. n.).
Phasma (Necroscia) Punctatum, var. *c*, Haan, l. c. p. 122 (1842).
 Java.
- *38. **N. Burmeisteri, Westw.** l. c. p. 151. n. 39 (1859).
 id.,
 Borneo.
 ||*Phasma Prasimum*, Burm. Handb. Ent. ii. p. 586. n. 8 (1838).
- *39. **N. Fumata, Serv.** l. c. p. 251 (1839);
 Westw. l. c. p. 131. n. 341 (1859).
 Java.
40. **N. Fuscoannulata, Haan**, (*Phasma (Necroscia) Fuscoannulatum*) l. c. p. 119 (1842).
N. Fuscoannulata, Westw. l. c. p. 131. n. 342 (1859).
 Borneo.
41. **N. Nigroannulata, Haan**, (*Phasma (Necroscia) Nigroannulatum*) l. c. p. 119 (1842).
N. Nigroannulata, Westw. l. c. p. 131. n. 343 (1859).
 id.

42. **N. Sordida, Haan,** (*Phasma (Necroscia)*) Sumatra.
Sordidum l. c. p. 120 (1842).
N. Sordida, Westw. l. c. p. 132. n. 345
(1859).
43. **N. Pulchella, Haan,** (*Phasma (Necroscia)*) id.,
Pulchellum l. c. p. 120, pl. 15. f. 5 Sarawak.
N. Pulchella, Westw. l. c. p. 152. n. 402
(1859).
44. **N. Janus, Bates,** l. c. p. 354, pl. 45. f. 4 Tondano.
(1865).
45. **N. Mustea, Bates,** l. c. p. 355, pl. 45. f. 8 Sula.
(1865).
46. **N. Styligera, Bates,** l. c. f. 1 (1865). id.
47. **N. Rosenbergi, Kaup,** l. c. xv. p. 40 Moluccas.
(1871).
48. **N. Lacteipennis, Bates,** l. c. p. 353 Gilolo.
(1865).
49. **N. Davidis, Le Guill.** (*Cladoverus D.*) Salomon
Rev. Zool. 1841, p. 293. n. 9.
Phibalosoma Davidis, Westw. l. c. p. 77.
n. 199 (1859).
50. **N. Distincta, Brancs.** Jahresh. Ver. Papua.
Trenesin. Com. xix.-xx. p. 66 (1897).
- **51. **N. Carterus, Westw.** l. c. p. 138. n. 361, Australia.
pl. 15. f. 5 (1859).
- **52. **N. Sarpedon, Westw.** l. c. p. 139, pl. 16. N. Austral.
f. 1, pl. 32. f. 5 (1859).
- **53. **N. Sparaxes, Westw.** l. c. p. 153. n. 404, Ceylon.
pl. 9. f. 6, pl. 20. f. 4 (1859).
54. **N. (?) Manicatus, Licht.** (*Phasma Mani-*
catus) Trans. Linn. Soc. Lond. vi. p. 17.
n. 24 (1802). India.
- Prisopus Manicatus*, Gray, Syn. Phasm.
p. 28 (1835).
- Xeroderus (?) Manicatus*, Westw. l. c. p. 103.
n. 264 (1859).
- ||*Mantis Linearis*, Fabr. Mant. Ins. i. p. 227.
n. 9 (1787); Oliv. Enc. Méth., Ins. vii.
p. 634. n. 44 (1792).
- Phasma Linearis*, Fabr. Suppl. Ent. Syst.
p. 189 (1798); Haan, Temminck, Ver-
handel., Orth. p. 112 (1842).
55. **N. (?) Lampethusa, Westw.** l. c. p. 136. Sarawak.
n. 357, pl. 34. f. 2 (1859).
56. **N. (?) Lampetia, Westw.** l. c. p. 137. id.
n. 359, pl. 38. f. 5 (1859).

57. **N. (?) Lysippus, Westw.** l. c. p. 136. n. 358, pl. 39. f. 3 (1859). Borneo.
58. **N. (?) Viridis, Montr.** (*Tropidoderus V.*) Ann. Soc. Linn. Lyon. (2) vii. p. 80 (1855); Westw. l. c. p. 166. n. 436 (1859). Woodlark I
59. **N. Menepolemus, Westw.** l. c. p. 141. n. 366, pl. 19. f. 4 (1859). Singapore.

Genus 111. **Aruanoidea.** (*Type* no. 5.)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

- **1. **A. Salmanazar, Westw.** (*Necroscia S.*) Cat. Phasm. p. 133. n. 350, pl. 16. f. 6 (1859). Philippines.
2. **A. Maculiceps, Stål,** (*Necroscia M.*) Cefv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877). id.
3. **A. Thisbe, Stål,** (*Necroscia T.*) l. c. (1877). id.
4. **A. Menaka, Wood-Mason,** (*Necroscia M.*) Ann. Nat. Hist. (4) xx. p. 130 (1877); Journ. Asiatic Soc. Bengal, xlvi. p. 350 (1877). Khasia Hills, Borneo.
5. **A. Aruana, Westw.** (*Necroscia A.*) l. c. p. 134. n. 352, pl. 39. f. 4 (1859). Aru.
- A. Aruana*, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 78.
6. **A. Ophidiiderma, Griff.** Ann. Mus. Torino, xii. (307) p. 1 (1897). Perak.
- **7. **A. Pirithous, Westw.** (*Necroscia P.*) l. c. p. 134. n. 351 (1859). Java.
8. **A. Osmylus, Westw.** (*Necroscia O.*) l. c. p. 135. n. 353, pl. 37. f. 4 (1859). Sarawak.
9. **A. Frondosa, Bates,** (*Necroscia F.*) Trans. Linn. Soc. Lond. xxv. p. 353 (1865). Celebes (Menado).
10. **A. Agrionina, Bates,** (*Necroscia A.*) l. c. p. 356, pl. 45. f. 9 (1865). id.
- **11. **A. (?) Gargantua, Westw.** (*Necroscia G.*) l. c. p. 130. n. 339, pl. 29. f. 3 (1859). Sarawak.
- Necroscia Phatusa*, Westw. l. c. p. 137. n. 360, pl. 38. f. 4 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 349 (1877).

- **12. **A. Affinis, Gray,** (*Platyerana A.*) Syn. India.
Phasm. p. 37 (1835).
Necroscia Affinis, Westw. l. c. p. 142.
 n. 370 (1859).
- **13. **A. Punctata, Gray,** (*Platyerana P.*) l. c id.,
 p. 37 (1835). Siam.
Phasma (Necroscia) Punctatum, var. *b*,
Haan, Temminck, Verhandel., Orth.
 pp. 121, 122 (1842).
Necroscia Punctata, ♂, Westw. l. c. p. 142.
 n. 371 (1859).

SUBFAM. IX.

ACROPHYLLINÆ.

Genus 112. **Podacanthus.** (*Type* no. 1.)

Gray, Ent. Austral. p. 17 (1833); Syn. Phasm. p. 32 (1835);
 Burm. Handb. Ent. ii. p. 581 (1838); Serv. Ins. Orth.
 p. 229 (1839); Haan, Temminck, Verhandel., Orth. p. 124
 (1842); Westw. Cat. Phasm. p. 116 (1859); Stål, Bihang
 Svenska Akad. ii. (17) p. 14 (1875); Rec. Orth. iii. p. 38
 (1878).

- **1. **P. Typhon, Gray,** ll. ee. p. 17, pl. 2 Australia.
 (1833); p. 32 (1835); Burm. l. c.
 p. 581 (1838); Serv. l. c. p. 230 (1839);
 Westw. l. c. p. 117. n. 299 (1859);
 McCoy, Prodr. Zool. Viet. viii. pl. 80
 (1883).
2. **P. Unicolor, Charp.** Orth. pl. 56 id.
 (1845).
- *3. **P. Viridiroseus, Gray,** Syn. Phasm. id.
 p. 43 (1835); Westw. l. c. p. 117. n. 300
 (1859); Bates, Trans. Linn. Soc. Lond.
 xxv. p. 348 (1865).
4. **P. Wilkinsoni, MacL.** Proc. Linn. Soc. N. S. Wales.
 N. S. Wales, vi. p. 538 (1882).

Genus 113. **Tropidoderus.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 31 (1835); Burm. Handb. Ent. ii. p. 589 (1838); Haan, Temminck, Verhandel., Orth. p. 125 (1842); Westw. Cat. Phasm. p. 165 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875); Rec. Orth. iii. p. 38 (1875).
 || *Trigonoderus*, Gray, Ent. Austral. p. 18 (1833).

- **1. **T. Childrenii**, Gray, (*Trigonoderus C.*) Australia.
 l. c. p. 18, pl. 3. f. 1 (1833).
T. Childrenii, Gray, Syn. Phasm. p. 31 (1835); Burm. l. c. p. 589 (1838); Westw. l. c. p. 165, n. 435 (1859); Brunn. Obs. Color. Ins. p. 12, pl. 9. f. 103 (1897).
 ♂. *Diura Typhaeus*, Gray, Ent. Austral. p. 21, pl. 6. f. 2 (1833).
- 2. **T. Iodomus**, McCoy, Prodr. Zool. Viet. vii. pls. 69 & 70, ff. 2, 3 (1882). Melbourne, &c.
- *3. **T. Rhodomus**, McCoy, l. c. ff. 1, 1 a-c (1882). iid.
T. Childrenii, var., Westw. l. c. p. 166 (1859).
- 4. **T. Decipiens**, Rainb. Rec. Austral. Mus. iii. p. 36, pl. 10 (1897). Australia.

Genus 114. **Extatosoma.** (*Type* no. 1.)

Gray, Ent. Austr. p. 26 (1833); Haan, Temminck, Verhandel., Orth. p. 110 (1842); Westw. Cat. Phasm. p. 170 (1859); Stål, Bihang Svenska Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 38 (1875).
Ectatosoma, Gray, Syn. Phasm. p. 29 (1835); Burm. Handb. Ent. ii. p. 575 (1838); Serv. Ins. Orth. p. 285 (1839).

- *1. **E. Tiaratum**, MacL. (*Phasma T.*) King, Australia.
 Surv. Coasts Austral. ii. p. 455. n. 113, pl. B. ff. 3, 4 (1827).
E. Tiaratum, Gray, Ent. Austral. pp. 23, 29, pl. 8. f. 2 (1833); Westw. l. c. p. 170, n. 448 (1859).
Ectatosoma Tiaratum, Gray, Syn. Phasm. p. 29 (1835); Burm. l. c. p. 576 (1838); Serv. l. c. p. 286 (1839).
 ♂. *E. Hopei*, Gray, Ent. Austral. pp. 23, 25, pl. 8. f. 1 (1833). }

- Ectatosoma Hopei*, Gray, Syn. Phasm. p. 29
 (1835); Serv. l. c. p. 285 (1839).
- 1 a. **E. Popa, Stål**, Rec. Orth. iii. p. 84 N. Guinea.
 (1875).
- || *Phasma (Ectatosoma) Tiaratum, Haan*, l. c.
 p. 110, pl. 10. f. 2 (1842).
2. **E. (?) Bufonium, Westw.** Thes. Ent. Australia.
 Oxon. p. 174, pl. 32. f. 2 (1874).

Genus 115. **Lysicles.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxiv (1877).

1. **L. Hippolytus, Stål**, l. c. p. lxxv (1877). Peak Downs
2. **L. (?) Insignis, Kaup**, (*Cladoverus I.*) Australia.
 Berlin. Ent. Zeitschr. xv. p. 39 (1871).

Genus 116. **Didymuria, Kirb.** (n. n.). (Type no. 1.)

|| *Diura*, Gray, Ent. Austr. p. 26 (1833); Stål, Bihang Svenska Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 37 (1875).

- *1. **D. Violescens, Leach**, (*Phasma V.*) Zool. Australia.
 Misc. i. p. 26, pl. 9 (1814).
- Diura Violascens*, Gray, l. c. pp. 21, 27,
 pl. 6. f. 1 (1833).
- Aerophylla Violascens*, Gray, Syn. Phasm.
 p. 40 (1835); Westw. Cat. Phasm. p. 116.
 n. 298 (1859); McCoy, Prodr. Zool. Vict.
 viii. pl. 79 (1883).
- Cyphocrania Violascens*, Burm. Handb. Ent.
 ii. p. 580. n. 10 (1838).
- ♀. *Diura Roseipennis*, Gray, Ent. Austr.
 p. 22, pl. 7. f. 2 (1833).
- Diura Roseipenne*, Gray, l. c. p. 27 (1833).
- Aerophylla Roseipennis*, Gray, Syn. Phasm.
 p. 41 (1835).
- *2. **D. Virginea, Stål**, (*Diura V.*) Rec. Orth. Queensland.
 iii. p. 84 (1875).

Genus 117. **Vasilissa.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

1. **V. Walkeri, Kirb. l. c. (1896).N.W.Austr.
(Queen's I.)Genus 118. **Anophelepis.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 68 (1859); Sauss. Mém. Soc. Genève, xx. p. 296 (1870); Miss. Mex., Orth. p. 17 (1872).

1. **A. Telesphorus, Westw. l. c. p. 69. n. 182, pl. 8. ff. 3, 7 (1859). Australia.**2. **A. Periphanes, Westw.** l. c. p. 70. n. 183, pl. 8. f. 2 (1859). id.Genus 119. **Rhaphiderus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 245 (1839); Westw. Cat. Phasm. p. 62 (1859); Stål, Rec. Orth. iii. p. 39 (1875).

*1. **R. Scabrosus, Perch.** (*Bacteria Seabrosa*) Mauritius.
Guér. Leon. R. Anim., Ins. pl. 53. f. 4 (1829); Gray, Griffith, Anim. Kingd. xv. p. 783, pl. 110. f. 4 (1832).*R. Scabrosus*, Serv. l. c. p. 246 (1839); Guér. l. c. iii. p. 328 (1844); Westw. l. c. p. 62. n. 171 (1859).*Raphiderus Seabrosus*, Coq. Ann. Soc. Ent. France, (4) i. p. 498 (1861).*Acanthoderus Scabrosus*, Gray, Syn. Phasm. p. 14 (1835).*2. **R. Dumerilii, Gray,** (*Acanthoderus D.*) id.
l. c. (1835).*R. Dumerilii*, Westw. l. c. p. 62. n. 172 (1859).

“Phasme géant,” Duméril, Consid. Gén. Ins. p. 200, pl. 23. f. 3 (1823).

(?) *Monandroptera Inuncans*, ♀ (nec ♂)
Serv. l. c. p. 244 (1839).3. **R. Spinigera, Luc.** (*Monandroptera S.*) Bourbon.
Maillard, Notes sur l'île de Réunion, ii.

Orth. p. 22, pl. 21. f. 2 (1862).

|| *R. Seabrosus*, ♀, Westw. Ann. Soc. Ent. France, (4) iv. p. 204 (1864).

4. **R. (?) Delicatulus, Brancs.** (*Canuleius* Madagascar
D.) Jahresh. Ver. Trenesin. xix.-xx. p. 66
pl. 2. f. 12 a-d (1897).
 5. **R. (?) Alliaceus, Stål,** l. c. p. 85 India.
(1875).

Genus 120. **Xenomaches.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896).

- **1. **X. Incommodus, Butl.** (*Bacillus* *I.*) Rodriguez.
Ann. Nat. Hist. (4) xvii. p. 410 (1878);
Phil. Trans. clxviii. p. 148, pl. 54. ff. 4,
4 a-c (1879).

Genus 121. **Xeroderus.**

Gray, Syn. Phasm. p. 32 (1835); Burm. Handb. Ent. ii. p. 582
note (1838); Haan, Temminck, Verhandel., Orth. p. 116
(1842); Westw. Cat. Phasm. p. 102 (1859).

- *1. **X. Kirbii, Gray,** l. c. p. 32 (1835); Australia.
Westw. l. c. p. 102, n. 262, pl. 31. ff. 6, 7
(1859).

Genus 122. **Acanthomima.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 438 (1904).

- **1. **A. Rhipheus, Westw.** (*Anophelepis* *R.*) Australia
Cat. Phasm. p. 184, pl. 8. f. 10 (1859). (Swan R.).

Genus 123. **Acanthodyta.**

Sharp, Willey, Zool. Results, p. 85 (1898).

- *1. **A. Spiniventris, Sharp,** l. c. p. 86. pl. 8. Lifu.
f. 11, pl. 9. f. 40 (ovum) (1898).

Genus 124. **Arrhidæus.** (*Type* no. 2.)

Stål, Bilang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 16 (1875); Rec. Orth. lii. p. 40 (1875).

Arrhidæus, Brunn. Ann. Mus. Genova, xxxiii. p. 97 (1893),

1. A. Capito , Westw. (<i>Necroscia C.</i>) Cat. Phasm. p. 135. n. 354, pl. 32. f. 4 (1859).	Sarawak.
**2. A. Stygius , Westw. (<i>Necroscia S.</i>) l. c. p. 192 (errata), pl. 9. f. 3 (1859). <i>Necroscia Stygius</i> , Westw. l. c. p. 136. n. 356 (1859). <i>A. Ståli</i> , Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 471 (1896).	Philippines.
3. A. Vittipennis , Stål, Rec. Orth. iii. p. 85 (1875).	id.
4. A. Viridinervis , Stål, l. c. p. 86 (1875).	id.
5. A. Nigricornis , Stål, Dfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).	id.
**6. A. Palinurus , Westw. (<i>Necroscia P.</i>) l. c. p. 135. n. 355, pl. 11. f. 6 (1859).	id.
*7. A. Erythroptera , Oliv. (<i>Mantis E.</i>) Ene. Méth., Ins. vii. p. 636. n. 58 (1792). <i>Phasma Rosea</i> , Stoll, Spectres, Phasmes, p. 13, pl. 5. f. 17 (1813). <i>Necroscia Rosea</i> , Westw. l. c. p. 148. n. 388 (1859).	Amboina, Ceram.
**8. A. Moderata , Kirb. (<i>Necroscia M.</i>) Ann. Nat. Hist. (5) xiii. p. 477, fig. (1884).	Amboina.
9. A. Bojei , Haan, (<i>Phasma B.</i>) Temminck, Verhandel., Orth. p. 125. pl. 13. f. 3 (1842). <i>Lopaphus Bojei</i> , Westw. l. c. p. 99. n. 253 (1859).	Celebes, Macassar.
10. A. Apalanurus , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 85.	Obi.
11. A. Longiceps , Bates, (<i>Necroscia L.</i>) Trans. Linn. Soc. Lond. xxv. p. 350, pl. 45. f. 6 (1865).	Kaioa.
12. A. Cephalotes , Bates, (<i>Necroscia C.</i>) l. c. p. 351 (1865).	N. Guinea.
*13. A. Phlyctænoides , Rehn, (<i>Marmessoidea</i> <i>Phlyctænoides</i>) l. c. p. 73 (1904). <i>A. Phlyctænoides</i> , Kirb. l. c. (7) xiii. p. 438 (1904).	Japan.

Genus 125. **Platycrania.**

Platycrania, Gray, Syn. Phasm. p. 36 (1835); Serv. Ins. Orth. p. 240 (1839).

Platycrania, Westw. Cat. Phasm. p. 112 (1859); Stål. Bihang Svenska Akad. ii. (17) p. 14 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. pp. 40, 85 (1875).

- | | |
|--|---|
| *1. P. Viridana , Oliv. (<i>Mantis V.</i>) Enc. Méth., Ins. vii. p. 636. n. 60 (1792). | Moluccas,
Philippines,
Celebes,
Aru,
Ceram. |
| <i>Platycrania Viridana</i> , Gray, l. c. p. 36 (1835); Serv. l. c. p. 241 (1839). | |
| <i>Phasma (Cyphocrania) Viridanum</i> , Haan, Temminck, Verhandel., Orth. p. 130 (1842). | |
| <i>Mantis Viridis</i> , Don. Ins. India, pl. 10 (1800). | |
| <i>Phasma Edule</i> , Licht. Cat. Mus. Zool. Hamb. iii. p. 77. n. 5 (1796); Trans. Linn. Soc. Lond. vi. p. 13. n. 12 (1802). | |
| <i>Platycrania Edulis</i> , Westw. l. c. p. 112. n. 286 (1859). | |
| <i>Mantis Gigas</i> , Houtt. Nat. Hist. i. (10) p. 136, pl. 79. f. 1 (1766). | |
| <i>Phasma Grandis</i> , Thunb. Mém. Acad. Pétersb. v. p. 295 (1815); Westw. l. c. p. 183. n. 13 (1859). | |
| <i>Phasma Jamaiensis</i> , Stoll, Spectres, Phasmes, p. 17, pl. 6. ff. 20, 21 (1813). | |

Genus 126. **Megacrania.** (*Type* no. 1.)

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

- | | |
|--|--|
| **1. M. Phelaus , Westw. (<i>Platycrania P.</i>) Cat. Phasm. p. 113. n. 288, pl. 27. f. 5 (1859). | Fiji,
Salomon
Isl. |
| <i>M. Phelaus</i> , Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896). | |
| **2. M. Alpheus , Westw. (<i>Platycrania A.</i>) l. c. p. 112. n. 287, pl. 4. f. 2 (1859); Bates, Trans. Linn. Soc. Lond. xxv. p. 347 (1865). | Ceylon. |
| **3. M. Batesii , Kirby. l. c. p. 471 (1896). <i>Platycrania Alpheus</i> , var., Bates, l. c. p. 347 (1865). | Salomon L.,
Amboina,
Papua, &c.
2 c |

Genus 127. **Ophicrania.**

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

- *1. **O. Striatocollis**, Kaup, l. c. (1871). | Bouru.

Genus 128. **Graeffea.** (*Type* no. 1.)Brunn. Graeffe, Reisen in Viti-Levu, p. 46 (1868);
Stål, Rec. Orth. iii. pp. 40, 85 (1875).

*1. G. Crouanii , Le Guill. (<i>Bacillus C.</i>) Rev. Zool. 1841, p. 293; Westw. Cat. Phasm. p. 14. n. 34 (1859). <i>Alopus Cocophages</i> , Newp. Phil. Trans. Roy. Soc. 1844, p. 288, pl. 14. f. 4. <i>G. Cocophages</i> , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 85. <i>Lopaphus Coccophagus</i> , Westw. Cat. Phasm. p. 99. n. 255 (1859). <i>Anophelepis Fulvescens</i> , ♂, Sauss. Mém. Soc. Genève, xx. p. 298, pl. 2. ff. 4, 4a (1870). <i>G. Purpuripennis</i> , Brunn. l. c. p. 46, plate, ff. 1, 1a, 2, 2a (1868).	Samoa, Navigators' I.
2. G. Fulvescens , Sauss. (<i>Anophelepis F.</i>) Rev. Zool. (2) xx. p. 67 (1868); Mém. Soc. Genève, xx. p. 297, pl. 2. ff. 3, 3a (1870).	Marquesas Isl.
3. G. Minor , Brunn. l. c. p. 47 (1868).	Fiji.
4. G. Lifuensis , Sharp, Willey, Zool. Re- sults, p. 86 (1898).	Lifu.

Genus 129. **Gigantophasma.** (*Type* no. 1.)

Sharp, Willey, Zool. Results, p. 87 (1898).

1. G. Bicolor , Sharp, l. c. pl. 7. f. 6, pl. 9. f. 35 (ovum) (1898). <i>G. Bicolor</i> , var. <i>Depictus</i> , Sharp, l. c. p. 88 (1898).	Lifu.
2. G. Pallipes , Sharp, l. c. p. 88, (?) pl. 7. f. 5, pl. 9. f. 22 (1898).	id.

Genus 130. **Monandroptera.** (*Type* no. 1.)

Serr. Ins. Orth. p. 242 (1839); Westw. Cat. Phasm. p. 79 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 39 (1875).
Craspedonia, Westw. Arc. Ent. i. p. 25 (1841). (*Type* no. 2.)

- | | |
|--|-------------|
| *1. M. Acanthomera , Burm. (<i>Cyphocrania</i>
A.) Handb. Ent. ii. p. 579, n. 2 (1838). | Mauritius. |
| <i>M. Inuncanus</i> , Serr. l. c. p. 244 (1839);
Westw. Cat. Phasm. p. 79, n. 205 (1859);
Ann. Soc. Ent. France, (4) iv. p. 201,
pl. 6, f. 2 (1864); Coq. Bull. Soc. Ent.
France, (4) vi. p. xxiii (1866). | |
| <i>M. Inuncanus</i> , Coq. Ann. Soc. Ent. France,
(4) i. p. 496 (1861); Lue. Maillard.
Notes sur l'île de Réunion, ii. Orth.
p. 22 (1862). | |
| 2. M. Undulata , Westw. (<i>Diapherodes</i>
(<i>Craspedonia</i>) <i>Undulata</i>) Arc. Ent. ii.
p. 49 (1843). | Bourbon. |
| <i>M. Undulata</i> , Westw. Cat. Phasm. p. 80,
n. 206 (1859); Ann. Soc. Ent. France,
(4) iv. p. 203, pl. 6, f. 3 (1864); Sauss.
Mém. Soc. Genève, xx. p. 308 (1870). | |
| <i>Phasma</i> (<i>Craspedonia</i>) <i>Gibbosa</i> , Westw.
Arc. Ent. i. p. 26, pl. 8 (1841). | |
| 3. M. Parallela , Westw. Cat. Phasm. p. 80,
n. 207, pl. 36, f. 3 (1859). | Africa (?). |
| 4. M. Jumnos , Westw. (<i>Cyphocrania</i> J.)
l. c. p. 111, n. 285, pl. 30, f. 1 (1859). | id. (?). |

Genus 131. **Dimorphodes.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 80 (1859).

- | | |
|--|-----------------------|
| *1. D. Prostasis , Westw. l. c. p. 81, n. 210,
pl. 34, ff. 4, 5 (1859). | Aru. |
| 2. D. Mancus , Bates, Trans. Linn. Soc.
Lond. xxv. p. 345, pl. 44, ff. 3, 8 (1865);
Rehn, Proc. Acad. Nat. Sci. Philad.
1904, p. 84. | Batchian,
Ternate. |

Genus 132. **Acrophylla.**

Gray, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 231 (1839); Westw. Cat. Phasm. p. 113 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 34 (1875).

- *1. **A. Titan, MacL.** (*Phasma T.*) King, Survey Coasts Austral. ii. p. 454. n. 112 (1827).
Diura Titan, Gray, Ent. Austral. pp. 19, 26, pl. 4 (1833).
Acrophylla Titan, Gray, Syn. Phasm. p. 39 (1835); Westw. l. c. p. 114. n. 289 (1859); Sauss. Miss. Mex., Orth. pl. 4. f. 25 (wing) (1872).
Phasma (Cyphocrania) Titan, Haan, Temmirek, Verhandel., Orth. p. 129 (1842).
Cyphocrania Titan, Burm. Handb. Ent. ii. p. 579. n. 7 (1838); D'Orbigny, Dict. d'Hist. Nat., Atlas, Zool. ii. Orth. pl. 2. f. 1 (1861).
A. Titanus, Serv. l. c. p. 231 (1839). | Australia.

Genus 133. **Ctenomorpha.** (*Type no. 1.*)

Gray, Ent. Austral. pp. 16, 27 (1833); Syn. Phasm. p. 41 (1835); Stål, Bihang Svenska Akad. iii. (14) p. 13 (1875); Rec. Orth. iii. p. 35 (1875).

- *1. **C. Marginipennis, Gray**, ll. cc. p. 16, pl. 1. f. 2 (1833); p. 41 (1835).
C. Marginipenne, Gray, Ent. Austr. p. 27 (1833).
♀. *Diura Chronus*, Gray, l. c. pp. 20, 26, pl. 5. f. 2 (1833).
Acrophylla Chronus, Gray, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 232 (1839); Westw. Cat. Phasm. p. 114. n. 291 (1859).
Cyphocrania Chronus, Burm. Handb. Ent. ii. p. 580. n. 8 (1838).
Var. *Diura Saturnus*, Westw. l. c. (1859). | Tasmania.

2. C. Osiris, Gray, (<i>Phasma (Diura) O.</i>)	Australia.
<i>Trans. Ent. Soc. Lond. i. p. 46 (1834).</i>	
<i>Acrophylla Osiris, Gray, Syn. Phasm. p. 40 (1835); Westw. l. c. p. 115. n. 293 (1859).</i>	
3. C. Acheron, Gray, (<i>Phasma (Diura) A.</i>)	id.
<i>Trans. Ent. Soc. Lond. i. p. 46 (1834).</i>	
<i>Acrophylla Acheron, Gray, Syn. Phasm. p. 40 (1835); Westw. l. c. p. 115. n. 294 (1859).</i>	
4. C. Macleayi, Gray, l. c. p. 41 (1835).	id.
<i>Acrophylla Macleayi, Westw. l. c. p. 115. n. 295 (1859).</i>	
**5. C. Tessellata, Gray, (<i>C. Tessulata</i>) l. c. p. 44 (1835).	Moreton Bay.
<i>Acrophylla Tessellata, Westw. l. c. p. 115. n. 296, pl. 35. ff. 1, 2 (1859); Bates, Trans. Linn. Soc. Lond. xxv. p. 347 (1865).</i>	
6. C. Nigrovaria, Stål, Rec. Orth. iii. p. 83 (1875).	Cape York.
7. C. Briareus, Gray, (<i>Phasma (Diura) B.</i>)	Australia.
<i>Trans. Ent. Soc. Lond. i. p. 45 (1834).</i>	
<i>Acrophylla Briareus, Gray, Syn. Phasm. p. 40 (1835); Westw. l. c. p. 114. n. 290 (1859).</i>	
**8. C. Albopunctatum, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 472 (1896).	Queensland.
**9. C. Salmacis, Westw. (<i>Acrophylla S.</i>) l. c. p. 116. n. 297, pl. 37. f. 2 (1859).	N.Australia.
10. C. Caprella, Westw. (<i>Phibalosoma C.</i>) l. c. p. 76. n. 196, pl. 21. f. 3 (1859).	Australia (?).
11. C. Macrotegmus, Tepp. (<i>Lopaphus M.</i>) Trans. Roy. Soc. S. Australia, ix. p. 112, pl. 6 (1887).	S. Australia (Mt. Lofty).

Genus 134. **Clemacantha.**

Rainb. Rec. Austral. Mus. iii. p. 34 (1897).

- *1. **C. Regale, Rainb.** l. c. p. 34, pl. 9 | Australia.
(1897).

Genus 135. **Phasma.** (*Type* no. 2.)

Licht. Cat. Mus. Zool. Hamb. iii. p. 77 (1796); Trans. Linn. Soc. Lond. vi. p. 9 (1802); Illiger, Käf. Preuss. p. 499 (1798); Fabr. Suppl. Ent. Syst. p. 186 (1798); Kirb. Ann. Nat. Hist. (7) xiii. p. 439 (1904).

Cyphocrana, St.-Farg. & Serr. Ene. Méth., Ins. x. p. 445 (1825); Serv. Ann. Sci. Nat. xxii. p. 60 (1831); Ins. Orth. pp. 233, 237 (1839); Gray, Syn. Phasm. p. 35 (1835). (*Type* no. 1.)

Cyphocrania, Burn. Handb. Ent. ii. p. 578 (1838); Haan, Temminck, Verhandel., Orth. p. 128 (1842); Westw. Cat. Phasm. p. 106 (1859); Stål. Bibang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 14 (1875); Rec. Orth. iii. pp. 35, 83 (1875).

*1. **P. Gigas, Linn.** (*Gryllus Mantis G.*) | Amboina,
Syst. Nat. (ed. x.) i. p. 425. n. 1 (1758). | &c.
Gryllus Gigas, Linn. Mus. Ludov. Ulr. |
p. 109 (1764).

Mantis Gigas, Fabr. Syst. Ent. p. 274. |
n. 1 (1775); Oliv. Ene. Méth., Ins. vii. |
p. 625. n. 2 (1792); Don. Ins. Ind. |
pl. 9 (1800).

Phasma Gigas, Fabr. Suppl. Ent. Syst. |
p. 187. n. 5 (1798); Licht. Trans. Linn. |
Soc. Lond. vi. p. 11. n. 9 (1802); |
Stoll, Spectres, Phasmes, p. 6, pl. 2. f. 5 |
(1813).

Cyphocrana Gigas, St.-Farg. & Serr. |
l. c. p. 445 (1825); Serv. ll. cc. p. 60 |
(1831); p. 237 (1839); Gray, l. c. p. 35 |
(1835).

Cyphocrania Gigas, Burn. l. c. p. 579. n. 3 |
(1838); Westw. l. c. p. 106. n. 272 |
(1859).

Phasma (Cyphocrania) Gigas, Haan, l. c. |
p. 129, pl. 14. f. 3 (1842).

||Phasma Necydalooides, Thunb. Mém. Acad. |
Pétersb. v. p. 296 (1815).

*2. **P. Empusa, Licht.** Cat. Mus. Zool. Hamb. |
iii. p. 77. n. 2 (1796); Trans. Linn. Soc. |
Lond. vi. p. 12. n. 10 (1802).

Cyphocrana Empusa, Gray, l. c. p. 35 |
(1835); Serv. Ins. Orth. p. 237 (1839).

Cyphocrania Empusa, Burn. l. c. p. 579. |
n. 4 (1838).

<i>Phasma Gigas</i> , Stoll, Spectres, Phasmes, p. 1, pl. 1, f. 1 (1813).	
<i>Cyphocrania Gigas</i> , var., Westw. l. c. p. 107 (1859).	
3. P. Reinwardtii, Haan , (<i>Phasma (Cyphocrania) R.</i>) Temminck, Verhandel., Orth. p. 130, pl. 10, f. 1 (1842). <i>Cyphocrania Reinwardtii</i> , Westw. l. c. p. 107. n. 273 (1859).	N. Guinea.
4. P. Macleayi, Macleay , (<i>Cyphocrania M.</i>) Proc. Linn. Soc. N. S. Wales, ix. p. 710 (1884).	id.
5. P. Lobiceps, MacL. (<i>Cyphocrania L.</i>) l. c. p. 711 (1884).	id.

Genus 136. **Eurycnema.** (*Type* no. 2.)

Serv. Ins. Orth. p. 235 (1839).

**1. E. Magnifica, Kirb. Ann. Nat. Hist. (7) xiii. p. 439 (1904).	New Guinea (?).
*2. E. Versirubra, Serv. (<i>Cyphocrana V.</i>) l. c. p. 235 (1839). <i>Cyphocrania Herculeana</i> , Sharp, Orth. pl. 1 (1841). <i>Cyphocrania Goliath</i> , var., Westw. Cat. Phasm. p. 107 (1859). <i>E. Herculeana</i> , Brunn. Mitt. Mus. Hamburg, xv. (2 Beiheft) pp. 147-160 (1898). <i>Cyphocrania Hanitschi</i> , Sharp, Willey, Zool. Results, p. 89, pl. 9, ff. 39, 39 a (ovum) (1898).	Java.
***3. E. Viridissima, Kirb. l. c. p. 440 (1904).	Moreton B., N. Austral.
*4. E. Versifasciata, Serv. (<i>Cyphocrana V.</i>) l. c. p. 235 (1839). <i>Cyphocrania Goliath</i> , var., Westw. l. c. p. 107 (1859).	N. Austral.
*5. E. Goliath, Gray , (<i>Phasma (Diura) G.</i>) Trans. Ent. Soc. Lond. i. p. 45 (1834); Syn. Phasm. p. 39 (1835). (?) <i>Phasma (Cyphocrania) Goliath</i> , Brullé, Hist. Ins. ix. p. 105, pl. 7 (1835); Haan, Temminck, Verhandel., Orth. p. 128 (1842). <i>Cyphocrania Goliath</i> , Westw. l. c. p. 107. n. 274 (1859).	Moreton Bay.

6. **E. (?) B[e]auvoisi, Serv.** (*Cyphocrana* | Java.
B.) Ann. Sci. Nat. xxii. p. 60 (1831);
 Gray, Syn. Phasm. p. 35 (1835).
Cyphocrania Beauvoisii, Burm. Handb.
 Ent. ii. p. 579. n. 5 (1838); Westw. l. c.
 p. 108. n. 275 (1859).
 || *Phasma Gigas*, Beaur. Ins. Afr. Amér.
 p. 109, Orth. pl. 13. f. 1 (1805).

Genus 137. **Anchiale.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 36 (1875).

1. **A. (?) Cylindrica, Gmel.** (*Mantis C.*) | Hab. — ?
 Syst. Nat. i. (5) p. 2048. n. 54 (1788);
 Oliv. Enc. Méth., Ins. vii. p. 626. n. 4
 (1792).
Mantis —, Zschach, Mus. Lesk., Ins.
 p. 46. n. 12 (1789).
- *2. **A. Maculata, Oliv.** (*Mantis M.*) l. c.
 p. 636. n. 56 (1792).
Platycerana Maculata, Gray, Syn. Phasm.
 p. 36 (1835); Serv. Ins. Orth. p. 240
 (1839).
Phasma (Cyphocrania) Maculatum, Haan,
 Temminck, Verhandel., Orth. p. 129
 (1842).
Cyphocrania Maculata, Westw. Cat. Phasm.
 p. 111. n. 283 (1859).
Phasma Nævium, Licht. Trans. Linn. Soc.
 Lond. vi. p. 13. n. 11 (1802).
A. Nævia, Rehn, Proc. Acad. Nat. Sci.
 Philad. 1904, p. 88.
 || *Phasma Necydalooides*, Stoll, Spectres,
 Phasmes, p. 8, pl. 3. f. 8; p. 10, pl. 4.
 f. 11 (1813).
 || *Cyphocrania Necydalooides*, Burm. Handb.
 Ent. ii. p. 579. n. 6 (1838).
3. **A. Stolli, Sharp**, Willey, Zool. Results,
 p. 89, pl. 9. ff. 16, 19, 27 (app. anal. et
 ovum) (1898).
- *4. **A. Confusa, Sharp**, l. c. p. 90, pl. 9.
 ff. 17, 18, 29 (app. anal. et ovum) (1898).
Cyphocrania Maculata, pt., Westw. l. c.
 p. 111. n. 283 (1859).
- Amboina,
Ternate,
Salomon I.,
Thursday I.
- New
Britain.
- id.,
Amboina,
Kei I.

5. **A. Insularis, Kirb.** (n. n.). Ceram.
 || *Cyphocrana Necydaloides*, Blauch. Voy.
 Pôle Sud, Zool. iv. p. 358 (1853).
6. **A. (?) Spinicollis, Gray,** (*Ctenomorpha*
S.) Ent. Austral. p. 16, pl. 1. f. 1 (1833); Melville
 Syn. Phasm. p. 41 (1835). Island.
Phasma (Ctenomorpha) Spinicolle, Gray,
 Ent. Austral. p. 27 (1833).
 ♀. *Diura Japetus*, Gray, l. c. p. 20, pl. 5.
 f. 1 (1833).
Phasma (Diura) Japetus, Gray, l. c. p. 26
 (1833).
Aerophylla Japetus, Gray, Syn. Phasm.
 p. 40 (1835); Westw. l. c. p. 114, n. 292
 (1859).
Cyphocrania Japetus, Burn. l. c. p. 580.
 n. 9 (1838).
7. **A. (?) Reticulata, Beauv.** (*Phasma R.*) Haiti (?).
 Ins. Afr. Amér. p. 166, Orth. pl. 14, f. 5
 (1805).
Platycerana Reticulata, Gray, Syn. Phasm.
 p. 38 (1835).
Cyphocrania Reticulata, Westw. l. c. p. 108.
 n. 277 (1859).
8. **A. Grayi, Montr.** (*Pachymorpha G.*) Woodlark I.
 Ann. Sci. Nat. Lyon, (2) vii. p. 80
 (1855); Westw. l. c. p. 182, n. 3
 (1859).
9. **A. Longipennis, Montr.** (*Pachymorpha*
L.) l. c. p. 81 (1855); Westw. l. c.
 p. 182, n. 2 (1859). id.
10. **A. (?) Tessulata, Goeze,** (*Mantis T.*) Hab. — ?
 Ent. Beytr. ii. p. 37, n. 40 (1778); Oliv.
 l. c. p. 642, n. 34 (1792); (Seba, Thes. iv.
 pl. 78. ff. 1-4).

Genus 138. **Vetilia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 36, 84 (1875).

- *1. **V. Enceladus, Gray,** (*Aerophylla E.*) Australia.
 Syn. Phasm. p. 39 (1835).
Cyphocrania Enceladus, Westw. Cat. Phasm.
 p. 108, n. 276, pl. 39, ff. 1, 2 (1859).
 *2. **V. Eurymedon, Stål,** C.R. Soc. Ent. Belg. xx. p. lxiii (1877). Queensland.
 *3. **V. Thoon, Stål**, l. c. (1877). id.

Genus 139. **Onchestus.** (*Type* no. 2.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxiii (1877).

- | | |
|--|------------|
| **1. O. Pasimachus, Westw. (<i>Cyphocrania</i>
<i>P.</i>) Cat. Phasm. p. 109. n. 280, pl. 9. f. 5
(1859). | Australia. |
| **2. O. Gorgus, Westw. (<i>Lopaphus G.</i>) l. c.
p. 102. n. 261, pl. 11. f. 4 (1859). | id. |
| 3. O. (?) Lugens, Thunb. (<i>Phasma L.</i>)
Mém. Acad. Pétersb. v. p. 297 (1815);
Westw. l. c. p. 183. n. 12 (1859). | Hab. — ? |
| 4. O. (?) Bidentatus, Thunb. (<i>Phasma</i>
<i>Bidentata</i>) l. c. p. 298 (1815); Westw.
l. c. p. 183. n. 10 (1859). | Hab. — ? |

Genus 140. **Achrioptera.**

Coq. Ann. Soc. Ent. France, (4) i. p. 495 (1861).

- | | |
|--|------------|
| 1. A. Fallax, Coq. l. c. pl. 9. f. 1 (1861). | Madagascar |
| 2. A. (?) Punctipes, Serv. (<i>Cyphocrana</i> (?))
<i>P.</i>) Ins. Orth. p. 239 (1839).
<i>Cyphocrana</i> (?) <i>Punctipes</i> , Westw. Cat.
Phasm. p. 110. n. 282 (1859). | Africa. |

Genus 141. **Enetia.**

Kirb. Ann. Nat. Hist. (5) viii. p. 151 (1891).

- | | |
|--|------------|
| **1. E. Spinosissima, Kirb. l. c. (1891). | Madagascar |
|--|------------|

SUBFAM. X.

EURYCANTHINÆ.

Genus 142. **Karabidion.**

Montr. Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 81 (1855);
Stål, Rec. Orth. iii. pp. 46, 90 (1875).

- | | |
|--|--|
| *1. K. Australe , Montr. l. c. p. 86 (1855). Lord | <i>Eurycantha Australis</i> , Westw. Cat. Phasm. Howe's I. |
| <i>Eurycantha Australis</i> , Westw. Cat. Phasm. p. 65. n. 177, pl. 1. ff. 1, 2 (1859). | <i>Eurycantha Australis</i> , Sharp, |
| <i>Eurycantha (Karabidion) Australis</i> , Sharp, Cambridge Nat. Hist., Ins. i. p. 274, f. 160 | <i>Eurycantha Australis</i> , Sharp, |
| (1895). | (1895). |

Genus 143. **Eubulides.** (*Type* no. 1.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxviii (1877).

- | | |
|--|--|
| 1. E. Alutaceus , Stål, l. c. (1877). Philippines. | |
| **2. E. Spuria , Kirb. Ann. Nat. Hist. (7) xiii. Australia. | |
| p. 441 (1904). | |

Genus 144. **Eurycantha.** (*Type* no. 1.)

Boisd. Voy. Astrolabe, Ent. ii. p. 647 (1835); Gray, Syn. Phasm. p. 14 (1835); Burm. Handb. Ent. ii. p. 569 note (1838); Serv. Ins. Orth. p. 277 (1839); Haan, Temminck, Verhandel., Orth. p. 136 (1842); Westw. Cat. Phasm. p. 62 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 17 (1875); Rec. Orth. iii. p. 46 (1875).

- | | |
|---|--|
| *1. E. Horrida , Boisd. l. c. p. 647, pl. 11. N. Guinea, | |
| f. 2 (1835); Gray, l. c. p. 14 (1835); N. Ireland, | |
| Burm. l. c. pp. 569, 570 (1838); Serv. Woodlark I. | |
| l. c. p. 279 (1839); Brullé, Hist. Nat. (eadem?). | |
| Ins. ix. pl. 10 (1835); Westw. l. c. p. 63. | |
| n. 173 (1859). | |

Phasma (Eurycantha) Horrida, Haan, l. c.
p. 136, pl. 14, f. 8 (1842).

Karabidion Horridum, Montr. Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 82
(1855).

*2. E. Calcarata, Luc. Bull. Soc. Ent. France, (4) ix. p. xxv (1870).	Salomon I., Brit. N. Guinea. New Britain.
? *3. E. Willeyi, Kirb. Ann. Nat. Hist. (7) xiii. p. 442 (1904). <i>E. Horrida, Sharp</i> , Willey, Zool. Results, p. 85, pl. 8. ff. 7-9, pl. 9. ff. 46, 46 a, b (ovum) (1898).	N. Guinea.
*4. E. Rosenbergi, Kaup , Berlin. Ent. Zeitschr. xv. p. 34 (1871).	Rossel I. N. Hebrides, Loyalty I. Salomon I., N. Guinea. Woodlark I.
? **5. E. Portentosa, Kirb. l. c. p. 442 (1904).	
**6. E. Tyrrhæus, Westw. l. c. p. 64. n. 174, pl. 2. f. 1 (1859).	
*7. E. Insularis, Luc. l. c. (4) ix. p. xxv (1870).	
8. E. Micrantha, Montr. (<i>Karabidion Micranthum</i>) l. c. p. 85 (1855). <i>E. Micrantha, Westw.</i> l. c. p. 64. n. 175 (1859).	
9. E. Echinata, Luc. l. c. (5) viii. p. clxiii (1878).	N. Guinea.
10. E. (?) Scorpionides, Montr. (<i>Karabidion S.</i>) l. c. p. 64. n. 176 (1855).	Woodlark I.
**11. E. Sifia, Kirb. l. c. p. 443 (1904).	Thursday I.

Genus 145. **Canachus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 47 (1875).

- | | |
|---|---------------|
| 1. C. Crocodilus, Stål , l. c. p. 90 (1875). | N. Caledonia. |
| 2. C. Salamandra, Stål , l. c. p. 91 (1875). | id. |

SUBFAM. XI.

HETEROPTERYGINÆ.

Genus 146. **Heteropteryx.**

Gray, Syn. Phasm. pp. 13, 32 (1835); Westw. Cat. Phasm. p. 81 (1859); Brunn. Ann. Mus. Genova, xxxiii. p. 98 (1893).

Leocrates, Stål, Rec. Orth. iii. p. 48 note (1875).

- *1. **H. Dilatata, Park.** (*Phasma D.*) Trans. Linn. Soc. Lond. iv. p. 190, pl. 18, ff. 2-5 (1798); Shaw, Nat. Misc. ix. pls. 347, 348 (1800?); Zool. vi. (1) p. 124, pls. 45, 46 (1806); Serv. Ins. Orth. p. 281 (1839). Malacca.
H. Dilatata, Gray, l. c. p. 32 (1835); Prince of Westw. Cat. Phasm. p. 82, n. 211 (1859); Wales I.
 Thes. Ent. Oxon. p. 173, pl. 32, f. 1 (1874); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 89.
- Diapherodes Dilatata*, Burm. Handb. Ent. ii. p. 574, n. 1 (1838).
- H. Hopei*, Westw. Proc. Ent. Soc. Lond. 1864, p. 16.
- H. Rollandi*, Luc. Bull. Soc. Ent. France, (6) ii. p. xxxii (1882).
- ♂. *Phasma (Eurycaantha) Graciosa*, Westw. Cab. Orient. Ent. p. 16, pl. 7, f. 3 (1846).
- Cyphocrania Graciosa*, Westw. Cat. Phasm. p. 111, n. 284 (1859).

Genus 147. **Haaniella.** (*Type no. 2.*)

Kirb. Ann. Nat. Hist. (7) xiii. p. 444 (1904).

||*Heteropteryx Haan*, Temminck, Verhandel., Orth. p. 108 (1842); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 18 (1875); Rec. Orth. p. 48 (1875) (*nec* Gray).

- *1. **H. Rosenbergi, Kaup.** (*Heteropteryx* | Java, R.) Berlin. Ent. Zeitschr. xv. p. 35, pl. 2, f. 2 (1871). Sumatra.
2. **H. Muelleri, Haan.** (*Phasma (Heteropteryx) Müllerri*) Temminck, Verhandel., Orth. p. 108, pl. 11, ff. 4, 5 (1842). Sumatra.
- Heteropteryx Müllerri*, Westw. Cat. Phasm. p. 82, n. 212 (1859).
- **3. **H. Grayii, Westw.** (*Heteropteryx G.*) l. c. p. 82, n. 213, pl. 30, f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 262, f. 149 (1895). Borneo.
4. **H. Saussurei, Kirb.** (n. n.). Sunda ||*Heteropteryx Grayi*, var., *Sauss.* Ann. Mus. Genève, xx. p. 310 (1870). Isl. (?).

**5. H. Dehaanii , Westw. (<i>Heteropteryx D.</i>) l. c. p. 83. n. 214, pl. 3. f. 7 (1859).	Borneo.
6. H. Westwoodii , Bates, (<i>Heteropteryx W.</i>) Trans. Linn. Soc. Lond. xxv. p. 345 (1865).	Celebes, Menado.
**7. H. Australis , Kirb. (<i>Heteropteryx A.</i>) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 172 (1896). <i>Heteropteryx Grayii</i> , ♂, Westw. l. c. p. 82. n. 213, pl. 30. f. 2 (1859).	Australia.
8. H. (?) Castelnaudi , Westw. (<i>Heteropteryx C.</i>) Thes. Ent. Oxon. p. 174, pl. 32. f. 3 (1874).	Malacca, Tringany.

Genus 148. **Parectatosoma.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 117 (1879).

*1. P. Hystrix , Wood-Mason, l. c. (1879).	Madagascar
*2. P. Echinus , Wood-Mason, l. c. p. 118 (1879).	id.
*3. P. Mocquerysi , Finot, Ann. Soc. Ent. France, lxvi. p. 585 (1898).	id.

Genus 149. **Obrimus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 49, 92 (1875).

**1. O. Bufo , Westw. (<i>Acanthoderus B.</i>) Cat. Phasm. p. 51. n. 140, pl. 2. f. 6 (1859).	Philippines.
2. O. Cavernosus , Stål, C.R. Soc. Ent. Belg. xx. p. lxviii (1877).	id.
3. O. Echinatus , Stål, l. c. (1877).	id.
*4. O. Mesoplatus , Westw. (<i>Phasma (Acanthoderus) M.</i>) Cab. Orient. Ent. p. 37, pl. 38. f. 4 (1847). <i>Acanthoderus Mesoplatus</i> , Westw. Cat. Phasm. p. 51. n. 141 (1859).	id.
5. O. Quadratipes , Bol. An. Soc. Españ. xix. p. 307 (1890).	id.

Genus 150. **Hoploclonia.**

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875), iii. (14) p. 18 (1875) : Rec. Orth. iii. pp. 50, 92 (1875).

- **1. **H. Gecko, Westw.** (*Acanthoderus* G.) | Borneo.
Cat. Phasm. p. 52. n. 143, pl. 26. ff. 6, 7 |
(1859). |

Genus 151. **Tisamenus.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 50, 92 (1875).

- **1. **T. Deplanatus, Westw.** (*Phasma (Pachymorpha) Deplanatum*) Cab. Orient. Ent. p. 78, pl. 38. f. 6 (1847). | Philippines.
Acanthoderus Deplanatus, Westw. Cat. Phasm. p. 52. n. 144 (1859). |
2. **T. Serratorius, Stål**, l. c. p. 92 (1875). | id.
*3. **T. Draconinus, Westw.** (*Phasma (Pachymorpha) Draconinum*) Cab. Orient. Ent. p. 78, pl. 36. f. 4 (1847). | id.
Acanthoderus Draconinus, Westw. Cat. Phasm. p. 51. n. 142 (1859). |
4. **T. Cervicornis, Bol.** An. Soc. EspaÑ. xix. p. 307, pl. 1. ff. 5, 5a (1890). | id.
5. **T. Asper, Bol.** l. c. p. 308 (1890). | id.
*6. **T. Nolimetangere, Haan**, (*Phasma (Acanthoderus) N.*) Temminck, Verhandel., Orth. p. 135, pl. 14. ff. 6, 7 (1842). | Borneo.
Acanthoderus Nolimetangere, Westw. l. c. p. 50. n. 138 (1859). |
7. **T. (?) Ranarius, Westw. (*Acanthoderus R.*) l. c. p. 53. n. 145, pl. 4. f. 3 (1859). |

Genus 152. **Theramenes.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 46 note (1875).

- **1. **T. Olivacea, Westw.** (*Eurycaantha O.*) Ceylon.
Cat. Phasm. p. 65. n. 178 (1859). |
2. **T. Dromedarius, Stål**, C.R. Soc. Ent. Belg. xx. p. lxviii (1877). | Philippines.

Genus 153. **Pylæmenes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

*1. P. Coronatus, Haan, (<i>Phasma (Pachymorpha) Coronatum</i>) Temminck, Verhandel., Orth. p. 137, pl. 14. ff. 4, 5 (1842). <i>Acanthoderus Coronatus</i> , Westw. Cat. Phasm. p. 51. n. 139 (1859).	Java, Borneo, Amboina, Ceram.
*2. P. Spiniventris, Bates, (<i>Acanthoderus S.</i>) Trans. Linn. Soc. Lond. xxv. p. 343, pl. 44. f. 2 a, b (1865).	Timor, Bouru.
3. P. Occipitalis, Kaup, (<i>Acanthoderus O.</i>) Berlin. Ent. Zeitsehr. xv. p. 31 (1871).	Celebes, N. Guinea.
4. P. Gravidus, Bates, (<i>Acanthoderus G.</i>) l. c. p. 343 (1865).	Gilolo.

Genus 154. **Datames.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

**1. D. Oileus, Westw. (<i>Acanthoderus O.</i>) Cat. Phasm. p. 53. n. 146, pl. 26. f. 4 (1859).	Java, Malacca.
2. D. Mouhotii, Bates, (<i>Acanthoderus M.</i>) Trans. Linn. Soc. Lond. xxv. p. 342 (1865).	Cambogia, Chantabun.
3. D. Äqualis, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 89.	Obi.
4. D. (?) Guttigerus, Westw. (<i>Phasma Guttigerum</i>) l. c. p. 35. n. 98, pl. 27. f. 6 (1859).	Sarawak.

Genus 155. **Dares.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

1. D. Otys, Westw. (<i>Acanthoderus O.</i>) Cat. Phasm. p. 54. n. 148, pl. 26. f. 2 (1859).	Borneo.
2. D. Validispinus, Stål, l. c. p. 93 (1875).	id.
3. D. Ulula, Westw. (<i>Acanthoderus U.</i>) l. c. p. 53. n. 147. pl. 26. f. 1 (1859).	id.

S U B F A M. XII.

A N I S O M O R P H I N Ā E.

Genus 156. **Anisomorpha.** (*Type* no. 2.)

Gray, Syn. Phasm. p. 18 (1835); Burm. Handb. Ent. ii. p. 570 (1838); Westw. Cat. Phasm. p. 16 (1859); Sauss. Miss. Mex., Orth. p. 148 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 19 (1875); Rec. Orth. iii. p. 56 (1875).

- | | |
|---|-----------------------|
| 1. A. Ferruginea, Beauv. (<i>Phasma F.</i>) Ins. | Carolina, |
| Afr. Amér. p. 167, Orth. pl. 14. ff. 6, 7 (1805). | Florida, |
| <i>A. Ferruginea</i> , Gray, l. c. p. 18 (1835); | Virginia. |
| Burm. l. c. p. 570, n. 1 (1838); Westw. l. c. p. 16. n. 41 (1859). | |
| *2. A. Buprestoides, Stoll, (<i>Phasma B.</i>) Spectres, Phasmes, p. 68, pl. 23. f. 87 (1813). | Georgia. |
| <i>A. Buprestoides</i> , Gray, l. c. p. 19 (1835); | |
| Burm. l. c. p. 570. n. 2 (1838); Westw. l. c. p. 17. n. 42 (1859). | |
| <i>Spectrum Bivittatum</i> , Say, Amer. Ent. iii. pl. 38 (1828). | |
| ♂. <i>Phasma Vermicularis</i> , Stoll, l. c. p. 68, pl. 23. f. 88 (1813). | |
| <i>Bacteria Calamus</i> , ♂, Burm. l. c. p. 564. n. 1 (1838). | |
| **3. A. Paromalus, Westw. l. c. p. 17. n. 45, pl. 3. f. 5, pl. 4. f. 1 (1859). | Venezuela. |
| 4. A. (?) Dentata, Stål, Rec. Orth. iii. p. 95 (1875). | Brazil, S. Catharina. |
| 5. A. Flavomaculata, Blanch. D'Orbigny, Voy. Amér. Mér. vi. (2) p. 215, pl. 26. f. 6 (1846); Westw. l. c. p. 19. n. 48 (1859). | Bolivia. |

Genus 157. **Timema.**

Scudd. Canad. Ent. xxvii. p. 30 (1895).

- | | |
|--|-------------|
| 1. T. Californicum, Scudd. l. c. (1895); Caud. Ent. News, xiv. p. 316 (1903). | California. |
|--|-------------|

Genus 158. **Agathemera.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

- **1. **A. Pardalina,** Westw. (*Anisomorpha P.*) Chile.
 Cat. Phasm. p. 18. n. 46, pl. 5. ff. 1, 2
 (1859); Sharp, Cambridge Nat. Hist.,
 Ins. i. p. 274, f. 161 (1895).
A. Pardalina, Berg, Com. Mus. B. Aires,
 i. p. 185 (1899).
Anisomorpha Variegata, Phil. Zeitschr. ges.
 Naturw. xxi. p. 230 (1863).
- *2. **A. Claraziana,** Sauss. (*Anisomorpha C.*) La Plata.
 Rev. Zool. (2) xx. p. 64 (1868); Miss.
 Mex., Orth. p. 149, pl. 3. f. 4 (1872).
3. **A. (?) Poeyi,** Sauss. (*Anophelepis P.*) Cuba.
 ll. cc. p. 67 (1868); p. 171, pl. 4. ff. 18,
 18 a (1872).

Genus 159. **Autolyca.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

- **1. **A. Semele,** Westw. (*Anisomorpha S.*) Peru.
 Cat. Phasm. p. 19. n. 49, pl. 25. f. 7
 (1859).
- *2. **A. Unicolor,** Haan, (*Phasma (Aniso-*
morpha) U.) Temminck, Verhandel., Orth.
 p. 102 note (1842).
Bacteria Bogotensis, Goud. Mag. Zool. 1843,
 Ins. p. 2, pl. 125.
Anisomorpha Bogotensis, Westw. l. c. p. 17.
 n. 43 (1859).
3. **A. Roulinii,** Goud. (*Bacteria R.*) l. c. N. Granada.
 p. 4 (1843).
Anisomorpha Roulinii, Westw. l. c. p. 17.
 n. 44, pl. 25. ff. 10, 11 (1859).
4. **A. Pallidicornis,** Stål, l. c. p. 95 Guatemala.
 (1875).

Genus 160. **Decidia.**

Stål, Rec. Orth. iii. pp. 57, 96 (1875).

1. **D. Soranus, Westw.** (*Phasma S.*) Cat. N. Granada, Phasm. p. 127. n. 333, pl. 17. f. 3 Bolivia (1859). (eadem?).
D. Soranus, Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 91.

Genus 161. **Paradoxomorpha.** (*Type* no. 1.)

Branes. Jahresh. Ver. Trencsin. Com. xix.-xx. p. 67 (1898).
 || *Anisomorpha*, Blanch. Gay, Hist. Chile, Zool. vi. p. 27 (1851).

- | | |
|---|-------------------|
| 1. P. Crassa, Blanch. (<i>Anisomorpha C.</i>) l. c. p. 28, pl. 1. f. 7 (1852); Westw. Cat. Phasm. p. 18. n. 47 (1859).
<i>Agathemera Crassa</i> , Berg, Com. Mus. B. Aires, i. p. 183 (1899). | Chile, Patagonia. |
| <i>P. Bruchi</i> , Branes. l. c. p. 68, pl. 2. f. 13 (1898). | |
| 2. P. Borellii, Giglio-Tos , Boll. Mus. Torino, xii. (302) p. 16 (1897), xv. (377) p. 2 (1900). | Paraguay. |
| 3. P. (?) Grylloides, Westw. (<i>Anisomorpha G.</i>) l. c. p. 19 (1859). | Chile. |
| 4. P. (?) Elegans, Phil. (<i>Anisomorpha E.</i>) Zeitschr. ges. Naturw. xxi. p. 231 (1863). | id. |

SUBFAM. XIII.

PRISOPINÆ.

Genus 162. **Xerantherix.**

Branes. Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 182 (1893).

1. **X. Nossibianus, Brancs.** l. c. p. 183, pl. 4. f. 1 (1893). | Madagascar

Genus 163. **Xylica.**

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

1. **X. Oedematoso**, Karsch, l. c. p. 382 | Usambara.
(1898).

Genus 164. **Damasippoides.**

Brancs. Jahresh. Ver. Trenesin. Com. xv.-xvi. p. 181 (1893).

1. **D. Xanthostictus**, Brancs. l. c. p. 182, | Nossi Bé.
pl. 4. f. 5 (1893).

Genus 165. **Epicharmus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 60 note (1875).

1. **E. Marchali**, Serv. (*Prisopus M.*) Ins. | Mauritius.
Orth. p. 284 (1839).
Xeroderus (?) Marchali, Westw. Cat. Phasm.
p. 103. n. 263, pl. 36. f. 4 (1859).
2. **E. Guerinii**, Westw. (*Prisopus G.*) l. c. | id.
p. 170. n. 447, pl. 21. f. 1 (1859).

Genus 166. **Neocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 59 note (1875).

1. **N. Simyra**, Westw. (*Creoxylus S.*) Cat. | Sarawak.
Phasm. p. 105. n. 268, pl. 32. f. 3
(1859).
2. **N. Diacis**, Haan, (*Phasma (Xeroderus)* | Sumatra.
D.) Temminck, Verhandel., Orth. p. 117,
pl. 15. f. 2 (1842).
Creoxylus Diacis, Westw. l. c. p. 105. n. 269
(1859).
3. **N. Laceratus, Westw. (*Creoxylus L.*) | id.
l. c. p. 270, pl. 29. f. 1 (1859).

Genus 167. **Prisopus.** (*Type* no. 4.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 444 (1825); Serv. Ann. Sci. Nat. xx. p. 62 (1831); Ins. Orth. p. 282 (1839); Gray, Syn. Phasm. pp. 13, 27 (1835); Burm. Handb. Ent. ii. p. 587 (1838); Haan, Temminck, Verhandel., Orth. p. 112 (1842); Westw. Cat. Phasm. p. 166 (1859); Sauss. Miss. Mex., Orth. p. 199 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 20 (1875); Rec. Orth. iii. p. 60 (1875). *Platytelus*, Gray, l. c. pp. 13, 28 (1835); Burm. l. c. p. 588 (1838). (*Type* no. 12.)

- | | |
|--|-----------------|
| *1. P. Horstokkii, Haan. (<i>Phasma (Prisopus) H.</i>) l. c. p. 113, pl. 12. f. 1 (1842). | Cape ; S. Leone |
| <i>P. Horstokkii</i> , Westw. l. c. p. 168. n. 441 (1859). | (eadem?). |
| 2. P. (?) Cornutus, Gray , l. c. p. 43 (1835); Westw. l. c. p. 169. n. 445 (1859). | India (?). |
| <i>Gryllus Locusta</i> —, Stoll, Saut. Pass. p. 88, pl. 206. f. 79 (1813). | |
| 3. P. Draco, Oliv. (<i>Mantis D.</i>) Enc. Méth., Ins. vii. p. 636. n. 59 (1792). | Java. |
| <i>Phasma Dracunculus</i> , pupa, Licht. Cat. Mus. Hamburg, iii. p. 78. n. 13 (1796); Trans. Linn. Soc. Lond. vi. p. 16. n. 22 (1802). | |
| <i>Phasma Nympha</i> , Stoll, Spectres, Phasmes, p. 14, pl. 5. f. 18 (1813). | |
| <i>P. Nympha</i> , Gray, l. c. p. 28 (1835). | |
| <i>P. Incertus</i> , Westw. l. c. p. 169. n. 444 (1859). | |
| 4. P. Sacrata, Oliv. (<i>Mantis S.</i>) l. c. p. 639. n. 76 (1792). | Amboina. |
| <i>Phasma Dracunculus</i> , Licht. ll. cc. p. 78. n. 13 (1796); p. 16. n. 22 (1802). | |
| <i>Phasma Flabelliformis</i> , Stoll, Spectres, Phasmes, p. 53, pl. 18. ff. 65, 65a (1813). | |
| <i>P. Flabelliformis</i> , Gray, l. c. p. 27 (1835); Burm. l. c. p. 588. n. 4 (1838). | |
| 5. P. (?) Ohrtmanni, Licht. (<i>Phasma O.</i>) Trans. Linn. Soc. Lond. vi. p. 17. n. 23, pl. 2. f. 1 (1802). | India (?). |
| <i>P. Ohrtmanni</i> , Westw. l. c. p. 167. n. 439 (1859). | |
| <i>P. Ohrtmanni</i> , Gray, l. c. p. 28 (1835). | |
| 6. P. Mexicanus, Sauss. Rev. Zool. (2) xi. p. 61 (1859); Miss. Mex., Orth. p. 200 (1872). | Mexico. |

7. P. Cepus , Westw. l. c. p. 169. n. 446, pl. 20. f. 1 (1859).	Bolivia.
**8. P. Berousus , Westw. l. c. p. 168. n. 442, pl. 20, f. 7 (1859).	Panama.
***9. P. Phacellus , Westw. l. c. p. 169. n. 443 (1859).	Ega.
10. P. Spiniceps , Burm. l. c. p. 588. n. 1 (1838); Westw. l. c. p. 167. n. 438 (1859). <i>P. Flabelliformis</i> , Serc. Ins. Orth. p. 283 (1839).	Brazil.
*11. P. Spinicollis , Burm. l. c. p. 588. n. 2 (1838). <i>P. Flabelliformis</i> , Westw. l. c. p. 166. n. 437 (1859).	id.
12. P. Horridus , Gray, (<i>Platytelus H.</i>) l. c. p. 28 (1835); Westw. Brit. Cycl. Nat. Hist. iii. p. 359, pl. Orth. f. 1 (1837); Cat. Phasm. p. 168. n. 440 (1859).	Colombia.

Genus 168. **Loxopsis.**

Westw. Cat. Phasm. p. 117 (1859).

1. L. Conocephala , Haan, (<i>Phasma Conocephalum</i>) Temminck, Verhandel., Orth. p. 124, pl. 12. f. 3 (1842). <i>L. Conocephala</i> , Westw. l. c. p. 117. n. 301 (1859).	Sumatra.
**2. L. (?) Hipponee , Westw. (<i>Necroscia H.</i>) l. c. p. 140. n. 364, pl. 29. f. 2 (1859).	Sarawak.

Genus 169. **Cacomorpha.**

Sharp, Willey, Zool. Results, p. 91 (1898).

1. C. Aberrans , Sharp, l. c. pl. 8. f. 12 (1898).	Lifu.
--	-------

Genus 170. **Leosthenes.**

Stål, Rec. Orth. iii. p. 60 (1875).

1. L. Aquatilis , Stål, l. c. p. 102 (1875).	N.Caledonia
---	-------------

Genus 171. **Nisyrus.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

- *1. **N. Spinulosus**, Stål, l. c. p. lxvii (1877). | Fiji.

Genus 172. **Cotylosoma.** (*Type* no. 2.)

Wood-Mason, Ann. Nat. Hist. (5) i. p. 102 (1878).

- | | |
|--|---------------------------|
| 1. C. Amphibium , Stål, (<i>Nisyrus Amphibius</i>)
C.R. Soc. Ent. Belg. xx. p. lxvii (1877). | Tonga. |
| *2. C. Dipneusticum , Wood-Mason, l. c.
p. 102 (1878); Waterh. Ann. Nat. Hist.
(6) xv. p. 498, fig. (1895). | Fiji (nec
Borneo). |
| ***3. C. Carlottæ , Macgill. (<i>Prisopus C.</i>) Zoo-
logist, xviii. p. 7141 (1860). | N. Hebrides,
Aneiteum. |

Genus 173. **Damasippus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 60 (1875).

- | | |
|---|-------------------|
| 1. D. Westwoodii , Stål, l. c. p. 101 (1875). | Panama. |
| *2. D. Zymbræus , Westw. (<i>Dinelytron Z.</i>)
Cat. Phasm. p. 163. n. 432, pl. 15. f. 3
(1859). | N. Granada. |
| 3. D. Batesianus , Westw. (<i>Dinelytron Batesianum</i>) l. c. p. 184. n. 471 (1859). | Upper
Amazons. |

Genus 174. **Acanthoclonia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875).

- | | |
|--|------------|
| 1. A. Tisiphone , Westw. (<i>Acanthoderus T.</i>)
Cat. Phasm. p. 54. n. 149, pl. 26. ff. 10,
11 (1859). | Colombia. |
| **2. A. Sævissimus , Westw. (<i>Ceroys S.</i>) l. c.
p. 60. n. 167, pl. 26. f. 3 (1859); Sharp,
Cambridge Nat. Hist., Ins. i. p. 264. n. 151
(1895). | Brazil. |
| **3. A. Histrinus , Westw. (<i>Ceroys H.</i>) l. c.
p. 60. n. 166, pl. 1. f. 5 (1859). | Venezuela. |
| 4. A. Arispa , Westw. (<i>Acanthoderus A.</i>)
l. c. p. 57. n. 157, pl. 26. f. 5 (1859). | Colombia. |
| **5. A. (?) Paradoxa , Kirb. Ann. Nat. Hist.
(7) xiii. p. 444 (1904). | Santarem. |

Genus 175. **Pygirhynchus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 260 (1839); Westw. Cat. Phasm. p. 58 (1859); Sauss. Miss. Mex., Orth. p. 169 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875); Rec. Orth. iii. pp. 53, 94 (1875).

- | | |
|--|-------------|
| 1. P. Subfoliatus, Serv. l. c. p. 261 (1839);
Westw. l. c. p. 58. n. 161 (1859). | Brazil. |
| 2. P. Coronatus, Serv. l. c. p. 261 (1839);
Westw. l. c. p. 58. n. 162 (1859). | id. (?). |
| 3. P. Thomæ, Sauss. Rev. Zool. (2) xx.
p. 64 (1868); Miss. Mex., Orth. p. 170
(1872). | St. Thomas. |

Genus 176. **Dinelytron.** (*Type* no. 1.)

Gray, Syn. Phasm. pp. 13, 27 (1835); Westw. Cat. Phasm. p. 163 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. p. 60 (1875).

- | | |
|--|-------------|
| 1. D. Grylloides, Gray, l. c. pp. 27, 43
(1835); Westw. l. c. p. 163. n. 429
(1859).
<i>Platycerania Grylloides, Burm.</i> Handb. Ent.
ii. p. 582. n. 2 (1838). | Brazil. |
| 2. D. Hippanax, Gray, l. c. p. 27 (1835);
Westw. l. c. p. 163. n. 430 (1859). | id. |
| 3. D. Shuckardi, Gray, l. c. p. 43 (1835);
Westw. l. c. p. 163. n. 431 (1859). | id. |
| **4. D. (?) Agrion, Westw. l. c. p. 164.
n. 433, pl. 21. f. 6 (1859). | Villa Nova. |
| **5. D. Merismus, Westw. l. c. p. 164. n. 434,
pl. 13. f. 5 (1859). | Venezuela. |

SUBFAM. XIV.

PSEUDOPHASMINÆ.

Genus 177. **Dajaca.**

Brunn. Ann. Mus. Genova, xxxiii. p. 99 (1893).

- | | |
|---------------------------|---------|
| *1. <i>Sp. non deser.</i> | Borneo. |
|---------------------------|---------|

Genus 178. **Donusa.**

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875);
Rec. Orth. iii. p. 54 (1875).

1. **D. Prolixa**, Stål, ll. cc. p. 18 (1875); Valparaiso.
p. 94 (1875).
? *Bactridium Coulonianum*, Sauss. (*anteā*,
p. 352).

Genus 179. **Orobia.** (*Type no. 1.*)

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14)
p. 18 (1875); Rec. Orth. iii. pp. 54, 95 (1875).

- *1. **O. Nigrolineata**, Stål, Bihang Svenska Akad. ii. (17) p. 17 (1875). Madagascar
*2. **O. Lucubensis**, Brancs. Jahresh. Ver. id.
Trenesin. Com. xv.-xvi. p. 180, pl. 4.
f. 2 (1893).
3. **O. Sohri**, Brancs. l. c. xix.-xx. p. 69,
pl. 2. f. 14 (1898). id.

Genus 180. **Stratocles.** (*Type no. 2.*)

Stål, Rec. Orth. iii. pp. 57, 96 (1875).

1. **S. Stabilinus**, Westw. (*Phasma S.*) Cat. Amazons.
Phasm. p. 124. n. 326, pl. 17. f. 5 (1859).
2. **S. Cinctipes**, Stål, l. c. p. 96 (1875). Panama.
3. **S. Bogotensis, Kirb. Trans. Linn. Soc. Bogota.
Lond., Zool. (2) vi. p. 474 (1896).
4. **S. Bennettii**, Gray, (*Phasma B.*) Syn. Colombia.
Phasm. p. 25 (1835); Westw. l. c. p. 124.
n. 325 (1859).
5. **S. Forcipatus**, Bol. Actas Soc. Espan. Peru.
xxv. p. 11 (1896).
6. **S. Multilineatus**, Rehn, Proc. Acad. Costa Rica.
Nat. Sci. Philad. 1904, p. 91.
7. **S. Costaricensis**, Rehn, l. c. p. 93 (1904). id.
*8. **S. Perspicillaris**, Stoll, (*Phasma P.*) Surinam,
Spectres, Phasmes, p. 67, pl. 23. f. 86 N. Granada.
(1813).
Phasma Perspicillare, Gray, Syn. Phasm.
p. 24 (1835); Westw. l. c. p. 117. n. 303
(1859).

9. **S. (?) Tessellatus, Oliv.** (*Mantis Tessellata*) Enc. Méth., Ins. vii. p. 637. n. 63 (1792). Surinam.
Phasma Variegatum, Licht. Cat. Mus. Zool. Hamburg, iii. p. 78. n. 20 (1796); Trans. Linn. Soc. Lond. vi. p. 15. n. 18 (1802); Gray, Syn. Phasm. p. 24 (1835); Serv. Ins. Orth. p. 271 (1839); Westw. l. c. p. 121. n. 314 (1859).
Phasma Variegata, Fabr. Suppl. Ent. Syst. p. 189. n. 16 (1798); Stoll, Spectres. Phasmes, p. 24, pl. 8. f. 26 (1813).

Genus 181. **Olcypoides.** (*Type* no. 1.)

Griff. Zool. Anz. xxii. p. 90 (1899).

Phocylides, Stål, Rec. Orth. iii. pp. 57, 96 (1875), *nec Pascoe.*

- | | |
|---|-------------|
| 1. O. Bicarinatus, Stål , (<i>Phocylides B.</i>) l. c. p. 96 (1875). | Colombia. |
| **2. O. Hoppii, Gray , (<i>Phasma H.</i>) Syn. Phasm. p. 25 (1835). | Brazil. |
| <i>Phasma Hopei</i> , Westw. Cat. Phasm. p. 117. n. 302 (1859). | |
| <i>Phasma Lineolatum</i> , Serr. Ins. Orth. p. 273 (1839); Westw. l. c. p. 120. n. 310 (1859). | |
| 2 a. O. Fasciatus, Gray , (<i>Phasma Fasciatum</i>) l. c. p. 24 (1835); Burn. Handb. Ent. ii. p. 585. n. 7 (1838); Westw. l. c. p. 120. n. 311 (1859). | id. |
| **3. O. Tithonus, Gray , (<i>Phasma T.</i>) l. c. p. 23 (1835); Westw. l. c. p. 119. n. 308 (1859). | id. |
| <i>Phocylides Tithonus</i> , Bol. Viaje al Pacifico, Ins. p. 27 (1884). | |
| <i>Phasma Ornatum</i> , Burn. Handb. Ent. ii. p. 585. n. 6 (1838); Charp. Orth. pl. 42 (1845). | |
| <i>Phasma Lineatum</i> , Fisch. Bull. Mosec. vii. p. 327 (1834). | |
| 4. O. Jurinii, Sauss. (<i>Metriotes J.</i>) Rev. Zool. (2) xx. p. 69 (1868); Miss. Mex., Orth. p. 197, pl. 4. f. 21 (1872). | S. America. |

- **5. **O. Venilia**, Westw. (*Phasma V.*) l. c. | Bogota.
p. 118. n. 305, pl. 33. f. 5 (1859).
- **6. **O. Gambrisius**, Westw. (*Phasma G.*) Venezuela.
l. c. p. 118. n. 304, pl. 14. f. 2 (1859).
7. **O. Cryptochloros**, Rehn, (*Pseudophasma Cryptochlore*) Proc. Acad. Nat. Sci. Philad. 1904. p. 98. Costa Rica.
- **8. **O. Cneius**, Westw. (*Phasma C.*) l. c. Villa Nova.
p. 124. n. 324, pl. 21. f. 2 (1859).
- **9. **O. Iridescent**, Kirb. Ann. Nat. Hist. (7) Trinidad.
xiii. p. 445 (1904).

Genus 182. **Ignacia**. (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 95 note.
|| *Pseudophasma*, Bol. Actas Soc. Espa n. xxv. p. 13 (Sept. 1896).

1. **I. Auriculata**, Bol. (*Pseudophasma Auriculatum*) l. c. p. 12 (1896). Amazons.
- **2. **I. Appendiculata**, Kirb. Ann. Nat. Hist. E. Peru.
(7) xiii. p. 446 (1904).

Genus 183. **Pseudophasma**. (*Type* no. 8.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 474 (July, 1896).
|| *Phasma*, Fabr. Suppl. Ent. Syst. p. 183 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 272 (1802); Gray, Syn. Phasm. p. 22 (1835); Burm. Handb. Ent. ii. p. 583 (1838); Serv. Ins. Orth. p. 266 (1839); Westw. Cat. Phasm. p. 117 (1859); Sauss. Miss. Mex., Orth. p. 193 (1872); St l, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 19 (1875); Rec. Orth. iii. p. 57 (1875).

- **1. **P. Cyllarus**, Westw. (*Necroscia C.*) Cat. Jamaica.
Phasm. p. 155. n. 407, pl. 13. f. 2, pl. 14.
f. 5 (1859).
2. **P. Unicolor**, Gray, (*Phasma U.*) Syn. Colombia.
Phasm. p. 25 (1835); Westw. l. c.
p. 125. n. 327 (1859).
3. **P. Menius**, Westw. (*Phasma M.*) l. c. id.
p. 118. n. 306, pl. 17. f. 2 (1859).
P. Menius, Rehn, Proc. Acad. Nat. Sci. Costa Rica.
Philad. 1904, p. 97.
4. **P. Phaeton**, Rehn, l. c. p. 95 (1904). Costa Rica.

5. **P. Perezii, Bol.** (*Phasma P.*) An. Soc. Espan. x. p. 479 (1881); Viaje al Pacifico, Ins. p. 28 (1884). Ecuador.
6. **P. Spinicolle, Burm.** (*Phasma S.*) Handb. Ent. ii. p. 585. n. 5 (1838); Westw. l. c. p. 123. n. 321 (1859). Haiti.
- *7. **P. Castaneum, Bates,** (*Phasma C.*) Trans. Linn. Soc. Lond. xxv. p. 348 (1865). Para.
- *8. **P. Phthisicum, Linn.** (*Gryllus (Mantis) Phthisicus*) Syst. Nat. (ed. x.) i. p. 425. n. 2 (1758); Mus. Ludov. Ulric. p. 110 (1764). S. America.
- Mantis Phthisica*, Linn. Syst. Nat. (ed. xii.) i. (2) p. 689. n. 2 (1767); De Geer, Mém. Ins. iii. pp. 403, 404. n. 1, pl. 36. f. 1 (1773); Oliv. Enc. Méth., Ins. vii. p. 626. n. 5 (1792).
- P. Phthisicum*, Rehn, l. c. p. 97 (1904).
- Gryllus Necydalooides*, Joh. Amœn. Acad. vi. p. 397. n. 32 (1763).
- Mantis Necydalooides*, Linn. Syst. Nat. (ed. xii.) i. (2) p. 691. n. 14 (1767); Fabr. Syst. Ent. p. 274. n. 2 (1775); Oliv. l. c. p. 625. n. 3 (1792).
- Phasma Necydalooides*, Fabr. Suppl. Ent. Syst. p. 188. n. 7 (1798); Serv. Ins. Orth. p. 270 (1839); Westw. Cat. Phasm. p. 120. n. 313 (1859).
- Phasma Bioculata*, Stoll, Spectres, Phasmes, p. 61, pl. 20. f. 76 (1813).
- Phasma Bioculatum*, Gray, Syn. Phasm. p. 24 (1835).
9. **P. Urazi, Bol.** (*Phasma U.*) Actas Soc. Espan. xxv. p. 13 (1896). Amazonas.
- *10. **P. Putidum, Bates,** (*Phasma P.*) l. c. p. 349, pl. 45. f. 2 (1865). Santarem, Peru.
- **11. **P. Cambridgei, Kirb.** Ann. Nat. Hist. (7) xiii. p. 448 (1904). Santarem.
- **12. **P. Inca, Kirb.** l. c. p. 447 (1904). Pern.
13. **P. Phlegyas, Westw.** (*Phasma P.*) l. c. p. 125. n. 328, pl. xvii. f. 1 (1859). Brazil, Mte. Video.
14. **P. Blanchardi, Westw.** (*Metriotes B.*) l. c. p. 159. n. 417 (1859). Bolivia, Chiquitos.
- ||*Phasma Reticulatum*, Blanch. D'Orbigny, Voy. Amér. Mér., Ins. p. 215, pl. 26. f. 5 (1843).

- **15. **P. Salpingus**, Westw. (*Phasma S.*) l. c. Bogota.
p. 119. n. 307, pl. 33. f. 3 (1859).
- **16. **P. Armatum**, Gray, (*Phasma A.*) l. c. Demerara.
p. 26 (1835); Westw. l. c. p. 123. n. 322
(1859).
17. **P. Rugicollis**, Gray, (*Platyerana Rugi-
collis*) l. c. p. 38 (1835). Brazil.
Metriotes Rugicollis, Westw. l. c. p. 162.
n. 428 (1859).
Phasma Lichenale, Burm. Handb. Ent.
ii. p. 584. n. 2 (1838).
18. **P. Xanthomela**, Oliv. (*Phasma X.*) l. c. Surinam.
p. 638. n. 67 (1792).
|| *Mantis Lateralis*, Licht. Cat. Mus. Zool.
Hamburg, iii. p. 78. n. 12 (1796).
|| *Phasma Laterale*, Licht. Trans. Linn. Soc.
Lond. vi. p. 15. n. 17 (1802); Gray, l. c.
p. 22 (1835); Westw. l. c. p. 122. n. 317
(1859).
|| *Phasma Lateralis*, Stoll, l. c. pp. 31, 32,
pl. 10. ff. 36, 37 (1813).
19. **P. Radiatum**, Scudd. (*Phasma R.*) Proc. E. Peru.
Boston Soc. N. H. xvii. p. 279 (1875).
20. **P. Helvolum**, Serv. (*Phasma H.*) Ins. Brazil.
Orth. p. 273 (1839); Westw. l. c.
p. 119. n. 309 (1859).
21. **P. Cubense**, Sauss. (*Phasma Cubensis*) Cuba.
Rev. Zool. (2) xx. p. 69 (1868).
Phasma Cubense, Sauss. Miss. Mex., Orth.
p. 195, pl. 4. f. 23 (1872).
22. **P. Kheili**, Bol. (*Phasma K.*) Actas Soc. Amazons.
Españ. xxv. p. 13 (1896).
23. **P. Prasinum**, Serv. (*Phasma P.*) l. c. Hab. — ?
p. 272 (1839); Westw. l. c. p. 121.
n. 315 (1859).

Genus 184. **Prexaspes.** (*Type no. 2.*)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).
|| *Metriotes*, Sauss. Miss. Mex., Orth. p. 197 (1872).

- **1. **P. Acuticornis**, Gray, (*Phasma Acuti-
corne*) Syn. Phasm. p. 26 (1835). S. America.
Metriotes Acuticornis, Westw. Cat. Phasm.
p. 162. n. 425 (1859).
|| *Metriotes Servillii*, Sauss. l. c. p. 198 (1872).

2. **P. Servillii, Gray,** (*Phasma S.*) l. c. Brazil.
p. 26 (1835) ; Serv. Ins. Orth. p. 267
(1839) ; Guér. Icon. R. Anim., Ins. texte,
p. 328 (1844).
Phasma Annulata, Serv. Ann. Sci. Nat.
xxii. p. 58 (1831) ; Guér. l. c. Ins.
pl. 53. f. 1 (1832) ; Gray, Griffith, Anim.
Kingd. xv. p. 792, pl. 110. f. 1 (1832).
Metriotes Servillii, Westw. l. c. p. 162.
n. 426 (1859).
(?) *P. Servillii*, Stål, l. c. p. 98 (1875).
3. **P. Venosus, Burm.** (*Phasma Venosum*) id.
Handb. Ent. ii. p. 585. n. 4 (1838).
Metriotes Venosa, Westw. l. c. p. 161.
n. 424 (1859).
4. **P. Dictys, Westw.** (*Metriotes D.*) l. c. id.
p. 160. n. 421, pl. 15. f. 7 (1859).
P. Dictys, Stål, l. c. p. 98 (1875).
- *5. **P. Ambiguus, Stoll**, (*Phasma Ambigua*) id.,
Surinam,
Cayenne.
Phasma Ambiguum, Gray, l. c. p. 26
(1835) ; Serv. Ins. Orth. p. 269 (1839) :
Westw. l. c. p. 123. n. 320, pl. 13. f. 3
(1859).
P. Ambiguus, Stål, l. c. p. 98 (1875).
- **6. **P. Pholcus, Westw.** (*Phasma P.*) l. c. Santarem.
pp. 122, 181. n. 318, pl. 10. f. 2 (1859).
- **7. **P. Lateralis, Fabr.** (*Mantis L.*) Syst. Brazil.
Ent. p. 275. n. 5 (1775) ; Ent. Syst. ii.
p. 15. n. 12 (1793) ; Oliv. Enc. Méth.,
Ins. vii. p. 634. n. 43 (1792).
Phasma Lateralis, Fabr. Suppl. Ent. Syst.
p. 188. n. 12 (1798).
- **8. **P. Maculatus, Gray**, (*Phasma Maculatum*) Amazons.
l. c. p. 26 (1835) ; Serv. l. c. p. 269
(1839) ; Westw. l. c. p. 122. n. 319
(1859).
9. **P. Neptunus, Kaup**, (*Dinelytron N.*) Brazil.
Berl. Ent. Zeitsehr. xv. p. 41 (1871).
10. **P. Umbretta, Licht.** (*Phasma U.*) Cat. Surinam.
Mus. Zool. Hamburg, iii. p. 78. n. 10
(1796) ; Trans. Linn. Soc. Lond. vi. p. 14.
n. 15 (1802).
Necroscia Umbretta, Westw. l. c. p. 147.
n. 382 (1859).

- || *Phasma Linearis*, Stoll, l. c. p. 24, pl. 8.
f. 27 (1813).
11. **P. Quadratus, Bates.** (*Phasma Quad-*) Santarem.
ratum) Trans. Linn. Soc. Lond. xxv.
p. 350 (1865).
12. **P. Janus, Kirb.** (n. n.) Cayenne.
|| *Phasma Acanthopterum*, Serv. Ins. Orth.
p. 268 (1839) (*nec Stoll*).

Genus 185. **Isagoras.** (*Type* no. 1.)

Stål. Rec. Orth. iii. pp. 59, 98 (1875).

- **1. **I. Bubastes, Westw.** (*Metriotes B.*) Cat. Tapajos.
Phasm. p. 159. n. 419, pl. 14. f. 1
(1859).
- (?) || *I. Obscurus*, Stål. l. c. p. 98 (1875) (*nec Guér.*).
- **2. **I. Santara, Westw.** (*Metriotes S.*) l. c. Santarem.
p. 159. n. 418, pl. 14. f. 4 (1859).
3. **I. Quitensis, Sauss.** (*Phasma Q.*) Rev. Quito.
Zool. (2) xx. p. 69 (1868).
Phasma Quitense. Sauss. Miss. Mex., Orth.
p. 194 (1872).

Genus 186. **Metriotes.** (*Type* no. 3.)

Westw. Cat. Phasm. p. 158 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. pp. 60, 100 (1875).

- | | |
|--|--|
| <p>1. M. Stollii, Gray. (<i>Platycrana S.</i>) Syn.
Phasm. p. 38 (1835); Burm. Handb.
Ent. ii. p. 582. n. 1 (1838).
<i>M. Stollii</i>, Westw. l. c. p. 159. n. 416
(1859).</p> <p> <i>Phasma Reticulata</i>, Stoll, Spectres, Phasmes, p. 67, pl. 23. f. 85 (1813) (<i>nec Beauv.</i>).</p> <p>*2. M. Obscurus, Guér. (<i>Phasma Obscurum</i>) Mag. Zool., Ins. 1838, p. 72, pl. 235; Voy. Favorite, v. Ins. p. 152, pl. 43 (1839).
<i>M. Obscura</i>, Westw. l. c. p. 160. n. 420
(1859).</p> | <p>S. America.</p> <p>Brazil
(Bahia, &c.).</p> |
|--|--|

*3. M. Diocles , Westw. l. c. p. 161. n. 423, pl. 15. f. 1 (1859); Stål, l. c. p. 100 (1875).	Colombia, Ecuador, Chiriquí. S. Amer.(?).
4. M. Agathocles , Stål , l. c. (1875).	
*5. M. Myrsilus , Westw. l. c. p. 160. n. 422, pl. 15. f. 6 (1859).	Colombia, Ecuador.
6. M. Festæ, Giglio-Tos , Boll. Mus. Torino, xiii. (31) p. 34 (1898).	Ecuador.
7. M. Baculus , Geer , (<i>Mantis B.</i>) Mém. Ins. iii. p. 405. n. 2, pl. 36. ff. 2, 3 (1773). <i>M. Baculus</i> , <i>Stål</i> , l. c. p. 101 (1875).	Surinam.
8. M. Cinerea , Oliv. (<i>Mantis Cirenea</i>) Enc. Méth., Ins. vii. p. 641. n. 15 (1792). <i>Phasma Cinereum</i> , <i>Licht.</i> Trans. Linn. Soc. Lond. vi. p. 16. n. 20 (1802); Gray, l. c. p. 25 (1835); Burm. Handb. Ent. ii. p. 584. n. 3 (1839); Westw. l. c. p. 121. n. 316 (1859). <i>Phasma Cinerea</i> , <i>Stoll</i> , l. c. p. 45, pl. 14. f. 56 (1813).	id., Bahia.
**9. M. Ega , Westw. (<i>Phasma E.</i>) l. c. p. 120. n. 312, pl. 32. f. 2 (1859).	Ega.

Genus 187. **Xerosoma** (*inc. sed.*).

Serv. Ann. Sci. Nat. xxii. p. 61 (1831); Ins. Orth. p. 274 (1839); Gray, Syn. Phasm. p. 26 (1835); Westw. Cat. Phasm. p. 103 (1859); Stål, Rec. Orth. iii. pp. 59, 99 (1875).

1. X. Canaliculatum , Serv. ll. ee. p. 61 (1831); p. 275, pl. 6. f. 3 (1839); Gray, l. c. p. 27 (1835); Westw. l. c. p. 104. n. 265 (1859).	Brazil.
2. X. (?) Senticosa , Stål , l. c. p. 99 (1875).	id. (Bahia).
3. X. (?) Glyptomerion , Rehn , Proc. Acad. Nat. Sci. Philad. 1904, p. 101.	Costa Rica.

Genus 188. **Creoxylus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 265 (1839); Westw. Cat. Phasm. p. 104 (1859); Sauss. Miss. Mex., Orth. p. 195 (1872).
Xerosoma, sect. a, *Stål*, Rec. Orth. iii. pp. 59, 99 (1875).

- | | |
|---|-----------|
| 1. C. Corniger , Serv. l. c. p. 265 (1839);
Westw. l. c. p. 104. n. 266 (1859). | Hab. — ? |
| *2. C. Spinosus , Fabr. (<i>Mantis Spinoso</i>)
Syst. Ent. p. 274. n. 3 (1775); Oliv. Enc.
Méth., Ins. vii. p. 633. n. 40 (1792).
<i>Phasma Spinoso</i> , Fabr. Suppl. Ent. Syst.
p. 188. n. 9 (1798). | Demerara. |
| <i>Phasma Spinosum</i> , Gray, Syn. Phasm.
p. 22 (1835).
<i>Xerosoma Spinoso</i> , <i>Stål</i> , l. c. p. 99 (1875). | |
| <i>C. Spinosus</i> , Westw. l. c. p. 104. n. 267 (1859).
<i>Phasma Corniceps</i> , Gray, l. c. p. 25 (1835). | |
| 3. C. (?) Poeyi , Sauss. Rev. Zool. (2) xx.
p. 68 (1868); Miss. Mex., Orth. p. 196
(1872). | Cuba. |

Genus 189. **Planudes.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).

- | | |
|---|-------------|
| 1. P. Brevipennis , Burm. (<i>Phasma Brevi-</i>
<i>pennae</i>) Handb. Ent. ii. p. 584. n. 1
(1838).
<i>Metriotes Brevipennis</i> , Westw. Cat. Phasm.
p. 162. n. 427 (1859). | Brazil. |
| **2. P. Paxillus , Westw. (<i>Phasma P.</i>) l. c.
p. 127. n. 332, pl. 11. f. 5 (1859). | id. |
| 3. P. Crenulipes , Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 100. | Costa Rica. |
| 4. P. Perillus , Stål, l. c. p. 98 (1875). | Hab. — ? |
| 5. P. Molorcha , Westw. (<i>Bacteria M.</i>) l. c.
p. 29. n. 81, pl. 24. f. 4 (1859). | N. Granada. |
| **6. P. (?) Flavomaculatus , Gray, (<i>Phasma</i>
<i>Flavomaculatum</i>) Syn. Phasm. p. 25
(1835); Westw. l. c. p. 123. n. 323
(1859). | Brazil. |

SUBFAM. XV.

ASCHIPASMINÆ.

Genus 190. *Aschipasma*.

Westw. Cat. Phasm. p. 92 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 19 (1875); Rec. Orth. iii. p. 55 (1875).

Aschipasma, Westw. Zool. Journ. v. p. 442 (1834).

Ascephasma (A), Haan, Temminck, Verhandel., Orth. pp. 113, 114 (1842).

Perlamarpha, Gray, Syn. Phasm. p. 13 (1835); Serv. Ins. Orth. p. 275 (1839); Blanch. Hist. Nat. Ins. iii. p. 19 (1840); Brunn. Ann. Mus. Genova, xxxiii. p. 100 (1893).

Perlamarphus, Gray, l. c. p. 21 (1835); Burm. Handb. Ent. ii. p. 583 & note (1838).

*1. A. Annulipes , Westw. (<i>Aschipasma A.</i>)	Java,
Zool. Journ. v. p. 442 (1834).	Sumatra,
<i>A. Annulipes</i> , Westw. Cat. Phasm. p. 92.	Borneo,
n. 234, pl. 15. f. 2 (1859).	N. India,
<i>Phasma</i> (<i>Ascephasma</i>) <i>Annulipes</i> , Haan,	Malacca
l. c. p. 114 (1842).	(eadem?).
<i>Perlamarphus Hieroglyphicus</i> , Gray, l. c.	
p. 21 (1835); Burm. l. c. p. 583 note	
(1838); Blanch. l. c. p. 19 (1840).	
<i>Perlamarpha Hieroglyphica</i> , Serv. l. c.	
p. 276 (1839).	

Genus 191. *Presbistus*. (*Type* no. 2.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).

|| *Aschipasma*, Brunn. Ann. Mus. Genova, xxxiii. p. 100 (1893).

Ascephasma (C), Haan, Temminck, Verhandel., Orth. pp. 113, 114 (1842).

**1. P. Crudelis , Westw. (<i>Aschipasma Crudelis</i>)	Ceylon.
Cat. Phasm. p. 96. n. 246, pl. 9. f. 7 (1859).	

**2. P. Peleus, Gray, (<i>Perlamarphus P.</i>) Syn.	Malabar,
Phasm. p. 22 (1835); Burm. Handb. Ent. ii. p. 583 note (1838).	Malacca.
<i>Aschipasma Peleus</i> , Westw. l. c. p. 96. n. 245, pl. 15. f. 4 (1859).	
*3. P. Ridleyi, Kirb. (n. n.).	Malacca,
<i>Phasma (Ascephasma) Peleus</i> , Haan, Temminck, Verhandel., Orth. p. 115 (1842).	Java, Sumatra.
4. P. Eryx, Westw. (<i>Aschipasma E.</i>) l. c. p. 96. n. 248, pl. 19. f. 3 (1859).	Malacca.
*5. P. Nebulosus, Westw. (<i>Aschipasma Nebulosum</i>) l. c. p. 93. n. 235, pl. 9. f. 4 (1859).	Ceylon.
6. P. Flavicornis, Haan , (<i>Phasma (Asce- phasma) Flavicorne</i>) l. c. p. 114 (1842). <i>Aschipasma Flavicorne</i> , Westw. l. c. p. 95. n. 241 (1859).	Borneo.
7. P. Affinis, Haan , (<i>Phasma (Ascephasma) Affine</i>) l. c. p. 115 (1842). <i>Aschipasma Affine</i> , Westw. l. c. p. 95. n. 240 (1859).	Java.
8. P. Viridimarginatus, Haan , (<i>Phasma (Ascephasma) Viridimarginatum</i>) l. c. p. 115 (1842). <i>Aschipasma Viridimarginatum</i> , Westw. l. c. p. 95. n. 242 (1859).	id.
9. P. Pilosipes, Haan , (<i>Phasma (Asce- phasma) P.</i>) l. c. p. 115 (1842). <i>Aschipasma Pilosipes</i> , Westw. l. c. p. 95. n. 243 (1859).	Borneo.
10. P. Iridescent, Haan , (<i>Phasma (Asce- phasma) I.</i>) l. c. p. 116 (1842). <i>Aschipasma Iridescent</i> , Westw. l. c. p. 95. n. 244 (1859).	Sumatra.
*11. P. Infumatus, Charp. (<i>Ascephasma Infu- matum</i>) Orth. pl. 41 (1845). <i>Aschipasma Infumatum</i> , Westw. l. c. p. 98. n. 251 (1859).	Java, Borneo.
**12. P. Daunus, Westw. (<i>Aschipasma D.</i>) l. c. p. 98. n. 250, pl. 18. f. 2, pl. 20. f. 2 (1859).	Java.
13. P. Dulichia, Westw. (<i>Aschipasma D.</i>) l. c. p. 97. n. 247, pl. 33. f. 2 (1859).	Sarawak.

Genus 192. **Orthomeria**, Kirb. (n. n.). (*Type* no. 5.)

Ascephasma (B), Haan, Temminck, Verhandel., Orth.
pp. 113, 114 (1842).

**1. O. Catadromus , Westw. (<i>Aschipasma C.</i>)	Sumatra.
Cat. Phasm. p. 94. n. 238, pl. 18. f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 263, f. 150 (1895).	
**2. O. Darnis , Westw. (<i>Aschipasma D.</i>) l. c. p. 97. n. 249, pl. 20. f. 3 (1859).	Java.
**3. O. Servilleana , Westw. (<i>Aschipasma Servilleanum</i>) l. c. p. 98. n. 252 (1859). <i>Perlamarpha Peleus</i> , Serv. Ins. Orth. p. 277, pl. 8. f. 1 (1839) (<i>nec Gray</i>).	id.
**4. O. Pandora , Westw. (<i>Aschipasma P.</i>) l. c. p. 93. n. 237, pl. 9. f. 2 (1859).	Philippines, Ceram.
*5. O. Forstenii , Haan, (<i>Phasma (Asce- phasma) F.</i>) l. c. p. 114 (1842). <i>Aschipasma Forstenii</i> , Westw. l. c. p. 93. n. 236 (1859).	Celebes.
**6. O. Alexis , Westw. (<i>Aschipasma A.</i>) l. c. p. 94. n. 239, pl. 28. f. 3 (1859).	Borneo.

SUBFAM. XVI.

PHYLLIINÆ.

Genus 193. **Chitoniscus**. (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 62, 104 (1875).

*1. C. Lobiventris , Blanch. (<i>Phyllum Lobi- rente</i>) Voy. Pôle Sud, Zool. iv. p. 359, Orth. pl. 1. f. 9 (1853); Westw. Cat. Phasm. p. 174. n. 454, pl. 39. f. 5 (1859).	Fiji.
*2. C. Feejeeanus , Westw. (<i>Phyllum Fee- jeeanum</i>) Proc. Ent. Soc. Lond. (3) ii. p. 17 (1864).	id.

- | | |
|--|-----------------|
| 3. C. (?) Novæ-Britanniæ, Wood-Mason,
<i>(Phyllum N.)</i> Ann. Nat. Hist. (4) xx.
p. 75 (1877). | New
Britain. |
| 4. C. (?) Brachysoma, Sharp, (<i>Phyllum B.</i>)
Willey, Zool. Results, p. 92, pl. 8. f. 13
(1898). | Lifu. |

Genus 194. **Pulchriphyllum.** (*Type* no. 7.)

Griff. Boll. Mus. Torino, xiii. (312) p. 2 (1898);
Misc. Ent. vi. p. 3 (1898).

- | | |
|---|--------------------------------|
| 1. P. Bioculatum, Gray, (<i>Phyllum B.</i>)
Griffith, Anim. Kingd. xv. p. 191, pl. 163.
f. 3 (1832); Syn. Phasm. p. 30 (1835);
Burm. Handb. Ent. ii. p. 590. n. 3
(1838); Westw. Cat. Phasm. p. 175.
n. 455 (1859). | Mauritius. |
| **2. P. Gelonus, Gray, (<i>Phyllum G.</i>) Zoo-
logist, i. p. 121, f. d (1843); Westw. l. c.
p. 175. n. 456 (1859).
<i>Phyllum Crurifolium</i> , ♂, Serv. Ins. Orth.
p. 291 (1839). | Seychelles. |
| *3. P. Dardanus, Westw. (<i>Phyllum D.</i>)
l. c. p. 176. n. 461, pl. 40. f. 5 (1859). | id. |
| **4. P. Agathyrus, Gray, (<i>Phyllum A.</i>)
l. c. pp. 121, 122, f. h (1843); Westw.
l. c. p. 176. n. 458 (1859). | Ceylon. |
| *5. P. Crurifolium, Serv. (<i>Phyllum C.</i> , ♀)
l. c. p. 291 (1839); Gray, l. c. p. 120
(1843); Westw. l. c. p. 176. n. 460
(1859).
<i>Phasma (Phyllum) Crurifolium</i> , Haan,
Temminck, Verhandel., Orth. p. 112
(1842).
 <i>Phyllum Bioculatum</i> , Gray, l. c. pp. 121.
122, f. f (1843); Bol. Ann. Soc. Ent.
France, 1895, p. 395. | id.,
Borneo.
Seychelles. |
| *6. P. Pulchrifolium, Serv. (<i>Phyllum P.</i>)
l. c. p. 292 (1839); Gray, l. c. pp. 121,
122, f. g (1843); Westw. l. c. p. 177.
n. 462 (1859); Rehn, Proc. Acad. Nat.
Sci. Philad. 1904, p. 106.
<i>Phasma (Phyllum) Pulchrifolium</i> , Haan,
l. c. p. 112, pl. 15. f. 6 (1842). | Java,
Borneo. |

- Zoolog. 23.
- *7. **P. Scythe, Gray,** (*Phyllum S.*) l. c. N. India.
 pp. 121, 122, f. i (1843); Murray, Edinb.
 New Philos. Journ. (2) iii. p. 96, pls. 6, 7
 (1856); Westw. l. c. p. 177. n. 463
 (1859); Sharp, Cambridge Nat. Hist. i.
 pp. 267-272, figs. 154, 155, 157, 158
 (1895); Rehn, l. c. p. 106 (1904).

Genus 195. **Phyllum.** (*Type* no. 1.)

Illiger, Käf. Preuss. p. 499 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 271 (1802); St.-Farg. & Serv. Enc. Méth., Ins. x. p. 115 (1825); Serv. Ann. Sci. Nat. xxii. p. 63 (1831); Ins. Orth. p. 287 (1839); Gray, Syn. Phasm. pp. 13, 29 (1835); Zoologist, i. p. 117 (1843); Burm. Handb. Ent. ii. p. 589 (1838); Blanch. Hist. Nat. Ins. iii. p. 18 (1840); Haan, Temminck, Verhandel., Orth. p. 111 (1842); Westw. Cat. Phasm. p. 171 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 12, 15 (1875), iii. (14) p. 21 (1875); Rec. Orth. iii. pp. 62, 104 (1875).

|| *Pteropus, Thunb.* Mém. Acad. Pétersb. v. p. 219 (1815).

- *1. **P. Siccifolium, Linn.** (*Gryllus (Mantis)* *Siccifolius*) Syst. Nat. (ed. x.) i. p. 425. Amboina.
 n. 3 (1758); Mus. Lud. Ulr. p. 111 (1764).
 (Rösel, Ins. Belust. ii. Locusta Indica, pl. 17.)
Mantis Siccifolia, Fabr. Syst. Ent. p. 276 n. 11 (1775); Oliv. Enc. Méth., Ins. vii. p. 626. n. 6 (1792); Don. Ins. Ind. pl. 11 (1800).
Phasma Siccifolia, Stoll, Spectres, Phasmes, pp. 21-23, pl. 7. ff. 24-26 (1813).
P. Siccifolium, St.-Farg. & Serv. l. c. p. 115 (1825); Serv. Ins. Orth. p. 289 (1839); Gray, ll. cc. p. 30 (1835); pp. 118, 121, f. b (1843); Burm. l. c. p. 590. n. 1 (1838); Blanch. l. c. p. 18, pl. 5 (1840); Westw. Cat. Phasm. p. 172. n. 449 (1859).
Pteropus Siccifolius, Thunb. l. c. p. 286 (1815).
P. Brevicorne, Latr. l. c. p. 272 (1802).
Phasma Citrifolium, Licht. Cat. Mus. Zool.

Hamburg, iii. p. 78. nn. 21-23 (1796);
Trans. Linn. Soc. Lond. vi. p. 17. n. 25
(1802).

Mantis Foliatus, Perry, Arcana, pl. 24
(1811).

P. Gorgon, Gray, ll. ee. p. 31 (1835);
p. 119 (1843).

*2. **P. Westwoodii**, Wood-Mason, Journ. Asiatic Soc. Bengal, xliv. p. 218, pl. 17 (1875); xlvi. p. 351, pl. 3. f. 3 (1877).

3. **P. Geryon, Gray, Zoologist, i. pp. 118, 121, f. a (1843); Westw. l. c. p. 174. n. 453 (1859); Griff. Boll. Mus. Torino, xiii. (312) pp. 2, 3, figs. A, B (1898).

Phasma (Phyllium) Siccfolium (nymph), Haan, l. c. p. 111, pl. 15. f. 7 (1842).

*4. **P. Chlorophyllum**, Stoll, (*Phasma Chlorophylla*) l. c. p. 69, pl. 23. f. 89 (1813).

P. Chlorophyllum, Burm. l. c. p. 590. n. 2 (1838); Westw. l. c. p. 173. n. 450 (1859).

P. Chlorophyllum, Gray, Syn. Phasm. p. 31 (1835); Zoologist, i. p. 119 (1843).

P. Stollii, St.-Farg. & Serv. l. c. p. 115 (1825).

*5. **P. Celebicum**, Haan, l. c. p. 111 (1842); Gray, Zoologist, i. p. 121 (1843); Westw. l. c. p. 173, pl. 40. f. 6 (1859); Wood-Mason, l. c. xliv. p. 218, pl. 16 (1875).

6. **P. Athanysus, Westw. l. c. p. 174. n. 452, pl. 31. f. 3 (1859).

7. **P. Bilobatum, Gray, l. c. p. 120 fig., p. 121, f. c (1843); Westw. l. c. p. 175. n. 457 (1859).

8. **P. Donovanii**, Gray, Syn. Phasm. p. 31 (1835); Zoologist, i. p. 120 (1843); Westw. l. c. p. 176. n. 459 (1859).

Mantis sp., Don. l. c. pl. 11. fig. sup. (1800).

S. Andaman,
Moulmein.
Philippines.

Hab. —?

Celebes,
Philippines,
Burmah.

Ceylon.

Philippines.

Hab. —?

INDEX.

The names of Families and Subfamilies are printed in Capitals, and those of Genera are either printed in Capitals or enclosed in parentheses. Those of species are printed in Roman, and those of varieties and synonyms in Italics. In case of an accidental duplication of entry of a species, the page indicating the reference to be erased is enclosed in square brackets.

- Abbreviata (*Allacta*), 100.
Abbreviata (*Blatta*), 104.
Abbreviata (*Mantis*), 231.
Abbreviata (*Temnelytra*), 137.
Abbreviata (*Temnopteryx*), 104.
Abbreviata (*Zonioploca*), 137.
Abdominalis (*Hedaia*), 123.
Abdominalis (*Mantis*), 301.
Abdominalis (*Stagmatoptera*), 301.
Abdul (*Bacillus*), 337.
Abdul (*Clonaria*), 337.
Aberrans (*Cacomorpha*), 406.
Aberrans (*Tribonidium*), 158.
Abeeta (*Ameles*), 229.
Abeeta (*Mantis*), 229.
Abnormis (*Cylindrogaster*), 5.
Abnormis (*Pygidiocrana*), 5, 6.
ABRACHIA, 352.
ABRODLETA, 99.
Abscissa (*Hostilia*), 192.
Abscissa (*Zetobora*), 192.
Abyssinica (*Derocalymma*), 188.
Abyssinica (*Homalodemas*), 188.
Abyssinica (*Temnopteryx*), 103.
Abyssinica (*Temnopteryx*), 103.
Acanthocephala (*Agondasoidae*), 373.
Acanthocephala (*Necroscia*), 373.
Acanthocephalum (*Necroscia*), 373.
Acanthocephalum (*Phasma*), 373.
ACANTHOCLONIA, 407.
ACANTHODERUS, 339.
ACANTHODERUS, 340.
ACANTHODYTA, 383.
ACANTHOMANTIS, 296.
Acanthomera (*Cyphocrania*), 387.
Acanthomera (*Monandroptera*), 387.
ACANTHOMIMA, 383.
Acanthophora (*Phasma*), 373.
Acanthophora (*Trigonomphasma*), 373.
ACANTHOPS, 282.
Acanthoptera (*Necroscia*), 373.
Acanthopterum (*Phasma*), 373, 415.
Acanthopus (*Bacteria*), 359.
Acanthopus (*Cladoxerus*), 359.
Acanthopus (*Phasma*), 359.
Acanthopus (*Phasma*), 359.
Acanthopus (*Phibalo-soma*), 359.
Acanthopygia (*Chelidurilla*), 43.
Acanthopygia (*Forficula*), 43.
Achalus (*Aplopus*), 363.
Achalus (*Haplopus*), 363.
Acheron (*Acrophylla*), 389.
Acheron (*Ctenomorpha*), 389.
Acheron (*Diura*), 389.
Acheron (*Phasma*), 389.
ACHLENA, 216.
ACHROOPTERA, 394.
ACHROBLATTA, 155.
Acolhua (*Blatta*), 95.
Acolhua (*Panchlora*), 153.
Acolhua (*Phyllodromia*), 95.
Acolhua var. *Minor* (*Panchlora*), 153.
ACONTISTA, 232.
ACONTISTES, 232.
Aeornuta (*Pachymorpha*), 342.
ACROMANTIS, 280.
ACROPHYLLA, 388.
ACROPHYLLINE, 379.
Aculeata (*Forficula*), 47.
Aculeata (*Labia*), 27.
Aculeata (*Sphingolabis*), 47.
Aculeiferum (*Bactrododema*), 366.

- Acuticorne (Phasma)*, 413.
Acuticornis (Metriotes), 413.
Acuticornis (Prexaspes), 413.
Acutipennis (Derocardia), 119.
Acutipennis (Hedaiia), 119.
Acutipennis (Hierodula), 301.
Acutipennis (Necroscia), 375.
Acutipennis (Oxyops), 298.
Acutipennis (Stagmatoptera), 301.
Aenetus (Camax), 336.
Adelpha (Labidura), 12.
Adelphus (Demogorgon), 12.
Adimonalis (Lupparia), 65.
Adjuncta (Epilampra), 126.
Adjuncta (Nauphæta), 180.
Adspersa (Aphlebia), 69.
Adspersa (Hololampra), 69.
Adspersa (Mantis), 239.
Adspersicollis (Blatta), 94.
Adspersicollis (Phyllo-dromia), 94.
Adspersipennis (Melastora), 167.
Adumbratum (Phibalosoma), 357.
Adumbratus (Xylocodon), 357.
Adusta (Acanthops), 283.
Adusta (Aphlebia), 69.
Adusta (Epilampra), 115.
Adusta (Hololampra), 69.
Adusta (Homalopteryx), 115.
Adusta (Panchlora), 150.
Adusta (Phyllodromia), 69.
Adusta (Rhyparobia), 150.
Advena (Anisolabis), 20.
Advena (Hormetica), 197.
Advena (Labidura), 20.
Advena (Phyllodromia), 91.
Ægrotæ (Phyllodromia), 90.
Ægyptiaca (Bacteriæ), 333.
Ægyptiaca (Blatta), 107, 171.
Ægyptiaca (Heteroga-nia), 171.
Ægyptiaca (Phthoæ), 333.
Ægyptiaca (Polyphaga), 171.
Ægyptiaca (Polypiphaga), 172.
Ægyptiaca (Polyzosteria), 114.
Ægyptiacus (Bacillus), 333.
Ægyptiacus (Heteronu-tarsus), 212.
Ægyptiacus (Heteronycho-tarsus), 212.
ÆLUROPODA, 199.
Ænea (Corydia), 167.
Ænea (Derocalymma), 190.
Ænea (Ellipsica), 183.
Ænea (Perispæria), 190.
Ænea (Polyzosteria), 128.
Æqua (Pellita), 189.
Æqua (Perispæria), 189.
Æqualis (Blabera), 165.
Æqualis (Blatta), 103.
Æqualis (Datames), 400.
Æqualis (Libisoca), 165.
Æqualis (Loboptera), 103.
Æqualis (Perispæria), 191.
Æqualis (Polypiphaga), 174.
Æquatorialis (Paratropa), 110.
Æquatorialis (Para-tropes), 109.
Æquatoriana (Blabera), 164.
Æruginosa (Mantis), 240.
Æruginosa (Polyspilota), 240.
Æruginosa var. Fuscoir-orata (Polyspilota), 240.
Æruginosa var. Prasina (Polyspilota), 240.
Æruginosa var. Viridis (Polyspilota), 240.
Æsalus (Necroscia), 369.
Æsalus (Sosibia), 369.
Æstuans (Bactriæ), 338.
Æstuans (Baetrododema), 366.
Æstuans (Bacunulus), 338.
Æstuans (Clonaria), 338.
Æstuans (Cyphocrania), 366.
Æstuans (Gyna), 149.
Æstuans (Palophus), 366.
Æstuans (Panchlora), 149.
Æstuans (Tarachodes), 215.
ÆTHALOCHROA, 308.
Æthiopica (Blatta), 139.
Æthiopica (Periplaneta), 139.
Æthiopica (Thegano-pteryx), 64.
Æthiopis (Blatta), 202.
Æthiopis (Panesthia), 202.
Æthiops (Panesthia), 202.
Ætolica (Forficula), 52.
Ætolus (Bacteriæ), 354.
Ætolus (Phanocles), 354.
Ætolus (Phibalosoma), 354.
Affine (Ascephasma), 419.
Affine (Aschiphasma), 419.
Affine (Phasma), 419.
Affinis (Æthalochroa), 308.
Affinis (Aruanoidea), 379.
Affinis (Blatta), 93.
Affinis (Derocalymma), 192.
Affinis (Forficula), 11.
Affinis (Forficula), 11.
Affinis (Methana), 136.
Affinis (Necroscia), 379.
Affinis (Panesthia), 202.
Affinis (Paraclonaria), 336.
Affinis (Periplaneta), 136.
Affinis (Perispæria), 192.
Affinis (Phyllodromia), 93.
Affinis (Platycrania), 379.
Affinis (Pœcilioblatta), 192.
Affinis (Presbistus), 419.
Affinis (Pseudomops), 76.
Affinis (Thrysocera), 76.
Afra (Forficula), 8.
Africana (Acantho-mantis), 296.
Africana (Anaplecta), 66.
Africana (Blatta), 172.
Africana (Bormansia), 13.

- Africana* (*Ertobia*), 63.
Africana (*Forficula*), 49.
Africana (*Gyna*), 150.
Africana (*Heterogamia*), 172.
Africana (*Oxyhaloa*), 175.
Africana (*Panchlora*), 150.
Africana (*Polyphaga*), 172.
Africana (*Sphingolabis*), 49.
Africanus (*Japyx*), 56.
Africanus (*Japyx*), 56.
Afrum (*Echimosoma*), 8.
Afzelii (*Chiropachae*), 215.
Afzelii (*Tarachodes*), 215.
Agaboides (*Methana*), 135.
Agaboides (*Periplaneta*), 135.
AGATHEMERA, 402.
Agathina (*Epilampra*), 126.
Agathocles (*Metriotes*), 416.
Agathyrus (*Phyllium*), 421.
Agathyrus (*Pulchriflyllum*), 421.
Agilis (*Condylopalama*), 58.
Agondas (*Agondasoidea*), 373.
Agondas (*Necroscia*), 373.
AGONDASOIDEA, 373.
Agrion (*Dinelytron*), 408.
Agrionina (*Arannoidea*), 378.
Agrionina (*Mantis*), 263.
Agrionina (*Necroscia*), 378.
Agrionina (*Photina*), 263.
Agrionina (*Solygia*), 263.
Ahriman (*Anechura*), 41.
Alaris (*Anaplecta*), 67.
Alaris (*Bolleya*), 171.
Alaris (*Blatta*), 94.
Alaris (*Fulcinea*), 257.
Alaris (*Nanomantis*), 257.
Alaris (*Pelmatosilpha*), 142.
Alaris (*Periplaneta*), 142.
Alaris (*Phyllodromia*), 94.
Alata (*Amelis*), 225.
Alata (*Armene*), 225.
Alata (*Mesopteryx*), 237.
Alauna (*Bucillus*), 330.
Alauna (*Paraclitunmus*), 330.
Albella (*Mantis*), 255.
Albilla (*Miopteryx*), 255.
Albella (*Nanomantis*), 255.
Albertisii (*Forficula*), 47.
Albertisii (*Sphingolabis*), 47.
Albicincta (*Blatta*), 62.
Albicincta (*Ectobia*), 62.
Albicollis (*Phoraspis*), 112.
Albida (*Blatta*), 94.
Albida (*Phyllodromia*), 94.
Albilatera (*Deropeltis*), 146.
Albilatera (*Periplaneta*), 146.
Albinacula (*Mantis*), 254.
Albinacula (*Staguo-*
mantis), 254.
Albina (*Hedaya*), 123.
Albinervis (*Pseudophyl-*
dromia), 98.
Albibennis (*Apterygida*), 44.
Albibennis (*Chelidura*), 44.
Albibennis (*Forficula*), 44.
Albipes (*Apterygida*), 48.
Albipes (*Forficula*), 48.
Albipes (*Sphingolabis*), 48.
Albofimbriata (*Mantis*), 235.
Albolimbriata (*Pseudo-*
mantis), 235.
Albomarginata (*Ana-*
plecta), 67.
Albomarginata (*Cosmo-*
zosteria), 132.
Albomarginata (*Forfi-*
cule), 34.
Albomarginata (*Loho-*
phora), 34.
Albomarginata (*Platyz-*
steria), 133.
Albomarginata (*Polyzos-*
teria), 132.
Albomarginata (*Psilodo-*
phora), 34.
*Albomarginata var. *Brun-**
nea (*Platyzosteria*), 133.
- Albomarginatus* (*Cheli-*
soches), 34.
Albopunctatum (*Cteno-*
morpha), 389.
Alborufata (*Elaphus*), 79.
Alborvittata (*Phyllo-*
dromia), 79.
Albovittatum (*Ellip-*
sidion), 79.
Alea (*Tennopteryx*), 101.
Alearizzas (*Blatta*), 154.
Alearizzas (*Pachlora*), 154.
Alexis (*Aschipasma*), 420.
Alexis (*Orthomeria*), 420.
Algerica (*Aphelchia*), 69.
Algerica (*Heterogamia*), 173.
Algerica (*Hololumpra*), 69.
Algerica (*Polyphaga*), 173.
Algericus (*Bacillus*), 335.
Aliena (*Phyllodromia*), 91.
ALLACTA, 99.
Alliaceus (*Rhaphiderus*), 383.
Alliberti (*Ameles*), 230.
Alliberti (*Perlamentis*), 230.
Alligata (*Epilampra*), 120.
Alligata (*Heterolampra*), 120.
ALLODAHLIA, 41.
Alluaudi (*Blatta*), 89.
Alluaudi (*Desmosia*), 97.
Alluaudi (*Lonchodes*), 318.
Alluaudi (*Phyllodromia*), 89.
Alluaudi (*Stelonchodes*), 318.
Alpheus (*Megaeraania*), 385.
Alpheus (*Platycrania*), 385.
Alpina (*Chelidura*), 42.
Alpina (*Forficula*), 42.
Alta (*Perisphaeria*), 190.
Alternans (*Blatta*), 97.
Alternans (*Phyllodromia*), 97.
Alternans (*Pseudophyllo-*
dromia), 97.
Alticeps (*Cardioptera*), 226.
Alticeps (*Dystacta*), 226.
Alticeps (*Mantis*), 226.

- Alutacea (*Zonioploea*), 137.
 Alutaceus (*Eubulides*), 395.
 Amaræ (*Pseudocreobotra*), 293.
Amathia (*Bacillus*), 328.
Amathia (*Baculum*), 328.
Amaurops (*Lonchodes*), 323.
Amaurops (*Sthenobcea*), 323.
Amazonensis (*Opisthoecosmia*), 40.
Amazonica (*Bacteria*), 349.
Amazonica (*Heteroneuria*), 349.
Amazonica (*Vates*), 306.
Amazonicus (*Theoclytes*), 306.
Amazonicus (*Vates*), 306.
Ambigua (*Phasma*), 414.
Ambiguum (*Phasma*), 414.
Ambiguus (*Prexaspes*), 414.
AMBIVIA, 280.
Amboinica (*Salganea*), 200.
AMELES, 220.
AMELES, 228, 229.
Americana (*Blatta*), 140.
Americana (*Forcipula*), 9.
Americana (*Forficesila*), 14.
Americana (*Forficula*), 14.
Americana (*Kakerlac*), 140.
Americana (*Labidura*), 14.
Americana (*Loboptera*), 103.
Americana (*Cpisthocosmia*), 40.
Americana (*Periplaneta*), 140.
Americana (*Psalis*), 14.
Americana (*Pseudoinops*), 76.
Americana (*Thysocera*), 76.
Americana Colorata (*Periplaneta*), 141.
Americanus (*Japyx*), 57.
Amana (*Blatta*), 89.
Amena (*Calhypnorna*), 179.
Amœna (*Compsoblatta*), 180.
Amena (*Eustegasta*), 180.
Amœna (*Forficula*), 26.
Amœna (*Galinthias*), 296.
Amœna (*Harpaex*), 296.
Amœna (*Hypnorna*), 179.
Amœna (*Junodina*), 286.
Amœna (*Labia*), 26.
Amœna (*Nauphæta*), 180.
Amœna (*Nisibis*), 78.
Amœna (*Pachymantis*), 288.
Amœna (*Phyllodromia*), 89.
Amœna (*Thysocera*), 78.
Amœnula (*Acontista*), 234.
AMORPHOSCELINÆ, 207.
AMORPHOSCELIS, 207.
Amphibium (*Cotylosoma*), 407.
Amphibius (*Nisyrus*), 407.
Ampla (*Blatta*), 194.
Ampla (*Melanosilpha*), 194.
Ampla (*Phyllodromia*), 194.
Amplexens (*Blatta*), 93.
Amplexens (*Phyllodromia*), 93.
Amplexicollis (*Phyllodromia*), 90.
Amplipennis (*Epilampra*), 114.
Amplipennis (*Molytria*), 114.
Amplipennis (*Photina*), 273.
AMPUSA, 311.
Analis (*Chelidura*), 54.
Analis (*Derocephalymma*), 188.
Analis (*Forficula*), 54.
Analis (*Homalodemas*), 188.
Analis (*Platyzosteria*), 130.
Analis (*Polyzosteria*), 130.
Analis (*Pseudoehelidura*), 54.
ANAMESIA, 129.
ANAPLECTA, 66.
ANAPTYCTA, 74.
ANASTIRA, 294.
Anastomosa (*Ischnoptera*), 82.
ANATELIA, 7.
ANAXARCHA (*ANAXANDRA*, *err. impr.*), 223.
ANCHIALE, 392.
ANCISTROGASTER, 36.
Ancylura (*Anechura*), 41.
Ancylura (*Forficula*), 41.
Androgyna (*Stagmomantis*), 254.
ANECHURA, 40.
ANGELA, 264.
Angolensis (*Apotrogia*), 175.
Angolensis (*Bacillus*), 333.
Angolensis (*Phthoia*), 333.
Angulata (*Diapherodes*), 362.
Angulata (*Epilampra*), 123.
Angulata (*Hedæta*), 123.
Angulata (*Mantis*), 284, 362.
Angulata (*Monastria*), 161.
Angulata (*Phasma*), 362, 364.
Angularia (*Pseudoeanthrops*), 284.
Angulatum (*Phasma*), 362.
Angulatus (*Haplopus*), 364.
Angulifera (*Acanthops*), 283.
Angulifera (*Anisolabis*), 19.
Angulifera (*Brachylabis*), 19.
Angusta (*Poeciloblatta*), 192.
Angusta (*Pseudomops*), 74.
Angustata (*Blatta*), 97.
Angustata (*Deroplatys*), 281.
Angustata (*Pseudophyllodromia*), 97.
Angustata (*Pygidierana*), 5.
Angustata var. *Venosa* (*Pseudophyllodromia*), 97.
Angusticollis (*Psalidophora*), 23.
Angusticollis (*Sparatta*), 23.

- Angusticollis* (*Theopompa*), 213.
Angustipennis (*Blatta*), 202.
Angustipennis (*Panesthia*), 202.
Angustipennis (*Tenodera*), 239.
Anisitsi (*Blabera*), 165.
Anisitsi (*Euryderes*), 272.
ANISOGAMIA, 173.
ANISOLABIS, 17.
ANISOMORPIA, 401.
ANISOMORPILA, 403.
ANISOMORPHINE, 401.
ANISOPYGIA, 101.
Annamallayanum (*Pharacaria*), 359.
Annamallayanum (*Phihalosoma*), 359.
Annectens (*Vates*), 306.
ANNA, 209.
Annulata (*Forficula*), 27.
Annulata (*Ischnoptera*), 82.
Annulata (*Labia*), 27.
Annulata (*Mantis*), 301.
Annulata (*Marmessoidea*), 372.
Annulata (*Necroscia*), 372.
Annulata (*Oxypila*), 285.
Annulata (*Pachymorpha*), 342.
Annulata (*Phasma*), 372, 414.
Annulata (*Phthioa*), 332.
Annulata (*Stigmoptera*), 301.
Annulatum (*Phasma*), 372.
Annulatus (*Bacillus*), 332.
Annulatus (*Oxypilus*), 285.
Annulatus (*Oxypilus*), 286.
Annulicornis (*Amorphoscelis*), 208.
Annulicornis (*Anisolabis*), 21.
Annulicornis (*Blatta*), 76.
Annulicornis (*Forcinella*), 21.
Annulicornis (*Ischnoptera*), 85.
Annulicornis (*Loboptera*), 103.
Annulicornis (*Pseudomops*), 76.
Annulicornis (*Thrysocera*), 76.
Annulifera (*Blatta*), 91.
Annulifera (*Phyllodromia*), 91.
Annulipes (*Amorphoscelis*), 207.
Annulipes (*Anisolabis*), 18.
Annulipes (*Ascephasma*), 418.
Annulipes (*Aschipasma*), 418.
Annulipes (*Forcinella*), 18.
Annulipes (*Forficula*), 18.
Annulipes (*Labidura*), 18.
Annulipes (*Liturgousa*), 271.
Annulipes (*Mantis*), 271.
Annulipes (*Necroscia*), 376.
Annulipes (*Phasma*), 376, 418.
Anodus (*Japyx*), 57.
Anomala (*Blatta*), 90.
Anomala (*Chorisoneura*), 71.
Anomala (*Compsotherispis*), 208.
Anomala (*Paraphoraspis*), 110.
Anomala (*Phlebonotus*), 110.
Anomala (*Phoraspis*), 110.
Anomala (*Phyllodromia*), 90.
ANOPHELEPIS, 382.
ANTEMNA, 284.
Antennata (*Anisolabis*), 20.
Antennata (*Deropeltis*), 147.
Antennata (*Elliptoblatta*), 183.
Antennata (*Panesthia*), 202.
Antennata (*Pseudoderopeltis*), 147.
Antennata (*Pseudoglomeris*), 191.
Anthracina (*Blatta*), 139.
Anthracina (*Chelidura*), 40.
Anthracina (*Cutilia*), 134.
Anthracina (*Periplaneta*), 139.
Anthracina (*Stylopitta*), 134.
Antica (*Calolampra*), 117.
Antica (*Polyzosteria*), 117.
Antica (*Zetobora*), 160.
Antiguensis (*Theganopteryx*), 66.
Antillarum (*Bacteria*), 346.
Antillarum (*Biatta*), 140.
Antillarum (*Callimantis*), 251.
Antillarum (*Iris*), 251.
Antillarum (*Mantis*), 251.
Antillarum (*Pauchlora*), 152.
Antillarum (*Stylopitta*), 140.
Antipoda (*Cutilia*), 134.
Antipoda (*Pelmatosilpha*), 143.
Antipodum (*Methana*), 134.
ANTISSA, 222.
ANTISTIA, 228.
Antonii (*Anisolabis*), 20.
Antonii (*Forcinella*), 20.
Ambis (*Eremiaphila*), 212.
Apachia (*Homoeogamia*), 174.
APACHYA, 3.
APACHYN, 3.
APACHYUS, 3.
Apalamurus (*Arrhidaeus*), 384.
Apennina (*Apertygia*), 50.
Apennina (*Forficula*), 50.
APHLEBLA, 68.
APHLEBIDEA, 71.
Apicalis (*Creobota*), 291.
Apicalis (*Mantis*), 235.
Apicalis (*Periplaneta*), 81.
Apicalis (*Pseudomantis*), 235.
Apicalis (*Sparatta*), 23.
Apicifera (*Blatta*), 80.
Apicifera (*Ectobius*), 63.
Apicifera (*Ellipsidion*), 80.
Apicigera (*Blatta*), 91.
Apicigera (*Phyllodromia*), 91.
APLOPUS, 363.
Apollonius (*Hermarchus*), 360.
Apollonius (*Phihalosoma*), 360.

- APOLITA*, 79.
APOTROGIA, 175.
Appendiculata (*Ignacia*), 411.
APSIDOPIS, 119.
APTERA, 182.
Aptera (*Ameltes*), 231.
Aptera (*Calolampra*), 117.
Aptera (*Chelidura*), 42.
Aptera (*Chelidura*), 43.
Aptera (*Cosmiella*), 38.
Aptera (*Forficula*), 42.
Aptera (*Forficula*), 42, 43.
Aptera (*Nympha*), 114.
Aptera (*Pseudoyerteria*), 231.
*Aptera var. *Alpina** (*Chelidura*), 42.
*Aptera var. *Simplex** (*Chelidura*), 42.
APTERYGIDA, 44.
Aquatilis (*Leosthenes*), 406.
Arabica (*Eremiaphila*), 211.
Arabica (*Hierodula*), 243.
Arabica (*Sphodromantis*), 243.
Arachidis (*Apterygida*), 44, 45.
Arachidis (*Chelidura*), 44.
rachidis (*Forficula*), 44.
rampes (*Bactaria*), 349.
Araunpes (*Heteronemia*), 349.
Aranea (*Planctica*), 148.
Araucana (*Loboptera*), 103.
Arborifera (*Allacta*), 100.
Arborifera (*Blatta*), 100.
Arbuscula (*Pseudosermyle*), 345.
Arbuscula (*Sermyle*), 345.
ARCHIBLATTA, 148.
ARCHIBLATTINÆ, 148.
ARCHIMANDRITA, 163.
ARCHIMANTIS, 234.
Areta (*Ischnoptera*), 81.
Aretata (*Epilampra*), 125.
Arenata (*Clonaria*), 337.
Arenata (*Gratidia*), 337.
Arenata (*Lubia*), 28.
ARDESCA, 271.
Ardrossanensis (*Cosmopolitanus*), 153.
Ardrossanensis (*Plutyzosteria*), 153.
Ardua (*Tennopteryx*), 106.
Arenicola (*Blatta*), 62.
AREOLARIA, 177.
Ares (*Forficula*), 53.
Argentina (*Chorisoneura*), 72.
Argentina (*Coptopteryx*), 272.
Argentina (*Mantis*), 272.
Argentina (*Miopteryx*), 275.
ARGOSARCHUS, 340.
Arida (*Clonaria*), 337.
Arida (*Deroplatys*), 281.
Arida (*Gratidia*), 337.
Aridifolia (*Mantis*), 239.
Aridifolia (*Tenodera*), 239.
Aridifolia var. *Sinensis* (*Tenodera*), 239.
Arispa (*Aeanthoelonia*), 407.
Arispa (*Acanthoderus*), 407.
Aristidis (*Eremiaphila*), 212.
ARIUSIA, 215.
Arizonaensis (*Diapheromera*), 347.
Armadillo (*Perisphaeria*), 190.
Armata (*Corydia*), 167.
Armata (*Eremoplana*), 266.
Armata (*Forficula*), 39.
Armata (*Mantis*), 266.
Armata (*Opisthoecmia*), 39.
Armata (*Platyzosteria*), 130.
Armata (*Sparatta*), 24.
Armata (*Sparattina*), 24.
Armata (*Thespis*), 266.
Armatum (*Phasma*), 413.
Armatum (*Pseudophasma*), 413.
Armatus (*Archimantis*), 235.
ARMENE, 225.
Arnicollis (*Calidomantis*), 257.
Arnicollis (*Micromantis*), 257.
Arnigera (*Blabera*), 164.
ARPILAX, 338.
ARRHIDACUS, 384.
ARRHIDÆUS, 384.
ARRIA, 244.
ARSACLA, 308.
Artemis (*Bacillus*), 329.
Artemis (*Baeulum*), 329.
ARTERIA, 308.
Arthritaea (*Aneistrogaster*), 36.
Aruana (*Aeromantis*), 280.
Aruana (*Aruanoidea*), 378.
Aruana (*Hierodula*), 247.
Aruana (*Neuroscia*), 378.
ARUANOIDEA, 378.
Arumatia (*Bacteria*), 355, 356.
Arumatia (*Phasma*), 355.
ASCEPILASMA, 418, 420.
ASCHIPASMA, 418.
ASCHIPASMA, 418.
ASCHIPASMINÆ, 418.
ASCHIPHASMA, 418.
Aschmoliana (*Popa*), 308.
Ashmeadi (*Myrionides*), 321.
Ashmoliana (*Ethalochroa*), 308.
Ashmoliana var. *Insignis* (*Ethalochroa*), 308.
Ashmoliana var. *Simplicipes* (*Ethalochroa*), 308.
Ashmolianus (*Vates*), 308.
Asiatica (*Blatta*), 90.
Asiatica (*Neolobophora*), 29.
Asiatica (*Phyllodromia*), 90.
Asper (*Tisamenus*), 399.
Aspera (*Calolampra*), 118.
Aspera (*Epilampra*), 118.
Aspera (*Forficula*), 7.
Aspera (*Gonypeta*), 224.
Aspera (*Pellita*), 189.
Aspera (*Zetobora*), 189.
Asperatus (*Lonchodes*), 318.
Asperatus (*Stelonchodes*), 318.
Aspericollis (*Baeillus*), 337.
Aspericollis (*Maransis*), 337.
Aspersata (*Nauphoeta*), 156.
Asperulus (*Mithrenes*), 319.
ASPRENAS, 367.
Assimilata (*Humbertiella*), 214.
Assimilata (*Theopompa*), 214.
Assiniensis (*Blatta*), 139.
Assiniensis (*Periplaneta*), 139.

- Assiniensis (Spongiphora), 30.
 Assoi (*Mantis*), 231.
 Assoi (Parameloides), 231.
 ASTAPE, 276.
 Asteca (*Mantis*), 253.
 ASTOLLIA, 231.
 ATAXIGAMIA, 174.
 ATELOBLATTA, 198.
 Ater (Chelisoches), 35.
 Aterrima (*Blatta*), 129, 190.
 Aterrima (Melanozosteria), 129.
 Aterrima (Periplaneta), 108, 131.
 Aterrima (Platyzosteria), 131.
 Aterrima (Polyzosteria), 131.
 Aterrima (Pseudoglomeris), 190.
 Aterrius (Aneistrogaster), 37.
 Athanysus (Phyllium), 423.
 Athenarum (Japyx), 56.
 Atomaria (Phoraspis), 112.
 Atomifera (Epilampra), 118.
 Atopogamia (Melliera), 254.
 Atra (Calolampra), 118.
 Atra (Deroedalymma), 190.
 Atra (Deropeltis), 145.
 Atra (Epilampra), 118.
 Atrata (Periplaneta), 130.
 Atrata (Platyzosteria), 130, 131.
 Atrata (Polyzosteria), 131.
 Atriceps (Pygidicerana), 6.
 Atricollis (Periplaneta), 142.
 Atricaxis (*Hierodula*), 249.
 Atricoxis (Marmessoidea), 372.
 Atricoxis (*Necroscia*), 372.
 Atricoxis (Rhombodera), 249.
 Atricoxis var. *Grandis* (*Mantis*), 249.
 Atricoxis var. *Grandis* (Rhomboptera), 249.
 Atriventris (Epilampra), 127.
 Atroarticulatus (*Bacillus*), 340.
 Atrocoxata (*Hierodula*), 247.
 Atrophica (*Mantis*), 372.
 Atrophica (*Necroscia*), 373.
 Atrophica (Trigonophasma), 372.
 Atrophicum (*Necroscia*), 373.
 Atrophicum (*Phasma*), 372, 373.
 Atropos (*Blabera*), 164.
 Atropos (*Blatta*), 164.
 Atrosignata (*Calvisia*), 369.
 ATTAPHILA, 173.
 Attenuata (Leptynia), 335.
 Attenuata (*Mantis*), 238.
 Atticus (Bacillus), 334.
 AUCHENOMUS, 29.
 Auditor (Labidura), 11.
 Audouini (Eremaphila), 210.
 Au louini (*Eremophila*), 210.
 Aurantia (*Apolyta*), 80.
 Aurantiaca (*Blatta*), 141.
 Aurantiaca (*Mantis*), 233.
 Aurantiaca (*Thysanocera*), 76.
 Aurantium (Ellipsidion), 80.
 Avellanensis (*Blatta*), 141.
 Auricularia (Forficula), 49.
 Auricularia (Forficula), 50.
 Auricularia var. *Cyclobalia* (Forficula), 50.
 Auricularia var. *Macrolobalia* (Forficula), 50.
 Auriculata (Epilampra), 115.
 Auriculata (Ignacia), 411.
 Auriculata (Molytria), 115.
 Auriculatum (*Pseudophasma*), 411.
 Aurita (Acanthomantis), 296.
 Aurita (Bacteria), 352.
 Aurita (Hoplocorypha), 257.
 Aurita (*Mantis*), 369.
 Aurita (Otomantis), 296.
 Aurita (*Phasmida*), 369.
 Aurita (Sosibia), 369.
 Auritum (*Phasma*), 369.
 Auritus (Acanthoderes), 355.
 Auritus (*Creoxylus*), 369.
 Aurivillii (Theopompa), 213.
 Auscultator (*Lonchodes*), 323.
 Auscultator (Sthenobœa), 323.
 Austeni (*Lophocerus*), 326.
 Austeni (Promachus), 326.
 Australasiæ (*Blatta*), 141.
 Australasiæ (*Mantis*), 239.
 Australasiae (Periplaneta), 111.
 Australasiæ (Tenodera), 239.
 Australæ (Ellipsidion), 80.
 Australæ (Karabidion), 335.
 Australie (Phyllodromia), 93.
 Australica (Chelisoches), 35.
 Australica (Forficula), 35.
 Australica (Ischnoptera), 81.
 Australica (Lobophora), 35.
 Australæ (Pellita), 128.
 Australica (Polyzosteria), 128.
 Australica (Sparatta), 23.
 Australica (Spongiphora), 30.
 Australicus (Chelisoches), 35.
 Australiensis (Composthepis), 208.
 Australis (Aeromantis), 280.
 Australis (Arphax), 338.
 Australis (*Bacillus*), 338.
 Australis (*Blatta*), 142.
 Australis (*Eurycaantha*), 395.
 Australis (*Eurycotis*), 143.
 Australis (*Haaniella*), 398.
 Australis (Hemithyrsocera), 77.
 Australis (*Heteroptera*), 398.
 Australis (Ischnoptera), 81.
 Australis (Karabidion), 395.

- Australis (*Nanomantis*), 255.
Australis (*Opisthoplatia*), 143.
Australis (*Panesthia*), 204.
Australis (*Panesthia*), 204.
Australis (*Paratemnopteryx*), 106.
Australis (*Periplaneta*), 142.
Australis (*Polyzosteria*), 143.
Australis (*Thyrsoeera*), 78, 80.
Australis (*Tropidomanitis*), 227.
AUSTRALOMANTIS, 295.
Authaemon (*Gonypteta*), 224.
AUTOLYCA, 402.
Autraniana (*Deropeltis*), 146.
Aversa (*Polyzosteria*), 193.
Avocaensis (*Platyzosteria*), 131.
Azteca (*Anaplecta*), 67.
Azteca (*Anisolabis*), 20.
Azteca (*Bacteria*), 345.
Azteca (*Corydia*), 170.
Azteca (*Epilampra*), 125.
Azteca (*Forciuella*), 20.
Azteca (*Holocompsa*), 170.
Azteca (*Homoeogamia*), 174.
Azteca (*Ischnoptera*), 84.
Azteca (*Latindia*), 169.
Azteca (*Nyctobora*), 107.
Azteca (*Panchlora*), 154.
Azteca (*Paralatindia*), 169.
Azteca (*Phylledromia*), 94.
Azteca (*Polyzosteria*), 144.
Azteca (*Sermyle*), 345.
Azteca (*Theoclytus*), 303.
Aztecus (*Acanthops*), 229.
- BACILLINÆ*, 327.
BACILLUS, 333.
BACTERIA, 355.
BACTERIINÆ, 348.
BACTRICIA, 327.
BACTRICINÆ, 327.
BACTRIDIUM, 352.
- BACTRODODEMA*, 366.
BACTROMANTIS, 278.
BACULUM, 327.
Baculus (*Bacteria*), 355.
Baculus (*Bacteria*), 354.
Baculus (*Ceroys*), 354.
Baculus (*Mantis*), 355, 416.
Baculus (*Metriotes*), 416.
BACUNCULUS, 349.
BACUNCULUS, 348.
Badia (*Blatta*), 138.
Badia (*Epilampra*), 114.
Badia (*Molytria*), 114.
Bætica (*Aphlebia*), 70.
Bætica (*Fischeria*), 267, 268.
Bætica (*Forficula*), 51.
Bætica (*Hololampra*), 70.
Bætica (*Iris*), 268.
Bætica (*Mantis*), 267.
Bagoti (*Polyzosteria*), 128.
BALTA, 106.
Balteata (*Cutilia*), 134.
Balteata (*Platyzosteria*), 134.
Bankæ (*Hierodula*), 247.
Bankæ (*Mantis*), 247.
Banksii (*Pseudosermyle*), 346.
BANTIA, 275.
Barbara (*Eremiaphila*), 212.
Barbeyana (*Deropeltis*), 146.
Barroisi (*Forficula*), 52.
Barroisi (*Forficula*), 52.
Bartholomæa (*Clonistria*), 351.
Basalis (*Blatta*), 179.
Basalis (*Eremoplana*), 266.
Basalis (*Hierodula*), 248.
Basalis (*Mantis*), 248.
Basalis (*Nauphota*), 156.
Basalis (*Nauphota*), 179.
Basalis (*Paranauphota*), 179.
Basalis (*Phasmomantis*), 266.
Basalis (*Phyllodromia*), 89.
Basalis (*Rhombodera*), 248.
Basifera (*Epilampra*), 115.
Basifera (*Homalopteryx*), 115.
- Basilaris* (*Epaphrodita*), 270.
Basilaris (*Majanga*), 270.
Basilaris (*Pantelica*), 270.
Basistriga (*Calolampra*), 117.
Basistriga (*Epilampra*), 117.
Batesianum (*Dinelytron*), 407.
Batesianus (*Damasippus*), 407.
Batesii (*Demogorgon*), 12.
Batesii (*Labidura*), 12.
Batesii (*Lonchodes*), 318.
Batesii (*Megaerania*), 385.
Batesii (*Popa*), 309.
Batesii (*Stælonchodes*), 318.
BATHYCHARAX, 335.
BATYCHARAX, 335.
Baucis (*Bacteria*), 318.
Baucis (*Lonchodes*), 318.
Baucis (*Stælonchodes*), 318.
Bauvoisi (*Cyphocrana*), 392.
Beauvoisi (*Blatta*), 89.
Beauvoisi (*Cyphocrana*), 392.
Beauvoisi (*Euryenema*), 392.
Beauvoisi (*Phyllo-dromia*), 89.
Beccarii (*Apachys*), 3.
Beccarii (*Apachyus*), 3.
Beccarii (*Opisthocosmia*), 39.
Beckeri (*Diapheromera*), 347.
Beecheyi (*Baeillus*), 322.
Beecheyi (*Lonchodes*), 322.
Belzebub (*Chelisoches*), 33.
Bella (*Epilampra*), 119.
Bella (*Mantis*), 260.
Bengalensis (*Labidura*), 9.
Bengalensis (*Parahorometica*), 191.
Bengalensis (*Stilpno-blatta*), 191.
Bengalica (*Panesthia*), 203.
Benguelæ (*Gonypteta*), 224.
Bennetii (*Phasma*), 409.
Bennetii (*Stratoecles*), 409.

- Berenice (Necroscia), 375.
Bergi (*Attaphila*), 173.
Bergrothi (*Epilampra*), 83.
Bergrothi (*Ischnoptera*), 83.
Beroe (*Bacillus*), 330.
Beroe (*Paraclitumnus*), 330.
Berosus (*Prisopus*), 406.
Betanimena (*Hierodula*), 241.
Betanimena (*Tarachomantis*), 241.
Betsileo (*Hierodula*), 241.
Betsileo (*Tarachomantis*), 241.
Bettioni (*Pygidierana*), 4.
Biangulata (*Pachymantis*), 287.
Bicarinata (*Hierodula*), 243.
Bicarinata (*Sphodromantis*), 243.
Bicarinatus (*Olcypoides*), 410.
Bivarivatus (*Phocylides*), 410.
Bicincta (*Blatta*), 90.
Bicineta (*Phylodromia*), 90.
Bicingulata (*Mantis*), 287.
Bicingulata (*Oxypilus*), 287.
Bicingulata (*Pachymantis*), 287.
Bicingulatus (*Oxypilus*), 287.
Bicolor (*Aphelobia*), 103.
Bicolor (*Apolyta*), 80.
Bicolor (*Blatta*), 84.
Bicolor (*Caloblatta*), 86.
Bicolor (*Cosmoxosteria*), 132.
Bicolor (*Dasyposoma*), 198.
Bicolor (*Demogorgon*), 12.
Bicolor (*Ellipsidion*), 80.
Bicolor (*Forficula*), 10.
Bicolor (*Gigantophasma*), 386.
Bicolor (*Ischnoptera*), 84.
Bicolor (*Labia*), 25.
Bicolor (*Labidura*), 10.
Bicolor (*Labidura*), 12.
Bicolor (*Melanoxosteria*), 129.
Bicolor (*Phoraspis*), 112.
Bicolor (*Pœciliblatta*), 192.
Bicolor (*Polyzosteria*), 132.
Bicolor (*Promachus*), 326.
Bicolor (*Temnopteryx*), 104.
Bicolor var. *Depictus* (*Gigantophasma*), 386.
Bicornis (*Bactaria*), 353.
Bicornis (*Canuleius*), 353.
Bicornis (*Gryllus*), 262.
Bicornis (*Hymenopus*), 294.
Bicornis (*Mantis*), 262, 294.
Bicornis (*Oligonyx*), 279.
Bicornis (*Phasma*), 353.
Bicornis (*Schizocephala*), 262.
Bicornis (*Spanionyx*), 279.
Bicoronata (*Acanthoderia*), 325.
Bicoronata (*Phusma*), 325.
Bicoronatus (*Acanthoderus*), 325.
Bicoronatus (*Menexenus*), 325.
Bicuspidatum (*Haplopus*), 364.
Bicuspidatum (*Phasma*), 364.
Bicuspidatus (*Haplopus*), 364.
Bicuspis (*Apterygida*), 46.
Bicuspis (*Calynda*), 353.
Bicuspis (*Forficula*), 46.
Bicuspis (*Sphingolabis*), 46.
Bidens (*Diapheromera*), 347.
Bidens (*Forficula*), 11.
Bidens (*Japyx*), 57.
Bidens (*Labidura*), 11.
Bidens (*Mantis*), 303, 304.
Bidens (*Pseudovates*), 304.
Bidens (*Spanionyx*), 279.
Bidens (*Vates*), 304.
Bidentata (*Phasma*), 394.
Bidentata (*Theganopteryx*), 61.
Bidentatus (*Japyx*), 57.
Bidentatus (*Onchestus*), 394.
Bifasciata (*Blatta*), 113.
Bifasciata (*Epilampra*), 113.
Bifasciata (*Mantis*), 270.
Bifasciata (*Phylodromia*), 113.
Bifasciata (*Pinaconota*), 113.
Bifida (*Platyzosteria*), 130.
Bifida (*Polyzosteria*), 130.
Bifolia (*Caulonia*), 314.
Bifoliata (*Sthenolea*), 323.
Bifoliatum (*Acanthoderus*), 323.
Bifoliatum (*Phasma*), 323.
Bifoliatum (*Prisomera*), 323.
Bifoveolata (*Brachylabis*), 16.
Bifrons (*Dyme*), 350.
Bifurcata (*Clonari*), 337.
Bifurcata (*Gratidius*), 337.
Bigibbosa (*Miopanesthia*), 205.
Bigibbus (*Caulonia*), 344.
Bigibbus (*Ceroys*), 344.
Biglumis (*Panesthia*), 203.
Biglumis (*Platyzosteria*), 131.
Biglumis (*Polyzosteria*), 131.
Biguttata (*Blatta*), 161.
Biguttata (*Calvisia*), 370.
Biguttata (*Corydia*), 168.
Biguttata (*Forficula*), 40, 51.
Biguttata (*Glyptopeltis*), 182.
Biguttata (*Monachoda*), 161.
Biguttata (*Monastria*), 161.
Biguttata (*Necroscia*), 370.
Biguttatum (*Phasma*), 370.
Biligata (*Blatta*), 91.
Biligata (*Ischnoptera*), 91.
Biligata (*Phylodromia*), 91.
Biluncata (*Forficula*), 10.

- Bilineata (*Labia*), 28.
Bilineata (*Musonia*), 256.
Bilineata (*Nanomantis*), 256.
Biloba (*Cutilia*), 134.
Biloba (*Polyzosteria*), 134.
Bilobata (*Brachycolla*), 198.
Bilobata (*Entoria*), 328.
Bilobata (*Parahorometica*), 198.
Bilobatum (*Baculum*), 328.
Bilobatum (*Phyllium*), 423.
Bilunata (*Blatta*), 180.
Bilunata (*Ischnoptera*), 84.
Bilunata (*Xauphata*), 180.
Bilunata (*Paranauphoeta*), 180.
Bilunata (*Paratropa*), 109.
Bilunata (*Paratropes*), 109.
Bimaculata (*Acontista*), 234.
Bimaculata (*Apterygida*), 48.
Bimaculata (*Blatta*), 139.
Bimaculata (*Forficula*), 48.
Bimaculata (*Mantis*), 243, 372.
Bimaculata (*Marmessoidea*), 372.
Bimaculata (*Necroscia*), 372.
Bimaculata (*Periplaneta*), 139.
Bimaculata (*Phasma*), 372.
Bimaculata (*Phylodromia*), 87.
Bimaculata (*Sphingolabis*), 48.
Bimaculatum (*Phasma*), 372.
Binodis (*Myronides*), 321.
Binotata (*Apterygida*), 48.
Binotata (*Empusa*), 313.
Binotata (*Holoconpsa*), 170.
Binotata (*Sphingolabis*), 48.
Binotata (*Stagmatoptera*), 300.
Bioellata (*Stagmatoptera*), 299.
Bioculata (*Hierodula*), 243.
Bioculata (*Mantis*), 243.
Bioculata (*Phasma*), 412.
Bioculata (*Sphodromantis*), 243.
Bioculatum (*Phasma*), 412, 421.
Bioculatum (*Phyllium*), 421.
Bioculatum (*Pulchriphyllum*), 421.
BIOLEYA, 171.
Bolleyi (*Calolampra*), 117.
Bolleyi (*Paratropa*), 109.
Bolleyi (*Paratropes*), 109.
Bipapilla (*Derocephalumma*), 188.
Bipapilla (*Hierodula*), 245.
Bipapilla (*Hierodula*), 245.
Bipapilla (*Homaloderma*), 188.
Bipapilla (*Mantis*), 245.
Bipartita (*Apterygida*), 46.
Bipartita (*Sphingolabis*), 46.
Bipagiata (*Homalopteryx*), 115.
Bipunctata (*Anechura*), 40.
Bipunctata (*Areolaria*), 177.
Bipunctata (*Blatta*), 177.
Bipunctata (*Forficula*), 40, 50.
Bipunctata (*Prosoplecta*), 177.
Bipunctata (*Psalidophora*), 48.
Bipunctata (*Spongophora*), 48.
Bipunctata (*Orientalis Anechura*), 40.
Bipunctata (*Anapttyeta*), 74.
Bipustulata (*Blaptica*), 162.
Bipustulata (*Blatta*), 162.
Biquadrata (*Periplaneta*), 136.
Biramosa (*Metriomantis*), 273.
Birivia (*Hierodula*), 246.
Birivia (*Mantis*), 301.
Birivia (*Stagmatoptera*), 246, 301.
Birmanica (*Panesthia*), 204.
Birmanica (*Phyllodromia*), 92.
Birmanus (*Auchenomus*), 33.
Birmanus (*Chelisoches*), 33.
Biroi (*Hierodula*), 245.
Biroi (*Opisthocosmia*), 40.
BISANTHE, 267.
Bisbiguttata (*Marmessoidea*), 371.
Bisbiguttata (*Necroscia*), 371.
Bisbiguttatum (*Phasma*), 371.
Biseriata (*Nanomantis*), 256.
Biseriata (*Stenomantis*), 256.
Bisignata (*Blatta*), 90.
Bisignata (*Elliptoblatta*), 183.
Bisignata (*Phyllodromia*), 90.
Bispina (*Hoplocorypha*), 257.
Bispinosa (*Calolampra*), 117.
Bispinosa (*Mantis*), 363.
Bispinosa (*Phasma*), 363.
Bispinosum (*Phasma*), 363.
Bispinosus (*Haplopus*), 363.
Biteniata (*Blatta*), 79, 87.
Biteniata (*Ellipsidion*), 79.
Biteniata (*Phyllodromia*), 87.
Bituber (*Myronides*), 321.
Bituberculata (*Bacteria*), 327.
Bituberculata (*Gratidia*), 330.
Bituberculatum (*Haplopus*), 364.
Bituberculatum (*Phasma*), 364.
Bituberculatus (*Haplopus*), 364.
Bivitta (*Paratropes*), 109.
Bivittata (*Anaplecta*), 66.

- Bivittata* (*Blatta*), 69, 87.
Bivittata (*Deropeltis*), 147.
Bivittata (*Epilampra*), 119.
Bivittata (*Forficula*), 11.
Bivittata (*Hololampra*), 69.
Bivittata (*Ischnoptera*), 84.
Bivittata (*Nauphoëta*), 156.
Bivittata (*Phyllodromia*), 87.
Bivittata (*Phyllodromia*), 87.
Livittata (*Poeciloderrhis*), 119.
Bivittata (*Pygidicrania*), 6.
Bivittatum (*Spectrum*), 401.
BLABERA, 163.
BLABERINÆ, 160.
Blaberoïdes (*Epilampra*), 108.
Blaberoïdes (*Megaloblatta*), 108.
BLABERUS, 163.
Blanchardi (*Anisolabis*), 19.
Blanchardi (*Forficula*), 19.
Blanchardi (*Metriotes*), 412.
Blanchardi (*Pseudophasma*), 412.
Blanchardi (*Theopompa*), 213.
Blanda (*Compsoblatta*), 181.
Blanda (*Eustegasta*), 181.
Blanda (*Hypnorna*), 178.
BLAPTICA, 162.
BLATTA, 137.
BLATTA, 61, 87.
BLATTELLA, 87.
BLATTIDÆ, 61.
BLATTINÆ, 127.
Blattoïdes (*Epilampra*), 82.
Blattoïdes (*Ischnoptera*), 82.
Blattoïdes (*Paratenmopteryx*), 106.
BLEPHARIS, 315.
BLEPHARODERA, 194.
BLEPHARODES, 315.
BLEPHAROPSIS, 315.
Bocagei (*Ischnoptera*), 81.
- Bodegetica* (*Mantis*), 372.
Bogotensis (*Anisomorpha*), 402.
Bogofensis (*Bacteria*), 402.
Bogotensis (*Neolobophora*), 29.
Bogotensis (*Pseudomiopteryx*), 275.
Bogotensis (*Stratocles*), 409.
Bohlissi (*Nyctibora*), 108.
Bojei (*Arniidens*), 384.
Bojei (*Lopaphus*), 384.
Bojei (*Phasmat*), 384.
Bolauana (*Danuria*), 309.
Bolauana (*Macrodanuria*), 309.
BOLBÈ, 226.
BOLIDENA, 218.
Bolivari (*Chelidura*), 43.
Bolivari (*Echinosoma*), 8.
Bolivari (*Mesochelidura*), 43.
Bolivari (*Sparatta*), 24.
BOLIVARIA, 268.
Bolliana (*Homoeogamia*), 174.
Bolliana (*Ischnoptera*), 85.
Bolianus (*Oligonyx*), 278.
BOMISTRIA, 292.
Boootanicus (*Lonchodes*), 320.
Boootanicus (*Lopaphus*), 320.
Boootanicus (*Myronides*), 320.
Borealis (*Blatta*), 93.
Borealis (*Brunneria*), 261.
Borealis (*Forficula*), 50.
Borealis (*Ischnoptera*), 84.
Borealis (*Litaneutria*), 232.
Borealis (*Phyllodromia*), 93.
Borellii (*Bacunculus*), 354.
Borellii (*Ceroys*), 354.
Borellii (*Loboptera*), 103.
Borellii (*Nyctibora*), 108.
Borellii (*Oxyops*), 298.
Borellii (*Paradoxomorpha*), 403.
Borellii (*Phyllodromia*), 97.
Bormansi (*Anisolabis*), 21.
- Bormansi* (*Diplates*), 1.
Bormansi (*Sparatta*), 24.
Bormansi (*Spongiphora*), 32.
BORMANSIA, 13.
Bormantiella (*Solygoa*), 263.
Bormantiella (*Thespis*), 263.
Borneensis (*Aeromantis*), 280.
Borneensis (*Apterygida*), 46.
Borneensis (*Forficula*), 46.
Borneensis (*Mantis*), 280.
Borneensis (*Psalid*), 13.
Borneensis (*Sphingolabis*), 46.
Boromensis (*Hoplocopterypha*), 257.
Borei (*Epilampra*), 124.
Borei (*Periplaneta*), 133.
Borrii (*Sadyattes*), 358.
BOSTRA, 350.
Bottegi (*Hoplocorypha*), 257.
Bottegoiana (*Derocelytina*), 188.
Bottegoiana (*Homalodemus*), 188.
Bovei (*Eremiaphila*), 211.
Borei (*Eremiaphila*), 212.
Bracatus (*Carausius*), 320.
BRACHYCOLA, 193.
BRACHYCOLA, 197.
BRACHYLABIS, 16.
BRACHYLABIS, 17.
Brachynota (*Forficula*), 42.
Brachyptera (*Allacta*), 100.
Brachyptera (*Argela*), 265.
Brachyptera (*Bolivaria*), 268, 269.
Brachyptera (*Cardioptera*), 297.
Brachyptera (*Empusa*), 312.
Brachyptera (*Fischeria*), 269.
Brachyptera (*Iris*), 268.
Brachyptera (*Meatus*), 265, 268, 297.
Brachyptera (*Pseudomantis*), 235.
Brachyptera (*Tenmopteryx*), 103.

- Brachyptera* (*Thespis*), 265.
Brachypterum (*Phasma*), 360.
Brachypterus (*Lopaphus*), 260.
BRACHYRTACUS, 331.
Brachysoma (*Chitoniscus*), 421.
Brachysoma (*Phyllum*), 421.
Bramina (*Panesthia*), 204.
BRANCSIKIA, 282.
Brasiliana (*Blabera*), 164.
Brasiliana (*Homoecogamia*), 174.
Brasiliana (*Polyphaga*), 174.
Brasiensis (*Blatta*), 126.
Brasiensis (*Brunneria*), 264.
Brasiensis (*Epilaunpra*), 126.
Brasiensis (*Epilampra*), 125.
Brasiensis (*Forficula*), 7.
Brasiensis (*Ischnoptera*), 83.
Brasiensis (*Pyragra*), 7.
Brasiensis (*Tersomia*), 352.
Brasiensis (*Thermastris*), 7.
Braueri (*Isolabis*), 21.
Brazzae (*Nanphœta*), 155.
Brazzae (*Panchlora*), 155.
Breviceps (*Photina*), 274.
Brevicollis (*Deropeltis*), 146.
Brevicollis (*Kakerluc*), 146.
Brevicollis (*Ligaria*), 226.
Brevicorne (*Phyllum*), 422.
Brevicornis (*Abrachia*), 352.
Brevicornis (*Phylloovates*), 303.
Brevicornis (*Pseudovates*), 303.
Brevipenne (*Phasma*), 417.
Brevipennis (*Acontista*), 234.
Brevipennis (*Ameles*), 231.
Brevipennis (*Aphlebia*), 70.
Brevipennis (*Blatta*), 70.
Brevipeurus (*Calidomantis*), 258.
Brevipennis (*Dysaules*), 262.
Brevipennis (*Ectobia*), 63.
Brevipennis (*Eremiaphila*), 212.
Brevipennis (*Hierodula*), 242.
Brevipennis (*Hololampra*), 70.
Brevipennis (*Ischnoptera*), 106.
Brevipennis (*Mantis*), 231.
Brevipennis (*Metriotes*), 417.
Brevipennis (*Miomantis*), 258.
Brevipennis (*Panesthia*), 203.
Brevipennis (*Planudes*), 417.
Brevipennis (*Pseudoyerinia*), 231.
Brevipennis (*Tenmopteryx*), 106.
Brevipennis (*Tenodera*), 238.
Brevipes (*Blatta*), 91.
Brevipes (*Blatta*), 139.
Brevipes (*Kakerluc*), 139.
Brevipes (*Lonchodes*), 321.
Brevipes (*Periplaneta*), 139.
Brevipes (*Phyllodromia*), 91.
Brevis (*Epilampra*), 127.
Brevis (*Forficula*), 52.
Brevis (*Mantis*), 230, 231.
Brevis (*Paramelis*), 231.
Brevitarsis (*Bactrododemata*), 366.
Brevitarsis (*Calolampra*), 117.
Brevitarsis (*Ischnopoda*), 366.
Briareus (*Acrophylla*), 389.
Briareus (*Ctenomorpha*), 389.
Briareus (*Diura*), 389.
Briareus (*Phasma*), 389.
Bruchi (*Paradoxomorpha*), 403.
Brunnea (*Cosmoxosteria*), 133.
Brunnea (*Labia*), 28.
Brunnea (*Mecomera*), 23.
Brunnea (*Periplaneta*), 142.
Brunnea (*Platzosteria*), 133.
Brunneipennis (*Psalidophora*), 30.
Brunneipennis (*Spongiphora*), 30.
Brunneipennis (*Spongophora*), 30.
Brunneonigra (*Ischnoptera*), 82.
Brunneri (*Acanthops*), 283.
Brunneri (*Anisolabis*), 20.
Brunneri (*Aphlebidea*), 71.
Brunneri (*Blabera*), 166.
Brunneri (*Blatta*), 139.
Brunneri (*Chœradodis*), 220.
Brunneri (*Creoboter*), 291.
Brunneri (*Dasyposoma*), 198.
Brunneri (*Deroplatys*), 281.
Brunneri (*Dorylæa*), 135.
Brunneri (*Ectobia*), 63.
Brunneri (*Fisheria*), 269.
Brunneri (*Foreinella*), 20.
Brunneri (*Gratidia*), 330.
Brunneri (*Gromphadorhina*), 199.
Brunneri (*Hemiblabera*), 166.
Brunneri (*Humbertiella*), 214.
Brunneri (*Iris*), 269.
Brunneri (*Medaura*), 341.
Brunneri (*Miopteryx*), 275.
Brunneri (*Necroscia*), 376.
Brunneri (*Oligonyx*), 278.
Brunneri (*Pellita*), 189.
Brunneri (*Perisphaeria*), 189.
Brunneri (*Pseudopanchlora*), 189.
Brunneri (*Sparatta*), 23.
Brunneri (*Sphendale*), 269.
Brunneri (*Sthenobœa*), 341.

- Brunneri (Tarachomantis), 241.
Brunneri (*Thyrsocera*), 75.
 BRUNNERIA, 264.
Brunneriana (*Archimantis*), 235.
Brunneriana (*Blatta*), 94.
Brunneriana (*Cheteessa*), 210.
Brunneriana (*Derocephalymma*), 187.
Brunneriana (*Elliptoblatta*), 183.
Brunneriana (*Heminauphoeta*), 156.
Brunneriana (*Hestias*), 288.
Brunneriana (*Hestiasula*), 288.
Brunneriana (*Mantoida*), 210.
Brunneriana (*Periplaneta*), 142.
Brunneriana (*Phylodromia*), 94.
Brunneriana (*Polyispilota*), 241.
Brunnerianus (*Oxypilus*), 286.
Brunneum (*Bacillus*), 338.
Brunneum (*Phasma*), 338.
Brunneus (*Arphax*), 338.
Brunneus (*Bucillus*), 338.
Brunni (*Platyzosteria*), 137.
Brunni (*Zonioploca*), 137.
Bubastes (*Isagoras*), 415.
Bubastes (*Metriotes*), 415.
Buchholzi (*Bacillus*), 338.
Buchholzi (*Clonaria*), 338.
Buchholzi (*Danuria*), 309.
Buchholzi (*Gyna*), 149.
Bueana (*Deropeltis*), 146.
Buettneri (*Karschiella*), 13.
Buettneri (*Pygidierana*), 13.
Bufo (*Acanthoderus*), 398.
Bufo (*Obrimus*), 398.
Bufonium (*Extatosoma*), 381.
Buprestoides (*Anisomorpha*), 401.
Buprestoides (*Blatta*), 176.
Buprestoides (*Epilampra*), 181.
Buprestoides (*Eustegasta*), 181.
Buprestoides (*Ischnoptera*), 176.
Buprestoides (*Labia*), 28.
Buprestoides (*Oxyhaloa*), 176.
Buprestoides (*Phasma*), 401.
Buqueti (*Blatta*), 123.
Buqueti (*Hedai*), 123.
Burgessi (*Labia*), 27.
Burkartii (*Bacteria*), 353.
Burkartii (*Phanoecles*), 353.
Burmeisteri (*Aunia*), 210.
Burmeisteri (*Blatta*), 123.
Burmeisteri (*Cardioptera*), 273.
Burmeisteri (*Cheteessa*), 210.
Burmeisteri (*Deropeltis*), 145.
Burmeisteri (*Epilampra*), 126.
Burmeisteri (*Eremiaphila*), 211.
Burmeisteri (*Mantis*), 213.
Burmeisteri (*Mantoida*), 210.
Burmeisteri (*Mona-choda*), 160.
Burmeistori (*Necroscia*), 376.
Burmeisteri (*Orthodera*), 218.
Burmeisteri (*Phylodromia*), 126.
Burmeisteri (*Theopompa*), 213.
Burri (*Ancistrosgaster*), 36.
 BURRIA, 336.
Butleri (*Hierodula*), 248.
Butleri (*Rhombodera*), 248.
 BYRSOTRIA, 162.
Cabrera (*Forficula*), 53.
Cabrerae (*Polyzosteria*), 144.
 CACERLACA, 110.
Caeica (*Bacteria*), 349.
Caeica (*Heteroneuria*), 349.
 CACOBLATTA, 166.
 CACOMORPHIA, 406.
Caeca (*Anisolabis*), 21.
Caeca (*Nocticola*), 106.
Calebs (*Elliptoblatta*), 184.
Caphrys (*Hymea ipsa*), 283.
Calebs (*Pseudoeanthops*), 283.
 CEPARIA, 201.
Cerulans (*Stagmomantis*), 253.
Ceratipennis (*Carcinophora*), 15.
Caffra (*Calidomantis*), 258.
Caffra (*Dinuria*), 309.
Caffra (*Deropeltis*), 145.
Caffra (*Miomantis*), 258.
Caffra (*Periplaneta*), 145.
Caffra (*Polyspilota*), 240.
Caffra (*Pygidierana*), 4.
Caffra (*Tenmopteryx*), 104.
Caffrana (*Mantis*), 222.
Caffrorum (*Gyna*), 149.
Caffrorum (*Panchlora*), 149.
Caizana (*Epilampra*), 127.
Calabarica (*Polyspilota*), 241.
Calametum (*Bacteria*), 327.
Calametum (*Phibalosoma*), 327.
Calanus (*Bacteria*), 351, 353, 401.
Calanus (*Clonistria*), 351.
Calanas (*Mantis*), 351.
Calanus (*Phasma*), 351.
Calvarata (*Bacteria*), 347.
Calcarata (*Diapheromea*), 347.
Calcarata (*Euryantha*), 396.
Caldwelli (*Hierodula*), 241.
Caldwelli (*Mantis*), 241.
Caldwelli (*Tarachomantis*), 241.
 CALIYPNORNA, 179.
 CALIDOMANTIS, 257.
Californianum (*Timema*), 401.
Californica (*Apocrygida*), 47.
Californica (*Forficula*), 47.
Californica (*Sphingolabis*), 47.
Caliginosa (*Epilampra*), 126.
Caliginosa (*Epilampra*), 121.

- Caliginosa (Heterolampra), 121.
CALLIBIA, 294.
Callifera (*Mantis*), 251.
CALLIMANTIS, 251.
Calliope (*Necroscia*), 375.
Callipyga (*Pygidierana*), 5.
CALOBLATTA, 86.
Calogramma (*Blatta*), 73.
Calogramma (*Chorisoneura*), 73.
CALOLAMPRA, 117.
CALVISA, 369.
CALYNDA, 353.
CAMAX, 336.
Cambodjensis (*Theopompa*), 213.
Cambouei (*Ateloblatta*), 198.
Cambouini (*Ateloblatta*), 198.
Cambridgei (*Pseudophasma*), 412.
Camelorum (*Polyphaga*), 172.
Camerunensis (*Karschella*), 13.
CANACHIUS, 396.
Canaliculatum (*Xerosoma*), 416.
Canariensis (*Anatelia*), 7.
Cancellata (*Chœradodis*), 220.
Cancellata (*Chœradodis*), 219.
Cancellata (*Mantis*), 219, 220.
CANDAULES, 307.
Candelarius (*Blepharodes*), 315.
CANDOILLA, 331.
Canna (*Bacteria*), 324.
Canna (*Phasma*), 324.
Canna (*Sthenobœa*), 324.
Cantori (*Phibalosoma*), 359.
Cantori (*Tirachoidea*), 359.
CANULEIUS, 353.
Capelloi (*Panchlora*), 150.
Capelloi (*Rhyparobia*), 150.
Capense (*Bacillus*), 338.
Capense (*Phasma*), 338.
Capensis (*Bacillus*), 338.
Capensis (*Blatta*), 88, 145.
Capensis (*Clonaria*), 338.
Capensis (*Dyscologamia*), 174.
Capensis (*Fempusa*), 313.
Capensis (*Forficula*), 53.
Capensis (*Hemiempusa*), 314.
Capensis (*Idolomorpha*), 314.
Capensis (*Mantis*), 217, 251.
Capensis (*Melanosilpha*), 193.
Capensis (*Oxyphilus*), 286.
Capensis (*Polyzosteria*), 147.
Capensis (*Tennopteryx*), 104.
Capitata (*Blatta*), 82.
Capitata (*Chiropacha*), 216.
Capitata (*Ischnoptera*), 82.
Capitata (*Lydiumia*), 216, 217.
Capitata (*Tenoderida*), 238.
Capitatus (*Galepus*), 216.
Capito (*Arrhidæus*), 384.
Capito (*Necroscia*), 384.
Caprella (*Otenomorpha*), 389.
Caprella (*Phibalosoma*), 389.
Capreolus (*Caulonia*), 344.
Capreolus (*Ceroys*), 344.
Capreolus (*Mnesilochus*), 320.
CAPUCINA, 159.
Capucina (*Blabera*), 166.
Capucina (*Derocalymma*), 186.
Capucina (*Dyseologamia*), 174.
Capucina (*Gyna*), 149.
Capucina (*Hemibladera*), 166.
Capucina (*Homalopteryx*), 116.
Capucina (*Homocogamia*), 174.
Capucina (*Stenopilema*), 186.
Carabidina (*Epilampra*), 181.
Carabidina (*Eustegasta*), 181.
Caraibea (*Epilampra*), 125.
Caraibea (*Eurycotis*), 144.
Caraibea (*Polyzosteria*), 144.
CARAUSIUS, 320.
Carbonaria (*Deropeltis*), 147.
Carbonaria (*Pseudoderopeltis*), 147.
CARCINOPHORA, 15.
Cardinalis (*Helvia*), 292.
CARDIOPTERA, 297.
Carinata (*Derocalymma*), 192.
Carinata (*Hostilia*), 192.
Carinatus (*Bacillus*), 333.
Carinatus (*Hyrtacus*), 331.
Cariniceps (*Homalopteryx*), 115.
Carinulata (*Calolampra*), 117.
Carinulatus (*Baeillus*), 329.
Carinulatus (*Ranulus*), 329.
Carlottæ (*Cotylosoma*), 407.
Carlottæ (*Harpagonyx*), 279.
Carlottæ (*Prisopus*), 407.
Carolina (*Diapheromeræ*), 347.
Carolina (*Mantis*), 252, 253.
Carolina (*Phasmomantis*), 252.
Carolina (*Stagmomantis*), 252.
Carolina *rar.* *Tolteca* (*Stagmomantis*), 252.
Carolinus (*Gryllus*), 252.
Carpetana (*Aphlebia*), 70.
Carpetana (*Hololampra*), 70.
Carsiphila (*Phyllodromia*), 89.
Carterus (*Necroscia*), 377.
Carmeiligera (*Corydia*), 173.
Carunculigera (*Dyseologamia*), 173.
CARVILLA, 266.
Casignetus (*Necroscia*), 373.
Casignetus (*Trigonophasma*), 373.
Cassidea (*Blatta*), 112, 162.
Cassidea (*Monastria*), 162.
Cassidea (*Notolampra*), 111.
Cassidea (*Phoraspis*), 112.
Cassidea (*Phoraspis*), 111.
CASSIDODES, 177.
Casta (*Euchomena*), 237.
Casta (*Stenopyga*), 237.

- Castanea* (*Blatta*), 138.
Castanea (*Ceratinoptera*), 99.
Castanea (*Dasyposoma*), 198.
Castanea (*Epilampra*), 126.
Castanea (*Forficula*), 12.
Castanea (*Ischnoptera*), 84.
Castanea (*Kakerlak*), 106, 138.
Castanea (*Labidura*), 12.
Castanea (*Latindia*), 168.
Castanea (*Methana*), 136.
Castanea (*Oniscosoma*), 160.
Castanea (*Paraphoraspis*), 136.
Castanea (*Paraspheeria*), 195.
Castanea (*Phyllodromia*), 93.
Castanea (*Platzosteria*), 131.
Castanea (*Polyzosteria*), 131.
Castanea (*Tennopteryx*), 106.
Castanea (*Zetobora*), 158.
Castaneum (*Phasma*), 412.
Castaneum (*Pseudophasma*), 412.
Castelnaudi (*Haaniella*), 398.
Castelnaudi (*Heteropteryx*), 398.
Castetsi (*Careinophora*), 15.
Castetsi (*Pachymantis*), 288.
Catadromus (*Aschipasma*), 420.
Catadromus (*Orthomeria*), 420.
CATARIA, 148.
Catenata (*Mantis*), 240.
Catori (*Lonchodes*), 318.
Catori (*Staelonchodes*), 318.
Cattulus (*Creoboter*), 291.
Caucasica (*Fischeria*), 268.
Caucasica (*Iris*), 268.
Caudata (*Brunneria*), 264.
Caudata (*Chreteessa*), 209.
Caudata (*Thespis*), 264.
Caules (*Macella*), 332.
CAULONIA, 344.
Cavernosus (*Obriimus*), 398.
Cavifolia (*Japyx*), 56.
Cayennensis (*Acontista*), 231.
Cayennensis (*Liturgusa*), 271.
Cayennensis var. *Maya* (*Liturgusa*), 271.
Cazurroi (*Aphlebia*), 71.
Cazurroi (*Hololampra*), 71.
Cecconii (*Aphlebia*), 70.
Cecconii (*Hololampra*), 70.
Celatus (*Brachypterus*), 331.
Cebesat (*Panchlora*), 151.
Celebica (*Panesthia*), 204.
Celebieum (*Phyllium*), 423.
Cibularis (*Mantis*), 253.
Centaurus (*Palophilus*), 365.
Centralis (*Ischnoptera*), 82.
Centralis (*Japyx*), 57.
Centralis (*Phyllodromia*), 88.
Centurio (*Gyna*), 150.
Centurio (*Opistho-*
cosmia), 39.
Cephalotes (*Arrhidea*), 384.
Cephalotes (*Calidomantis*), 257.
Cephalotes (*Miomantis*), 257.
Cephalotes (*Necroscia*), 384.
Cepus (*Prisopus*), 406.
Ceramia (*Necroscia*), 369.
Ceramia (*Sosibia*), 369.
CERATINOPTERA, 98.
Ceratocephalum (*Phibalo-*
soma), 357.
Ceratocephalus (*Clado-*
morphus), 357.
CERATOCRANIA, 289.
CERATOMANTIS, 287.
Ceratophyllus (*Haplopus*), 365.
Ceratoceleton (*Calynda*), 353.
Cerberus (*Anisomorphus*), 343.
Cerberus (*Charnidas*), 343.
Cercalis (*Blatta*), 96.
Cercalis (*Phyllodromia*), 96.
Cercyon (*Marmessoidea*), 371.
Cercyon (*Necroscia*), 371.
Cetus (*Agonidae*), 373.
Cetus (*Xanthocnemis*), 373.
Cerisyi (*Eremiaphilidae*), 211.
CEROYS, 354.
CEROYS, 344.
Cerveae (*Polyplectro*), 173.
Cervicornis (*Tisanus*), 399.
Cervina (*Zelotera*), 192.
Cervipyga (*Opisthocos-*
mia), 39.
Cesticulata (*Dyscoleo-*
gamia), 173.
Ceylonica (*Allacta*), 100.
Ceylonica (*Auephelapis*), 325.
Ceylonica (*Blatta*), 100.
Ceylonica (*Humbertiella*), 214.
Ceylonica (*Lubia*), 38.
Ceylonicus (*Lonchodes*), 329.
Ceylonicus (*Neuroscia*), 375.
Ceylonicus (*Opisthocos-*
mia), 38.
Ceylonicus (*Oxyartes*), 325.
Ceylonicus (*Ramulus*), 329.
Ceylonicus (*Salganeo*), 201.
CH. ETEESSA, 209.
CH. ETEESSA, 209.
CH. ETOSPAÑA, 22.
CHALCOLAMPIA, 127.
Chalybea (*Tabin*), 28.
Chalybea (*Mantis*), 209.
Chalidra (*Oxyphthalma*), 261.
Chalidra (*Schizonychia*), 261.
Chalidra (*Trisopms*), 261.
Championi (*Acontista*), 253.
Championi (*Aneistro-*
gaster), 37.
Championi (*Anellus*), 205.
Championi (*Lubia*), 27.
Championi (*Phasmom-*
nautes), 255.
Championi (*Thespis*), 255.
Characterosa (*Calo-*
lumpi), 117.
Characterosa (*Pholomyces*), 117.
CHARIEIS, 210.

- CHARNIDAS, 343.
Chartacea (Apachya), 3.
Chartacea (Apachys), 3.
Chartacea (Forficula), 3.
Chartaceus (Apachyus), 3.
Chavesi (Aphlebia), 71.
Chavesi (Hololampra), 71.
CHELIDOURA, 42.
CUELIDURA, 42.
CHELIDURA, 44.
CHELIDURELLA, 43.
Cheliduroides (Labia), 27.
CHELIOSCHELLA, 35.
CHELIOSCHES, 32.
Chichimeca (Blatta), 95.
Chichimeca (Phyllo-dromia), 95.
Childreni (Trigonoderus), 380.
Childreni (Tropidoderus), 380.
Childrenii (Tropidoderus), 380.
Centenaria (Anisolabis), 17.
Centenaria (Bacunulus), 19.
Centenaria (Brachycolla), 5.
Centenaria (Brachylabis), 11.
Chilensis (Forficula), 17.
Chilensis (Hormetica), 195.
CHIROPACHA, 216.
CHIROPUS, 215.
CHITONISCUS, 420.
Chitonoides (Blabera), 165.
Chitonoides (Laxta), 165.
CHLIDONOPTERA, 292.
Chloreudeta (Mantis), 239.
Chloris (Astollia), 231.
Chloris (Mantis), 231.
Chloris (Necroscia), 375.
Chlorophaea (Mantis), 303.
Chlorophaea (Phyllo-vates), 303.
Chlorophaea (Theoclytes), 303.
Chlorophaea var. Cornuta (Theoclytes), 303.
Chlorophylla (Phasma), 423.
Chlorophyllum (Phyl-lum), 423.
Chlorophyllum (Phyl-lum), 423.
- Chlorotica (Blatta)*, 153.
Chlorotica (Necroscia), 376.
CHIÉRADODINÆ, 219.
CHIÉRADODIS, 219.
CHONDROSTETHIUS, 319.
Chontalia (Pyragra), 7.
Chontalia (Thermastris), 7.
CHORISONEURA, 71.
CHORISONEURINÆ, 71.
CHORISTIMA, 73.
CHRASTOBLATTA, 86.
Christina (Sphodromantis), 244.
Christopheri (Diaphroderes), 362.
CHROIOPTERA, 227.
Chronus (Acrophylla), 388.
Chronus (Cyphoerania), 388.
Chronus (Diura), 388.
Cicatricosa (Parahorometica), 198.
Cicatricosa (Zetobora), 158.
Ciliata (Blepharodera), 194.
Ciliata (Mantis), 274, 298.
Ciliata (Miopteryx), 274.
Ciliata (Parastagmatoptera), 298.
Ciliata (Perisphearia), 194.
CILNIA, 242.
Cineta (Anaplecta), 66.
Cineta (Blatta), 85.
Cineta (Epilampra), 123.
Cineta (Heterolampra), 123.
Cineta (Ischnoptera), 85.
Cineta (Pseudomops), 74.
Cineta (Thyrsoera), 74.
Cincticollis (Anisolabis), 19.
Cincticollis (Aphichia), 69.
Cincticollis (Blatta), 69.
Cincticollis (Brachylabis), 19.
Cineticornis (Chelisoches), 33.
Cineticornis (Lobophora), 33.
- Cinctipes (Arria)*, 244.
Cinctipes (Stratocles), 409.
Cinerascens (Epi-lampra), 126.
Cinerea (Blatta), 156.
Cinerea (Epilampra), 156.
Cinerea (Metriotes), 416.
Cinerea (Nauphoëta), 156.
Cinerea (Phasma), 416.
Cinereum (Phasma), 416.
Cingalensis (Apterygida), 47.
Cingalensis (Forficula), 46.
Cingalensis (Sphingolabis), 46.
Cingulata (Aptera), 182.
Cingulata (Mantis), 303.
Cingulata (Perisphearia), 182.
Cingulata (Phyllo-ovates), 303.
Cingulata (Theoclytes), 303.
Cinnamomea (Phyllo-dromia), 89.
Circinata (Forficula), 50.
Circulata (Apterygida), 44.
Circulata (Forficula), 44.
Circulata (Pterygida), 44.
Circumcineta (Blatta), 89.
Circumcineta (Loboptera), 102.
Circumcineta (Phyllo-dromia), 89.
Circumcineta (Plectoptera), 178.
Circumcineta (Polyzosteria), 132.
Circumcineta (Pseudolampra), 132.
Circumcineta (Thyrso-era), 77.
Circumelusa (Hemithyrsocera), 77.
Circumelusa (Thyrso-era), 77.
Circundata (Blatta), 180.
Circundata (Nauphoëta), 180.
Circundata (Paranauphoëta), 180.
Circundata (Plectoptera), 178.
Circunducta (Blatta), 93.

- Circumducta* (*Cutilia*), 134.
Circumducta (*Ischnoptera*), 93.
Circumducta (*Periplaneta*), 134.
Circumducta (*Phyllo-dromia*), 93.
Circumvagans (*Nau-pheta*), 116.
Circumvagans (*Phœ-talia*), 116.
Cirenea (*Mantis*), 416.
CIRPHIS, 176.
Cistelina (*Blatta*), 73.
Cistelina (*Chorisoneura*), 73.
Citrifolium (*Phasma*), 422.
CLADOMORPHUS, 357.
CLADOMORPHUS, 354, 356.
CLADOXERUS, 357.
Clara (*Calidomantis*), 259.
Clara (*Ischnoptera*), 83.
Clara (*Mantis*), 259.
Claraziana (*Agathemera*), 402.
Claraziana (*Aniso-morpha*), 402.
Claraziana (*Blabera*), 162.
Claraziana (*Blaptica*), 162.
Claraziana (*Copto-pterix*), 272.
Clarki (*Labidura*), 12.
Clarki (*Sparatta*), 24.
Clarata (*Mantis*), 312.
Clarigera (*Dero-calymma*), 188.
Clavigera (*Homalo-denias*), 188.
CLEMACANTHA, 389.
Clinteria (*Abrachia*), 352.
Clinteria (*Bacteria*), 352.
Clinteria (*Bactridium*), 352.
CLITARCHUS, 339.
CLITARCHUS, 340.
CLITUMNUS, 327.
CLONARIA, 337.
CLONISTRIA, 351.
Clypeata (*Derocalymma*), 184.
Clypeata (*Pronaonota*), 184.
Cneius (*Oleyphides*), 411.
Cneius (*Phasma*), 411.
Cnemidatus (*Vates*), 305.
Coaretata (*Hierodula*), 245.
Coecinella (*Prosoplecta*), 177.
Coccinelloides (*Areolaria*), 177.
Coccinelloides (*Proso-plecta*), 177.
Cucophagus (*Lopaphus*), 386.
Coccyx (*Bacillus*), 336.
Cocophages (*Alepus*), 386.
Cocophages (*Graeffei*), 386.
Cœnosa (*Bacteria*), 331.
Cœnosa (*Hyrtacus*), 331.
Cognata (*Blatta*), 90.
Cognata (*Phyllodromia*), 90.
Coleoptratum (*Ipisoma*), 163.
Colini (*Gyna*), 149.
Collaris (*Blatta*), 170.
Collaris (*Corydia*), 169.
Collaris (*Holocampa*), 170, 171.
Collaris (*Oxyophthal-mus*), 261.
Collaris (*Paroxyoph-thalmus*), 261.
Collaris (*Periplaneta*), 147.
Colligata (*Blatta*), 90.
Colligata (*Phyllodro-mia*), 90.
Coloradus (*Bacillus*), 333.
Coloradus (*Parabacillus*), 333.
Colorata (*Periplaneta*), 241.
Coloreus (*Bacillus*), 339.
Coloreus (*Clitarchus*), 339.
Colossea (*Anisolabis*), 19.
Colossea (*Anisolabis*), 20.
Colossea (*Archimandrita*), 163.
Colossea (*Blatta*), 163.
Colossea (*Fornicella*), 19.
Colossea *rar.* *Minor* (*Anisolabis*), 20.
Columbiana (*Epi-lampra*), 125.
Columbiana (*Psalis*), 15.
Columbiana (*Sparatta*), 23.
Columbina (*Caulonia*), 344.
Columbina (*Cerops*), 344.
Comis (*Bulfraga*), 351.
Comis (*Clonistria*), 351.
Communis (*Cutilia*), 134.
Communis (*Drymo-planeta*), 134.
Communis (*Hemithyr-socera*), 77.
Commutata (*Mantis*), 268.
Complanata (*Blatto*), 195.
Complanata (*Proserpina*), 195.
Compressicollis (*Mysti-pola*), 292.
Comprimens (*Cheli-soches*), 32.
COMPSOBLATTA, 180.
COMPSOLAMPRA, 116.
COMPSONANTIS, 222.
COMPSONTHESPIA, 208.
COMPTOLAMPRA, 116.
Concinna (*Acontista*), 233.
Concinna (*Avonista*), 233.
Concinna (*Blatta*), 135.
Concinna (*Mantis*), 233.
Concinna (*Methana*), 136.
Concinna (*Periplaneta*), 133, 139.
Concinna (*Pseudomeps*), 175.
Concinnula (*Epilampra*), 122.
Concinnula (*Hetero-lampra*), 122.
Concisa (*Allacta*), 99.
Concisa (*Blatta*), 90.
Concitus (*Parachit-timus*), 330.
Concolor (*Blatta*), 62, 63.
Concolor (*Periplaneta*), 141.
CONDYLOPALAMA, 58.
Conferta (*Calolampra*), 117.
Conferta (*Epilampra*), 117.
Conferta (*Ischnoptera*), 151.

- Conferta* (*Leucophæa*), 151.
Configurata (*Dorylæa*), 135.
Configurata (*Periplaneta*), 135.
Conformis (*Epilampra*), 120.
Conformis (*Ischnoptera*), 83.
Conformis (*Pseudophoraspis*), 120.
Confucius (*Lonchodes*), 318.
Confucius (*Stælonochodes*), 318.
Confusa (*Anchiale*), 392.
Confusa (*Euchomæna*), 237.
Confusa (*Nyctibora*), 108.
Confusus (*Haania*), 288.
Confusus (*Parairidopteryx*), 288.
Congo (*Forcipula*), 8.
Congrua (*Calolampra*), 118.
Congrua (*Epilampra*), 120.
Congrua (*Hostilia*), 192.
Congrua (*Polyzosteria*), 118.
Congrua (*Pseudophoraspis*), 120.
Congrua (*Zetobora*), 192.
Conica (*Panesthia*), 204.
Conicippennis (*Necroscia*), 372.
Conicippennis (*Trigonomphasma*), 372.
Conjuncta (*Allacta*), 100.
Conjuncta (*Blatta*), 100.
Conocephala (*Loxopsis*), 406.
Conocephalum (*Phasma*), 406.
Conradi (*Caulonia*), 344.
Consobrina (*Elaen*), 214.
Consobrina (*Elliptoblatta*), 183.
Consobrina (*Humbertiella*), 214.
Consobrina (*Ischnoptera*), 83.
Consobrina (*Platyzosteria*), 130.
Consobrina (*Polyzosteria*), 130.
Consobrina (*Pseudovates*), 304.
Consocia (*Areolaria*), 177.
Consocia (*Blatta*), 177.
Conspersa (*Ariusia*), 215.
Conspersa (*Blatta*), 157.
Conspersa (*Epilampra*), 123.
Conspersa (*Epilampra*), 126.
Conspersa (*Mantis*), 254.
Conspersa (*Musonia*), 276.
Conspersa (*Necroscia*), 374.
Conspersa (*Philobora*), 157.
Conspersa (*Phoraspis*), 112.
Conspersa (*Phoraspis*), 112.
Conspersa (*Phtersigena*), 207.
Conspersa (*Phylodromia*), 94.
Conspersa (*Proseretea*), 157.
Conspersa (*Stagmomantis*), 254.
Conspersa (*Tarachodes*), 215.
Conspersa (*Theganopteryx*), 64.
Conspersa (*Thespis*), 276.
Conspersa (*Zetobora*), 157.
Consensus (*Paroxypilus*), 207.
Conspecta (*Mareta*), 97.
Conspecta (*Mantis*), 246, 252.
Conspecta (*Philobora*), 157.
Conspecta (*Tribonium*), 157.
Conspecta (*Zetobora*), 157.
Constricta (*Blatta*), 88.
Constricta (*Phylodromia*), 88.
Contigua (*Blatta*), 93.
Contigua (*Derocalynuma*), 160.
Contigua (*Oniscosoma*), 160.
Contigua (*Phylodromia*), 93.
Contingens (*Blatta*), 92.
Contingens (*Phylodromia*), 92.
Continua (*Blatta*), 81.
Continua (*Ischnoptera*), 81.
Continua (*Temnopteryx*), 106.
Contorta (*Acanthops*), 283.
Contorta (*Acanthops*), 283.
Contraria (*Homalosilpha*), 143.
Contraria (*Ischnoptera*), 82.
Contraria (*Periplaneta*), 143.
Contusa (*Blepharoderia*), 194.
Contusa (*Panchlora*), 194.
Convexa (*Cyrtilia*), 113.
Convexa (*Methana*), 136.
Convexa (*Periplaneta*), 136.
Coolgardiensis (*Cosmopolitanus*), 133.
Coolgardiensis (*Platyzosteria*), 133.
COPISCELIS, 25.
COPTOPTERYX, 271.
Coquereliana (*Brachycera*), 199.
Coquereliana (*Gromphadorhina*), 199.
Coquereliana (*Hormetica*), 199.
Cordata (*Deroplatys*), 281.
Cordata (*Mantis*), 281.
Cordillerae (*Acontista*), 234.
Cordilleræ (*Acontista*), 233.
Cordofana (*Phylodromia*), 89.
Coriacea (*Anechura*), 41.
Coriacea (*Diplatys*), 1.
Coriacea (*Forficula*), 1.
Cormantiella (*Thespis*), 263.
Corniceps (*Phasma*), 419.
Cornicellis (*Paratoxoderia*), 285.
Corniger (*Creoxylins*), 417.
Cornigera (*Stenophylla*), 306.
Cornuta (*Baeteria*), 353, 354.
Cornuta (*Blepharis*), 315.
Cornuta (*Blepharodes*), 315.
Cornuta (*Cyphocrania*), 362.

- Cornuta (Harpax)*, 295.
Cornuta (Mantis), 295.
Cornuta (Phyllovotes), 303.
Cornuta (Theoclytus), 303.
Cornutum (Phasma), 353.
Cornutus (Acanthoderus), 353, 354.
Cornutus (Ceroys), 354.
Cornutus (Dixipus), 322.
Cornutus (Lonchodes), 322.
Cornutus (Prisopus), 405.
Corommensis (Phylodromia), 89.
Coronata (Harpax), 295.
Coronata (Hymenopa), 294.
Coronata (Mantis), 294.
Coronata (Phasma), 355.
Coronata (Phibalosoma), 357.
Coronatum (Pachymorpha), 400.
Coronatum (Phasma), 353, 400.
Coronatus (Acanthoderus), 400.
Coronatus (Ceroys), 355.
Coronatus (Hymenopus), 294.
Coronatus (Pygirhynchus), 408.
Coronatus (Pylæmenes), 400.
Corticum (Blatta), 151.
CORYDIA, 166.
CORYDILÆ, 166.
COSMIELLA, 38.
COSMOZOSTERIA, 132.
Costalis (Amorphoscelis), 208.
Costalis (Carvilia), 267.
Costalis (Gyna), 149.
Costalis (Mantis), 238, 301.
Costalis (Panchlora), 149.
Costalis (Stagmatoptera), 301.
Costalis (Tenodera), 238.
Costaricensis (Stratoles), 409.
Costata (Calvisia), 370.
Costata (Phasma), 370.
Cotesiana (Perispæria), 189.
Cothurnata (Eurycotis), 144.
COTYLOSOMA, 407.
Couloniana (Blattæ), 104.
Couloniana (Glyptopeltis), 182.
Couloniana (Ischnoptera), 85.
Couloniana (Temnopteryx), 104.
Coulonianum (Bacctridium), 352.
Coxalis (Blatta), 139.
Coxalis (Calidomantis), 258.
Coxalis (Cutilia), 134.
Coxalis (Hierodula), 244.
Coxalis (Mionentis), 258.
Coxalis (Periplaneta), 139.
Coxalis (Polyzosteria), 134.
Coxalis (Sphodromantis), 244.
CRANIDIUM, 361.
Craniifera (Blabera), 164.
CRASPEDONIA, 387.
Crassa (Agathemera), 403.
Crassa (Anisomorpha), 403.
Crassa (Epilampra), 125.
Crassa (Paradoxo-morpha), 403.
Crassa (Perispæria), 182.
Crassiceps (Compsonantis), 222.
Crassiceps (Mantis), 222.
Crassiceps (Oxyptilus), 222.
Crassicornis (Nyctibora), 107.
Crassimargo (Monachoda), 160.
Crassipes (Compsonantis), 222.
Crassipes (Gonyptera), 222.
Crassipes (Micromantis), 222.
Crassipes (Parasphecia), 196.
Crassipes (Pozyzosteria), 196.
Crassivenosa (Allacta), 99.
Crassivenosa (Ceratinoptera), 99.
Crassus (Pterinoxylus), 562.
- CRAURUSA*, 219.
Crawangense (Phasmat.), 324.
Crawangensis (Phasmania), 324.
Crenata (Fingulæ), 11.
Crenata (Lobularia), 11.
Crenaticollis (Glyptopteryx), 271.
Crenaticollis (Mantis), 271.
Crenulipes (Planipes), 417.
CREOBOTER, 290.
CREOBOTRA, 290.
CREOBOTRINÆ, 280.
CREOXYLUS, 417.
Cresphantes (Amopholepis), 324.
Creticus (Japyx), 56.
Cribata (Panesthia), 202.
Cribellata (Epilampra), 121.
Cribellata (Heterlampra), 121.
Cribrata (Epilampra), 111.
Cribrata (Panesthia), 202.
Cribrata (Planes), 111.
Cribricollis (Blatta), 122.
Cribricollis (Epilampra), 115.
Cribrosa (Ellipsica), 183.
Cribrosa (Epilampra), 126.
Cribrosa (Panchlora), 154.
Cribrosa (Pronaonota), 184.
Crimicoris (Pseudomops), 76.
Crimicoris (Thysanocera), 75, 76.
Crimicoris vir. Fulvus (Thysanocera), 75.
Crishna (Linchodes), 320.
Crishna (Myronides), 320.
Cristatus (Hernagoras), 322.
Crocea (Epilampra), 126.
Croceipennis (Forficula), 31.
Croceipennis (Psalidophora), 32.
Croceipennis (Spongiphora), 31.

- Croceipennis (Spongiphora)*, 31.
Croceipennis Lherminieri (Spongiphora), 31.
Crocodus (Canachus), 396.
Crossea (Epilampra), 126.
Crouanii (Bacillus), 386.
Crouanii (Graeffea), 386.
Crudele (Aschipasma), 418.
Crudelis (Bacteria), 346.
Crudelis (Presbistus), 418.
Crundelis (Pseudobacteria), 346.
Cruralis (Perisphearia), 187.
Cruralis (Perisphearia), 187.
Cruralis (Pollusea), 187.
Crurifolium (Phasma), 421.
Crurifolium (Phyllum), 421.
Crurifolium (Pulchriphyllum), 421.
Cryptaleus (Cladoxerus), 357.
Cryptaleus (Phibalosoma), 357.
CRYPTOCERUS, 200.
Cryptochlore (Pseudophusma), 411.
Cryptochloros (Oleyphides), 411.
Cryptochroma (Achlaena), 216.
Cryptospila (Gynopeltis), 182.
Cryptospila (Polyphaga), 182.
CTENISOLABIS, 23.
CTENOMORPHA, 388.
Cubacuse (Bacteria), 346.
Cubaense (Phasma), 346.
Cubaensis (Bacteria), 346.
Cubaensis (Mantis), 254.
Cubaensis (Pseudobacteria), 346.
Cubense (Phasma), 413.
Cubense (Phibalosoma), 358.
Cubense (Pseudophasma), 413.
Cubensis (Bacteria), 358.
Cubensis (Bacunculus), 346.
Cubensis (Blabera), 161.
Cubensis (Blatta), 88, 153.
Cubensis (Cladoxerus), 358.
Cubensis (Epilampra), 126.
Cubensis (Gonatista), 270.
Cubensis (Haplopus), 364.
Cubensis (Musonia), 276.
Cubensis (Phasma), 413.
Cubensis (Phyalosoma), 358.
Cubensis (Phyllodromia), 88.
Cubensis (Thespis), 276.
Cubitata (Mantis), 300.
Cueujoides (Hypnorna), 178.
Cucullata (Capucina), 159.
Cucullata (Latindia), 168.
CULAMA, 175.
Culinaris (Blatta), 198.
Culmus (Bacteria), 349.
Culmus (Heteronemia), 349.
Cumingi (Pygidierana), 5.
Cunicularis (Bacillus), 328.
Cuniculus (Baeulum), 328.
Cupido (Cardioptera), 273.
Cupido (Metriomantis), 273.
Cuprea (Polyzosteria), 128.
Curta (Blatta), 140.
Curta (Blatta), 89.
Curta (Chelidura), 44.
Curta (Epilampra), 121.
Curta (Heterolampra), 121.
Curta (Periplaneta), 140.
Curta (Phyllodromia), 89.
Curtipes (Necroscia), 368.
Curtipes (Paradunuria), 285.
Curtipes (Phasma), 368.
Curtipes (Sosibia), 368.
Curtipes (Toxoderopsis), 285.
Curvicauda (Forficella), 26.
Curvicauda (Labia), 26.
Currigera (Periplaneta), 137.
Curvigera (Zonioploca), 137.
Curvinervis (Blatta), 91.
Curvinervis (Phyllodromia), 91.
Curvipes (Necroscia), 374.
Curvipes (Phanoctes), 354.
Curvipes (Phasma), 374.
Curvipes (Platycerana), 374.
Cuticularis (Mantis), 253.
CUTILIA, 134.
Cyanea (Corydia), 169.
Cyanea (Holocompsa), 169.
Cyclotibia (Forficula), 50, 52, 54.
Cyclofobia (Labia), 26.
Cyclops (Apsidopis), 119.
Cylindrica (Anchiiale), 392.
Cylindrica (Mantis), 392.
Cylindrica (Perisphearia), 186.
Cylindrica (Stenopilema), 186.
CYLINDROGASTER, 2.
Cyllabaeus (Lonchodes), 323.
Cyllabaeus (Sthenobaea), 323.
Cyllarus (Necroscia), 411.
Cyllarus (Pseudophasma), 411.
Cynipoidea (Hypercompsa), 170.
CYPHOCRANA, 390.
CYPHOCRANIA, 390.
Cyphus (Bacteria), 353.
Cyphus (Calynda), 353.
CYRTILIA, 113.
Cyrtocnemis (Bacteria), 254, 354.
Cyrtocnemis (Ceroys), 254, 354.
Cyrtophthalma (Epilampra), 121.
Cyrtophthalma (Heterolampra), 121.
CYRTOTRIA, 187.
Cytherea (Haplopus), 363.
DACTYLOPTERYX, 267.
Daemeli (Pygidierana), 6.
DALACA, 408.
DAMASIPPOIDES, 404.
DAMASIPPUS, 407.
DANIURA, 309.
DANURIA, 309.
DANURIELLA, 310.
Daphne (Hierodula), 217.

- Darchii* (*Mantis*), 239.
Dardanus (*Phyllium*), 421.
Dardanus (*Pulchriflyllum*), 421.
DARES, 400.
Darius (*Aschipasma*), 420.
Darius (*Bacillus*), 341.
Darius (*Medaura*), 341.
Darius (*Orthoneuria*), 420
DASYPOSOMA, 198.
Dasytoides (*Corydia*), 167.
Dasytoides (*Euthyrrapta*), 167.
DATAMES, 400.
Daunus (*Aschipasma*), 419.
Daunus (*Presbistus*), 419.
Davidis (*Cladoxerus*), 37.
Davidis (*Necroseia*), 377.
Davidis (*Phibalosoma*), 377.
Davisoni (*Parymenopus*), 294.
Debilis (*Holocephala*), 170.
Debilitata (*Gonypeta*), 226.
Debilitata (*Hapalomantis*), 226.
Deceptura (*Pseudemops*), 76.
DECIDIA, 403.
DECIMIA, 283.
Decipiens (*Anaplecta*), 68.
Decipiens (*Blatta*), 101.
Decipiens (*Forficula*), 51.
Decipiens (*Labidura*), 15.
Decipiens (*Labidurodes*), 15.
Decipiens (*Loboptera*), 101, 102.
Decipiens (*Peltanotosilpha*), 143.
Decipiens (*Polyzosteria*), 102.
Decipiens (*Tropidoderus*), 380.
Decipiens var. *Cyclo-labia* (*Forficula*), 52.
Decipiens var. *Macro-labia* (*Forficula*), 52.
Decisa (*Blabera*), 164.
Decolor (*Ameles*), 230.
Decolor (*Harpax*), 230.
Decolor (*Mantis*), 230.
Decolyi (*Forcipula*), 9.
Decolyi (*Molytria*), 114.
Decorata (*Apolyta*), 79.
Decorata (*Periplaneta*), 135, 147.
Decorata (*Stylopyga*), 135.
Decoratum (*Ellipsidion*), 79.
Deflexa (*Epilampra*), 122.
Deflexa (*Heterolampra*), 122.
Deflexa (*Hierodula*), 248.
Deflexa (*Rhombodera*), 248.
Defoliata (*Empusa*), 314.
Defoliata (*Idolomorpha*), 314.
Dehaani (*Haaniella*), 398.
Dehaani (*Heteropteryx*), 398.
DEPHIOBE, 266.
Delalandii (*Entella*), 225.
Delalandii (*Euryzosteria*), 145.
Delalandii (*Gonypeta*), 225.
Delicatulus (*Blatta*), 94.
Delicatula (*Latindia*), 168.
Delicatula (*Phyllostomia*), 94.
Delicatulus (*Canulcius*), 383.
Delicatulus (*Rhaphiderus*), 383.
Delta (*Phyllodromia*), 89.
DEMOGORON, 12.
Dentata (*Anisomorpha*), 401.
Dentata (*Eremiaphila*), 212.
Dentata (*Forficula*), 52.
Dentata (*Macella*), 332.
Dentata (*Pilema*), 185.
Denticanda (*Lonchodes*), 318.
Denticauda (*Stenochodes*), 318.
Denticollis (*Astape*), 276.
Denticollis (*Eremiaphila*), 211.
Denticorne (*Baculum*), 328.
Denticornis (*Entoria*), 328.
Denticrus (*Diapheromeria*), 347.
Dentierus (*Megaphasma*), 347.
Denticulata (*Toxodera*), 285.
Denticulata (*Vates*), 305.
Dentifera (*Sparatta*), 23.
Dentifrons (*Epaphrodita*), 284.
Dentifrons (*Hierodula*), 242.
Dentifrons (*Idolomorpha*), 315.
Dentifrons (*Sphodropoda*), 242.
Denriticus (*Megaphasma*), 347.
Depictus (*Gigantophasma*), 386.
Deplanata (*Archimandrita*), 163.
Deplanata (*Blabera*), 163.
Deplanata (*Epilampra*), 120.
Deplanata (*Pseudophoraspis*), 120.
Deplanatum (*Pachymorpha*), 399.
Deplanatum (*Phasma*), 399.
Deplanatus (*Acanthoderus*), 399.
Deplanatus (*Tisanus*), 399.
Depolita (*Calolampra*), 118.
Depressa (*Apophya*), 3.
Depressa (*Blatta*), 79.
Depressa (*Forsilia*), 3.
Depressum (*Ellipsidion*), 79.
Depressus (*Apachys*), 3.
Deprivata (*Blatta*), 85.
Deprivata (*Ischnoptera*), 85.
Dermestoides (*Blatta*), 177.
DEROCALYMMIA, 187.
DEROCALYMMIA, 188.
DEROCARDIA, 119.
Deropeltiformis (*Tenuinotyx*), 105.
DEROPELTIS, 145.
DEROPLATYS, 281.
Desicata (*Deroplatys*), 281.
Desicata (*Mantis*), 281.
DESMOSIA, 97.
Despera (*Anopholepis*), 321.

- Despecta var. Cresphontes* (*Anophelepis*), 324.
Despectum (*Acanthoderus*), 324.
Despectum (*Phasma*), 324.
Despectus (*Oxyartes*), 324.
Detersa (*Blatta*), 94.
Detersa (*Phyllodromia*), 94.
Deusta (*Blatta*), 175.
Deusta (*Oxyhaloa*), 175.
Deusta (*Proscratae*), 175.
Devians (*Ancistrogaster*), 37.
Devians (*Opisthocosmia*), 37.
Diabolicum (*Idolum*), 316.
Diabolus (*Brachycola*), 197.
Diabolus (*Hormetica*), 197.
Diabroticum (*Idolum*), 316.
Diacanthos (*Agondasoidaea*), 373.
Diacanthos (*Necroscia*), 373.
Diacanthos (*Phasma*), 373.
Diacis (*Creoxylus*), 404.
Diacis (*Neocles*), 404.
Diacis (*Phasma*), 404.
Diacis (*Xeroderus*), 404.
DIAGORAS, 361.
Diana (*Anastira*), 293.
Diana (*Callibia*), 293.
Diana (*Mantis*), 293.
DIAPHANA, 170.
Diaphana (*Blatta*), 98.
Diaphana (*Ceratoptera*), 98.
DIAPHERODES, 362.
DIAPHERODES, 361.
DIAPHEROMERA, 346.
DIAPIEROMERINÆ (*errone Diaphomerinæ*), 343.
Diardi (*Candaules*), 367.
Diardi (*Cladoxerus*), 367.
Diardi (*Phasma*), 367.
Diardi (*Phibalosoma*), 367.
DICELLONOTUS, 201.
DICELLURA, 55.
Dichroa (*Deropeltis*), 147.
Dichroa (*Forficula*), 47.
DICRANOPHYGLA, 4.
Dictys (*Metriotes*), 414.
Dietys (*Prexaspes*), 414.
DIDYMOCORYPHA, 218.
DIDYMURIA, 381.
Difficilis (*Blatta*), 88.
Difficilis (*Phyllodromia*), 88.
Difformipes (*Pterinoxylus*), 362.
Diffornipes (*Pterinoxylus*), 362.
Dilatata (*Blatta*), 95.
Dilatata (*Chlidura*), 43.
Dilatata (*Diapherodes*), 397.
Dilatata (*Epilampra*), 122.
Dilatata (*Forficula*), 43.
Dilatata (*Heterolampra*), 122.
Dilatata (*Heteropteryx*), 397.
Dilatata (*Panesthia*), 205.
Dilatata (*Phasma*), 397.
Dilatata (*Phyllodromia*), 95.
Dilatata (*Plana*), 205.
Dilatatus (*Geoscapheus*), 205.
Dilaticauda (*Forficelia*), 6.
Dilaticauda (*Platylabia*), 6.
Dilaticauda (*Pygidiocrana*), 6.
Dilatipes (*Cladomorphus*), 356.
Dilatipes (*Phibalosoma*), 356.
Dilatipes (*Phibalosoma*), 357.
Diluta (*Blatta*), 91.
Diluta (*Mantis*), 290.
Diluta (*Parastagmatoptera*), 299.
Diluta (*Pteriplaneta*), 147.
Diluta (*Phyllodromia*), 91.
Diluta (*Pseudoderoptilis*), 147.
Diluta (*Stagmatoptera*), 298, 299.
Dimidiata (*Ceratoptera*), 98.
Dimidiata (*Chrastoblatta*), 86.
Dimidiata (*Euryeotis*), 144.
Dimidiata (*Ischnoptera*), 146.
Dimidiata (*Mantis*), 253.
Dimidiata (*Platylabia*), 22.
Dimidiata (*Polyzosteria*), 144.
Dimidiata (*Proscratae*), 86.
Dimidiata (*Stagmomantis*), 253.
Dimidiata (*Stagmomantis*), 253.
Dimidiata var. *Ferox* (*Stagmomantis*), 253.
Dimidiata var. *Stollii* (*Stagmomantis*), 253.
Dimidiaticornis (*Chorisoneura*), 72.
Dimidiatipes (*Tennopteryx*), 104.
Dimorpha (*Tennopteryx*), 105.
DIMORPHODES, 387.
DINELYTRON, 408.
Dioeles (*Metriotes*), 416.
Dioscoris (*Teddia*), 264.
DIPLATYS, 1.
DIPLOPTERA, 176.
Dipneusticum (*Cotylosoma*), 407.
Discalis (*Balta*), 105.
Discalis (*Blatta*), 105.
Disealis (*Tennopteryx*), 105.
Discicollis (*Blatta*), 75, 76.
Discicollis (*Pseudomops*), 75.
Discicollis (*Thrysocera*), 76.
Discifera (*Creoboter*), 291.
Discifera (*Mantis*), 291.
Discoidalis (*Archimandrita*), 163.
Discoidalis (*Blabera*), 163.
Discoidalis (*Blatta*), 73, 76.
Discoidalis (*Chorisoneura*), 73.
Discoidalis (*Gyropeltis*), 182.
Discoidalis (*Miopanesthia*), 205.
Discoidalis (*Nauphæta*), 155, 180.
Discoidalis (*Paranauphæta*), 180.
Discoidalis (*Perispæria*), 182.
Discolor (*Harpagomantis*), 296.
Discolor (*Harpax*), 296.
DISCOTHERA, 207.

- Dispar (Cyrtotria)*, 187.
Dispar (Derocalymma), 187.
Dispar (Hierodula), 245.
Dispar (Lonthodes), 318.
Dispar (Perisphecia), 187.
Dispar (Stelonchodes), 318.
Disparilis (Theopompa), 214.
Disimulator (Tara-
chodes), 215.
Distanti (Blabera), 165.
Distanti (Deropeltis), 147.
Distanti (Solygia), 263.
Distincta (Forficula), 14.
Distincta (Forficula), 14.
Distincta (Labidura), 10.
Distincta (Neocroscia), 377.
Ditomus (Cladoxerus), 358.
Ditomus (Phibalosoma), 358.
DIURA, 281.
Divergens (Forficula), 32.
Divergens (Spongiphora), 32.
Dives (Chiropus), 215.
Dives (Tara-chodes), 215.
Divisa (Ischnoptera), 85.
DIXIPPUS, 321.
Dohertyi (Chelisoches), 35.
Dohertyi (Triænoco-
rypha), 287.
Dohrni (Carcinophora), 15.
Dohrni (Nannopygia), 15.
Dohrui (Pygraga), 7.
Dohrni (Sparatta), 24.
Dohrni (Thermastris), 7.
Dohrniana (Anaplecta), 68.
Dohrniana (Heterogamia), 172.
Dohrniana (Latindia), 168.
Dohrniana (Mionyx), 277.
Dohrniana (Paraceratinoptera), 101.
Dohrnianus (Harpa-
gonyx), 279.
Dohrnianus (Mionyx), 277.
Doleschali (Epilampra), 122.
Doleschali (Heterolam-
pra), 122.
- Dolicha (Labia)*, 26.
Dolichoptera (Bolivaria), 269.
Dolomedes (Arphax), 338.
Dolomedes (Bacillus), 338.
Dolosa (Empusa), 313.
Domestica (Anaplecta), 67.
Domingensis (Blatta), 141.
Domingensis (Mantis), 254.
Domingensis (Stagmo-
mantis), 254.
Dominicana (Monachoda), 161.
Dominicana (Petasodes), 161.
Donovani (Phyllium), 423.
DONUSA, 409.
Doreyanus (Lonthodes), 326.
Doreyanus (Promachus), 326.
Doriae (Apterygida), 46.
Doriae (Chelisochella), 35.
Doriae (Forficula), 46.
Doriae (Sphingolabis), 46.
Doriana (Hemilatindia), 169.
Dorsalis (Anaplecta), 66.
Dorsalis (Forficula), 28.
Dorsalis (Labia), 28.
Dorsuaria (Bostra), 350.
DORYLÆA, 135.
Dotata (Epilampra), 114.
Doumerci (Forficula), 53.
Draco (Mantis), 405.
Draco (Prisopus), 405.
Draconinum (Pachy-
morpha), 399.
Draconinum (Phasma), 399.
Draconinus (Acanthoder-
rus), 399.
Draconinus (Tisamenus), 399.
Dracunculus (Phasma), 405.
Dromedarius (Thera-
menes), 399.
Druryi (Blatta), 108.
Dryas (Bactria), 351.
DITYMAPLANETA, 134.
Dubia (Blabera), 162.
Dubia (Blaptica), 162.
Dubia (Cosmiella), 38.
- Dubia (Opisthoecosmia)*, 38.
Dubia (Pilema), 185.
Dubia (Pseudomops), 75.
Dubia (Thysanera), 75.
Dubiosa (Oxypus), 298.
Dubius (Diapherodes), 364.
Dubins (Haplopus), 364.
Dibronii (Anisolabis), 19.
Dufouriⁱⁱ (Chelidura), 54.
Dufouriⁱⁱ (Forficula), 54.
Dufouriⁱⁱ (Labidura), 12.
Duivenbodei (Lonthodes), 320.
Duivenbodei (Peripletes), 320.
Dulichia (Aschipasma), 419.
Dulichia (Presbistus), 419.
Dumeriliⁱⁱ (Acanthoderus), 382.
Dumeriliⁱⁱ (Rhaphiderus), 382.
Duodecimsignata (Lobo-
ptera), 102.
Duplex (Panurgica), 286.
Duplovittata (Loboptera), 102.
DURYODANA, 101.
Dux (Japyx), 56.
Dux (Opisthoecosmia), 39.
Dux (Salganea), 200.
Dyaka (Hierodula), 247.
DYME, 350.
DYSNALES, 262.
DYSCOLOGAMIA, 173.
DYSCRITINA, 1.
Dysoni (Spongiphora), 31.
DYSTACTA, 225.
Dytiscoides (Blatta), 176.
Dytiscoides (Diptera), 176.
Dytiscoides (Eleutheroda), 176.
- Eastii (Anamesia)*, 129.
ECHETIUS, 339.
Echinata (Euryantha), 396.
Echinatus (Obrimus), 398.
ECHINOPSALIS, 7.
ECHINOSOMA, 8.
Echinus (Parectatosoma), 398.
ECTATOSOMA, 380.
ECTOBIA, 61.

- ECTOBIINÆ, 61.
 Ectobioides (Ischnoptera), 81.
ECTOBIAUS, 61.
Edentata (*Chelidura*), 54.
Edentata (*Forficula*), 54.
Edule (*Phasma*), 385.
Edulis (*Platycrania*), 385.
Ega (*Metriotes*), 416.
Ega (*Phasma*), 416.
Egena (*Empusa*), 311.
Egregia (*Pygidiocrana*), 6.
Ehrenbergii (*Eremophila*), 210.
ELÆA, 214.
Elateroides (*Deroealymma*), 186.
Elateroides (*Perisphæria*), 186.
Elateroides (*Stenopilema*), 186.
Elegans (*Acontista*), 232.
Elegans (*Anisomorpha*), 403.
Elegans (*Blatta*), 92, 121.
Elegans (*Blepharis*), 293.
Elegans (*Chelisoches*), 34.
Elegans (*Corydia*), 167.
Elegans (*Creobota*), 293.
Elegans (*Forficesila*), 14.
Elegans (*Forficula*), 48.
Elegans (*Heterolampra*), 121.
Elegans (*Paradoxomorpha*), 403.
Elegans (*Paratropa*), 109.
Elegans (*Paratropes*), 109.
Elegans (*Philohoro*), 157.
Elegans (*Phoraspis*), 109, 110.
Elegans (*Phyllodromia*), 92.
Elegans (*Theopropus*), 293.
Elegans (*Tribonium*), 157.
ELEUTHERODA, 176.
Elizabethæ (*Temnopteryx*), 103.
ELLIPSICA, 183.
ELLIPSIDION, 79.
ELLIPSIDIUM, 79.
Elliptica (*Anaplecta*), 68.
ELLIPTOBLATTA, 183.
Elongata (*Anechura*), 41.
Elongata (*Blatta*), 83.
Elongata (*Danuria*), 309.
Elongata (*Forficula*), 32, 52.
Elongata (Ischnoptera), 83.
Elongata (*Macrodanuria*), 309.
Elongata (*Phasma*), 319.
Elongata (*Phraortes*), 319.
Elongata (*Spongiphora*), 32.
Elongatus (*Phraortes*), 319.
Emarginata (*Zetobora*), 158.
EMBIIDÆ, 58.
Emesa (*Bacteria*), 350.
Emesa (*Dyme*), 350
Emittens (*Periplaneta*), 142.
Emortuale (*Phibalosoma*), 352.
Emortalis (*Abrachia*), 352.
Emortalis (*Bacteria*), 352.
Emortalis (*Mantis*), 251.
Emortalis (*Perisphæria*), 191.
Emortalis (*Trichoblatta*), 191.
EMPUSA, 311.
Empusa (*Cyphocrana*), 390.
Empusa (*Cyphocrania*), 390.
Empusa (*Phasma*), 390.
EMPUSINÆ, 310.
Enceladus (*Acrophylla*), 393.
Enceladus (*Cyphocrania*), 393.
Enceladus (*Vetilia*), 393.
ENETIA, 394.
Engæus (*Oxyopthalmus*), 261.
ENICOPHLEBIA, 228.
Eusifera (*Didymocorypha*), 218.
ENTELLA, 225.
ENTORIA, 327.
Eoa (*Anechura*), 40.
EPAPHRODITA, 284.
Ephialtes (*Diagoras*), 361.
EPICHARMUS, 404.
EPILAMPRA, 125.
EPILAMPRÆ, 117, 120.
EPILAMPRINÆ, 109.
Epilamproides (*Balta*), 106.
Episcopalalis (*Creoboter*), 291.
Episcopalalis (*Ischnopoda*), 365.
Episcopalalis (*Palophus*), 365.
EPISCOPUS, 261.
Equatoria (*Labia*), 28.
Erechtheus (*Necroscia*), 375.
EREMIAPHILA, 210.
EREMIAPHILINÆ, 208.
EREMOPHILA, 210.
EREMOPLANA, 265.
ERGAULA, 173.
Ericotorum (*Blatta*), 62, 69.
Ericctorum (*Ectobia*), 62.
Erichsoni (*Apterygida*), 45.
Erichsoni (*Sphingolabis*), 45.
Erosa (*Acanthops*), 283.
Erosula (*Acanthops*), 283.
Erronea (*Panchlora*), 154.
Erubescens (*Epilampra*), 123.
Erubescens (*Heterolampra*), 123.
Erythreina (*Deroealymma*), 188.
Erythreina (*Homalodesmas*), 188.
Erythrina (*Blatta*), 127.
Erythrina (*Epilampra*), 127.
Erythrocephala (*Apterygida*), 49.
Erythrocephala (*Blatta*), 145.
Erythrocephala (*Deropektis*), 145.
Erythrocephala (*Forficula*), 52.
Erythrocephala (*Ischnoptera*), 145.
Erythrocephala (*Labidura*), 11.
Erythrocephala (*Perisphæria*), 145.
Erythronota (*Aphlebia*), 68.
Erythronota (*Salganea*), 200.
Erythroptera (*Arrhiedaeus*), 384.
Erythroptera (*Mantis*), 384.
Eryx (*Aschipasma*), 419.
Eryx (*Presbistus*), 419.
Esacus (*Necroscia*), 368.
Esacus (*Sosibia*), 368.

- Escherichi (*Forficula*), 52.
Esepus (*Necroscia*), 368.
Esepus (*Sosibia*), 368.
EUBULIDES, 395.
Eucera (*Necrosia*), 375.
EUCHOMENA, 236.
Eucnemis (*Haplopus*), 362.
Enenemis (*Pterinoxylus*), 362.
Euphrosyne (*Odontomantis*), 233.
Euplectes (*Necroscia*), 376.
Europaea (*Empusa*), 312.
Euryalus (*Necroscia*), 368.
Euryalus (*Sosibia*), 368.
Eurybates (*Necroscia*), 371.
EURYCANTHA, 395.
EURYCANTHINE, 395.
EURYCNEMA, 391.
EURYCOTIS, 143.
EURYDERES, 272.
Eurymedon (*Vetilia*), 393.
Eury nome (*Necroscia*), 375.
EURYZOSTERIA, 148.
EUSTEGASTA, 181.
Euterpinia (*Bacteria*), 353.
Euterpinus (*Acanthoderes*), 353.
Euterpinus (*Canuleius*), 353.
EUTHYPHLEPS, 307.
EUTHYRRHAPHA, 168.
Eutrachelia (*Bacteria*), 331.
Eutrachelia (*Hyrtaeus*), 331.
Evadne (*Haplopus*), 363.
Evanescens (*Clonaria*), 337.
Evanescens (*Gratidia*), 337.
Everetti (*Hierodula*), 247.
Everetti (*Phasgania*), 324.
Exarata (*Homalodemas*), 188.
Exaratum (*Homalodemas*), 188.
Exaspera (*Platyzosteria*), 131.
Excisa (*Ischnoptera*), 82.
EXEDRA, 198.
Exigua (*Baculum*), 350.
Exilis (*Apterygida*), 47.
Exilis (*Forficula*), 47.
Exilis (*Sphingolabis*), 47.
Eximia (*Acontista*), 233.
Eximia (*Cullimantis*), 233.
Eximia (*Pygidierana*), 5.
Exoleta (*Panchlora*), 152.
Exsiccata (*Mantis*), 238.
EXTATOSOMA, 380.
Extensa (*Abra chia*), 352.
Extensicollis (*Mantis*), 249.
Extensicollis (*Rhombodera*), 249.
Extensum (*Phibalosoma*), 352.
Extenuata (*Blatta*), 88.
Extenuata (*Phyllodromia*), 88.
Extera (*Stenopyga*), 237.
Extranea (*Loboptera*), 103.
Fabricii (*Forficula*), 40.
Facies (*Blatta*), 99.
Facies (*Ceratinoptera*), 99.
Falcata (*Acanthops*), 283.
Falcatoria (*Acanthops*), 282.
Falcatoria (*Mantis*), 282.
Faleifera (*Compsosomatis*), 208.
Fallax (*Achrioptera*), 394.
Fallax (*Anaplecta*), 67.
Fallax (*Bacunulus*), 349.
Fallax (*Ectobia*), 65.
Fallax (*Epilampra*), 126.
Fallax (*Heteronemia*), 349.
Fallax (*Perisphearia*), 191.
Fallax (*Platylabia*), 22.
Fallax (*Pseudogloneris*), 191.
Fallax (*Theganopteryx*), 65.
Farinosa (*Burria*), 336.
Fasciata (*Empusa*), 512.
Fasciata (*Forficula*), 53.
Fasciata (*Iris*), 260.
Fasciata (*Labia*), 25.
Fasciata (*Mantis*), 236, 238, 260.
Fasciata (*Mesopteryx*), 238.
Fasciata (*Onomantis*), 236.
Fasciata (*Phyllodromia*), 94.
Fasciatella (*Pseudophyllo dromia*), 98.
Fasciatum (*Phasma*), 410.
Fasciatus (*Acanthoderes*), 340.
Fasciatus (*Macracantha*), 340.
Fasciatus (*Oleophides*), 410.
Fasciceps (*Blatta*), 91.
Fasciceps (*Phyllodromia*), 91.
Fasciolata (*Necroscia*), 374.
Fastuosa (*Phoraspis*), 112.
Fastuosa (*Phoraspis*), 112.
Fatiloqua (*Ischnomantis*), 266.
Fatiloqua (*Mantis*), 266.
Fatua (*Necroscia*), 375.
Faunus (*Baculum*), 347.
Faunus (*Diapheromera*), 347.
Fee (*Anechura*), 41.
Fee (*Apachya*), 3.
Fee (*Apachyus*), 3.
Fee (*Chatospania*), 22.
Fee (*Chelisoches*), 33.
Fee (*Labia*), 27.
Fedtschenkoi (*Anechura*), 41.
Fedtschenkoi (*Forficula*), 41.
Feejeenum (*Phyllium*), 420.
Feejecanus (*Chitoniscus*), 420.
Femoralis (*Labidura*), 13, 15.
Femoralis (*Polyzosteria*), 128.
Femoralis (*Psalis*), 13.
Femoralis (*Pseudomops*), 75.
Femoralis (*Stagmatoptera*), 301.
Femorata (*Bacteria*), 322.
Femorata (*Blabera*), 165.
Femorata (*Diapheromera*), 346.
Femorata (*Gonyptera*), 224.
Femorata (*Musonia*), 276.
Femorata (*Phasma*), 322.
Femorata (*Phyllodromia*), 93.

- Femorata* (*Phyllodromia*), 79.
Femoratum (*Ellipsidion*), 79.
Femoratum (*Prismera*), 322.
Femoratum (*Spectrum*), 346.
Femoratus (*Asprenas*), 367.
Fenestrata (*Calidomantis*), 258.
Fenestrata (*Mantis*), 256, 258, 259, 260.
Fenestrata (*Miomantis*), 258.
Fenestrina (*Hypercompsa*), 170.
Fera (*Mionyx*), 277.
Ferox (*Mantis*), 253.
Ferox (*Stagmomantis*), 253.
Ferrea (*Blatta*), 88.
Ferrea (*Phyllodromia*), 88.
Ferreti (*Blatta*), 175.
Ferreti (*Oxyhaloa*), 175.
Ferruginea (*Anisomorpha*), 401.
Ferruginea (*Blabera*), 165.
Ferruginea (*Blatta*), 165.
Ferruginea (*Cosmoxestria*), 132.
Ferruginea (*Epilampra*), 126.
Ferruginea (*Hemithyrsocera*), 77.
Ferruginea (*Phasma*), 401.
Ferruginea (*Phyllodromia*), 91.
Ferruginea (*Platyzostria*), 132.
Ferruginea (*Polyzosteria*), 132.
Ferruginea (*Temnopteryx*), 104.
Ferruginica (*Temnopteryx*), 103.
Ferruginea (*Thyrsocera*), 77.
Ferrugineipes (*Panesthia*), 202.
Ferrugineofusca (*Blatta*), 138.
Ferruginosa (*Epilampra*), 121.
Ferruginosa (*Heterolampra*), 121.
Ferula (*Bacteria*), 355, 356.
Ferula (*Mantis*), 355.
Feruloides (*Lonchodes*), 359.
Feruloides (*Pharnacia*), 359.
Ferus (*Mionyx*), 277.
Fervida (*Epilampra*), 122.
Fervida (*Gyna*), 149.
Fervida (*Gyna*), 149.
Fervida (*Heterolampra*), 122.
Fervida (*Panchlora*), 149.
Festæ (*Bacunculus*), 348.
Festæ (*Blatta*), 94.
Festæ (*Epilampra*), 83.
Festæ (*Heteronemia*), 348.
Festæ (*Ischnoptera*), 83.
Festæ (*Metriotes*), 416.
Festæ (*Myrcinellus*), 228.
Festæ (*Panchlora*), 154.
Festæ (*Phyllodromia*), 94.
Festæa (*Bacunculus*), 348.
Festuca (*Heteronemia*), 348.
Fieberi (*Areolaria*), 177.
Fieberi (*Diaphana*), 170.
Fieberi (*Hypercompsa*), 170.
Figurata (*Blatta*), 91.
Figurata (*Phyllodromia*), 91.
Figurata (*Polyzosteria*), 128.
Filata (*Chæteessa*), 209.
Filiforme (*Phasma*), 355.
Filiformes (*Mantis*), 356.
Filiformis (*Bacillus*), 334, 340.
Filiformis (*Bacteria*), 356.
Filiformis (*Mantis*), 330, 334, 356.
Filiformis (*Oligonyx*), 277.
Filiformis (*Paraclitumnus*), 330.
Filiformis (*Phasma*), 355, 356.
Filiformis (*Thesprotia*), 277.
Filum (*Mantis*), 279.
Filum (*Myronides*), 321.
Filum (*Necroscia*), 374.
Filum (*Oligonyx*), 279.
Filum (*Orthonecroscia*), 374.
Filum (*Phasma*), 374.
Filum (*Phibalosoma*), 374.
- Filum (*Spanionyx*), 279.
Finschi (*Pygidierana*), 6.
Finschiana (*Eurycotis*), 144.
Fischeri (*Forficula*), 12.
Fischeri (*Labidura*), 12.
FISCHERIA, 267.
Fissa (*Blatta*), 88.
Fissa (*Clonaria*), 337.
Fissa (*Gratidia*), 337.
Fissa (*Phyllodromia*), 88.
Fissa (*Pseudomops*), 78.
Fissa (*Temnopteryx*), 105.
Fissa (*Thyrsocera*), 78.
Fissicollis (*Blatta*), 159.
Fissicollis (*Schizopilia*), 159.
Fissicollis (*Zetobora*), 159.
Fissispinus (*Heterochætula*), 307.
Flabellata (*Anaplecta*), 63.
Flabellicornis (*Mantis*), 311.
Flabelliformis (*Phasma*), 405.
Flabelliformis (*Prisopus*), 405, 406.
Flava (*Hierodula*), 249.
Flava (*Mantis*), 249.
Flava (*Rhombodera*), 249.
Flavescens (*Pseudoderopeltis*), 147.
Flavicincta (*Blatta*), 136.
Flavicincta (*Mantis*), 222.
Flavicincta (*Methana*), 136.
Flavicincta (*Methana*), 136.
Flavicincta (*Periplaneta*), 136.
Flavicollis (*Ischnoptera*), 81.
Flavicollis (*Kakerlac*), 81.
Flavicollis (*Sparattina*), 24.
Flavicone (*Ascephasma*), 419.
Flavicone (*Aschipasma*), 419.
Flavicone (*Phasma*), 419.
Flavicornis (*Derocephala*), 190.
Flavicornis (*Lonchodes*), 323.
Flavicornis (*Perisphecia*), 190.

- Flavicornis* (*Presbistus*), 419.
Flavicornis (*Pseudoglo-
meris*), 190.
Flavicornis (*Sthenobœa*), 323.
Flavilatera (*Dorylaea*), 135.
Flavilatera (*Stylopysga*), 135.
Flavipennis (*Choriso-
neura*), 72.
Flavipennis (*Euryeotis*), 144.
Flavipennis (*Forficula*), 32, 46.
Flavipennis (*Mantis*), 299.
Flavipennis (*Panesthia*), 203.
Flavipennis (*Polyspilota*), 241.
Flavipennis (*Sphingo-
labis*), 46.
Flavipennis (*Stigmato-
ptera*), 300.
Flavipes (*Perispæria*), 190.
Flavipes (*Phoraspis*), 112.
Flavipes (*Pseudemops*), 75.
Flavipes (*Pseudomops*), 75.
Flavipes (*Thyrsocera*), 75.
Flavoantennata (*Choriso-
neura*), 72.
Flavocineta (*Ectobia*), [64].
Flavocineta (*Ectobia*), 93.
Flavoguttata (*Mantis*), 298.
Flavoguttata (*Necroseia*), 374.
Flavoguttata (*Parastag-
matoptera*), 299.
Flavoguttata (*Stigmato-
ptera*), 298.
Flavomaculata (*Aniso-
morphia*), 401.
Flavomaculatum (*Phas-
ma*), 417.
Flavomaculatus (*Planu-
des*), 417.
Flavomarginata (*Dero-
peltis*), 147.
Flexieollis (*Pseudoglo-
meris*), 191.
Flexicollis (*Zetobora*), 191.
Flexivitta (*Blatta*), 96.
Flexivitta (*Nauphœta*), 155.
Flexivitta (*Periplaneta*), 155.
Flexivitta (*Phyllodro-
mia*), 93.
Flexuosa (*Dactylopteryx*), 267.
Flexuosa (*Forficula*), 48.
Flexuosa (*Sphingolabis*), 48.
Floridana (*Callimantis*), 251.
Floridana (*Pelmatosilpha*), 143.
Floridana (*Periplaneta*), 143.
Foliacea (*Bacteria*), 349.
Foliacea (*Bacunulus*), 349.
Foliata (*Mantis*), 305.
Foliata (*Theoclytes*), 305.
Foliata (*Vates*), 305.
Foliatus (*Mantis*), 423.
Folopeda (*Hermagoras*), 322.
Folopeda (*Mantis*), 322.
Forbesi (*Echinosoma*), 8.
Forceps (*Microdina*), 201.
Forceps (*Panesthia*), 201.
Forceps (*Salganea*), 201.
FORCINELLA, 17.
Forcipata (*Clonaria*), 337.
Forcipata (*Forficula*), 39, 44, 50.
Forcipata (*Gratidia*), 237.
Forcipata (*Opisthoecos-
mia*), 39.
Forcipata (*Pygidierana*), 6.
Forcipatus (*Lonchodes*), 317.
Forcipatus (*Stælonelio-
des*), 317.
Forcipatus (*Stratocles*), 409.
FORCIPULA, 8.
Forfex (*Spongiphora*), 31.
Forficata (*Mantis*), 258.
Forficata (*Mioblatta*), 196.
FORICESILA, 9.
FORFICULA, 49.
Forficularius (*Japyx*), 56.
FORFICULID.E., 1.
Formosa (*Acromantis*), 280.
Fornicata (*Calolampra*), 118.
Fornicata (*Epilampra*), 118.
Fornicata (*Perispæria*), 189.
Fornicata (*Perispæria*), 189.
Fornicata (*Pronaonota*), 184.
Fornicata (*Psathyro-
meris*), 189.
Fornicata (*Zetobora*), 189.
Forstenii (*Asaphasmar*), 420.
Forstenii (*Aschipasma*), 420.
Forstenii (*Orthomeria*), 420.
Forstenii (*Phasmar*), 420.
Fortipes (*Periplaneta*), 129.
Fortnumi (*Paradana-
ria*), 307.
Fortnumi (*Toxadera*), 307.
Fortunata (*Loboptera*), 102.
Foveolata (*Nauphœta*), 147.
Foveolata (*Pseudodero-
peltis*), 147.
Foveolata (*Salganea*), 200.
Fragilis (*Bacteria*), 331.
Fragilis (*Isatta*), 73.
Fragilis (*Chorisoneura*), 73.
Fragilis (*Musonia*), 256.
Fragilis (*Nanomantis*), 256.
Franciscana (*Monacheda*), 161.
Fraserensis (*Calolampra*), 118.
Frascerensis (*Epilampra*), 118.
Fraterna (*Aeontista*), 234.
Fraterna (*Blabera*), 165.
Fraterna (*Fischeria*), 268.
Fraterna (*Iris*), 268.
Fraterna (*Panchlora*), 153.
Fraterna (*Phyllo-
dromia*), 95.
Fraterna (*Stagmo-
mantis*), 255.
Fraticida (*Hierodula*), 248.
Fratricida (*Rhombo-
dera*), 248.
Frenata (*Nauphœta*), 155.
Frenchii (*Anamesia*), 129.

- Frenchii (Bacteria)*, 331.
Frenchii (Hyrtacus),
 331.
Frenchii (Polyzosteria),
 128.
Freyi (Branesikia), 282.
Freyi (Deroplatys), 282.
Freyi (Forficula), 44.
Freyi (Hierodula), 301.
Freyi (Sphodromantis),
 301.
Freyi (Stagmatoptera),
 301.
Frondosa (Aruanoidea),
 378.
Frondosa (Necroscia),
 378.
Frontalis (Psalidophora),
 31.
Frontalis (Pygidierana),
 4.
Frontalis (Spongiphora),
 31.
Fronticornis (Empusa),
 313.
*Fronticornis (Hemieni-
 pusa)*, 313.
Fronticornis (Mantis),
 313.
Fruhstorferi (Labia), 26.
*Fruhstorferi (Neso-
 gaster)*, 35.
FULCINEA, 257.
Fulgida (Anaplecta), 68.
Fulgida (Angela), 265.
Fulgida (Thespis), 265.
*Fulgidipennis (Man-
 toida)*, 210.
Fuliginosa (Gonypeta),
 224.
*Fuliginosa (Hapalo-
 mantis)*, 214.
*Fuliginosa (Humber-
 tiella)*, 214.
Fuliginosa (Kakerlae),
 142.
Fuliginosa (Mantis), 224.
Fuliginosa (Periplaneta),
 142.
*Fuliginosa (Phyllo-
 dromia)*, 92.
Fulva (Anaplecta), 66.
Fulva (Corydia), 170.
Fulva (Holocompsa),
 170.
Fulva (Ischnoptera), 81.
Fulva (Tenuopteryx),
 104.
Fulva (Thyrsocera), 75.
*Fulvescens (Anophe-
 lepis)*, 386.
Fulvescens (Anophelcips),
 386.
Fulvescens (Graeffea),
 386.
Fulviceps (Oxyhaloa),
 176.
Fulviceps (Proscratae),
 175.
Fulvipes (Blatta), 89.
Fulvipes (Phyllodromia),
 89.
Fulvornata (Anamesia),
 129.
Fumata (Ischnoptera),
 85.
Fumata (Necroscia), 376.
Fumigata (Blabera), 162.
Fumigata (Blatta), 162.
Fumigata (Byrsotria),
 162.
Fumosus (Thrimaconyx),
 279.
Funebris (Allacta), 99.
Funebris (Blatta), 99.
Funebris (Proscratae),
 195.
Fungicola (Attaphila),
 173.
Furcata (Greenia), 319.
Furcatus (Lonchodes),
 319.
Furcifera (Apterygida),
 46.
Furcifera (Sphingolabis),
 46.
Furellatus (Bacillus),
 329.
Furcillatus (Baeulum),
 329.
Fusata (Periplaneta),
 175.
Fusca (Aptera), 182.
Fusca (Blabera), 164.
Fusca (Blatta), 96, 182.
Fusca (Derocalymnia),
 186.
Fusca (Epilampra), 125.
Fusca (Ischnoptera),
 81.
Fusca (Mantis), 232,
 238.
Fusca (Perisphearia), 186.
Fusca (Phyllodromia),
 96.
Fusca (Stenopilema),
 186.
Fuscata (Acontista), 233.
Fuscata (Mantis), 233,
 252.
Fuscata (Pyragra), 7.
Fuscella (Melestora),
 167.
Fuscescens (Hierodula),
 247.
Fuscescens (Mantis), 217.
Fusefolia (Mantis), 282.
Fuscifolius (Acanthops),
 282.
Fuscilineatus (Bacillus),
 330.
*Fuscilineatus (Para-
 clitumnus)*, 330.
*Fuscipennis (Cheli-
 soches)*, 34.
Fuscipennis (Forficula),
 34.
Fuscipennis (Lobophora),
 34.
*Fuscipennis (Psalido-
 phora)*, 34.
Fuscipennis (Thesprotia),
 277.
*Fusoannulata (Ne-
 croscia)*, 376.
*Fusoannulatum (Ne-
 croscia)*, 376.
*Fusoannulatum (Phas-
 ma)*, 376.
Fusoareata (Creoboter),
 291.
Fuscoelytris (Mantis),
 235.
*Fuscoirrorata (Poly-
 spilota)*, 240.
Fuscosparsa (Sibylla),
 287.
Fusiformis (Blabera),
 165.

Gadarama (Necroscia),
 368.
Gadarama (Sosibia), 368.
Gagathina (Forficula),
 14.
Gagathina (Psalis), 14.
Gagatina (Lahidura), 14.
Gagatina (Psalis), 14.
Galaepterum (Phasma),
 367.
Galaepterus (Lopaphus),
 367.
Galaepterus (Orxines),
 367.
GALAPAGIA, 276.
Galeata (Danuria), 256.
Galeata (Hyplocorypha),
 256.
Galeata (Mantis), 256.
Galeata (Parathespis),
 257.
GALEPSUS, 216.
*Galernoides (Choris-
 tima)*, 73.
*Galernoides (Diplo-
 ptera)*, 73.
*Galernoides (Eleuth-
 roda)*, 73.

- GALINTHIAS**, 296.
Gallica (*Blatta*), 156.
Gallicum (*Phasma*), 334.
Gallicus (*Bacillus*), 334.
Gallicus (*Bacillus*), 332.
Gambrius (*Oleophides*), 411.
Gambrius (*Phasma*), 411.
Gargantua (*Aruanoidea*), 378.
Gargantua (*Necroscia*), 378.
Gariuzzi (*Forcipula*), 9.
Gaseoni (*Polyopilota*), 239.
Gastrica (*Hierodula*), 243.
Gastrica (*Mantis*), 243.
Gastrica (*Sphodromantis*), 243.
Gayi (*Coptopteryx*), 272.
Gayi (*Mantis*), 272.
Gecko (*Acanthoderus*), 399.
Gecko (*Hoploclonia*), 399.
Geisovii (*Acanthoderus*), 340.
Geisovii (*Bacillus*), 340.
Geisovii (*Maeracantha*), 340.
Geissei (*Polyzosteria*), 195.
Gelonus (*Phyllium*), 421.
Gelonus (*Pulchripiphyllum*), 421.
Geminata (*Cleoboter*), 291.
Geminata (*Epilampra*), 122.
Geminata (*Hetero-lampra*), 122.
Geminata (*Mantis*), 291.
Genei (*Eremiaphila*), 211.
Genei (*Eremiaphila*), 211.
Geniculata (*Brachylabis*), 16.
Geniculata (*Chelidura*), 16.
Geniculata (*Forficula*), 13.
Geniculatus (*Lonchodes*), 317.
Geniculatus (*Stelonchodes*), 317.
Geniculosa (*Bacteria*), 317.
Geniculosa (*Phasma*), 317.
Geochroma (*Homalopteryx*), 116.
Geochroma (*Polyzosteria*), 116.
GEMANTIS, 224.
GEOSCAPIEUS, 205.
Gerhardii (*Bacillus*), 340.
Germanica (*Blatta*), 62, 87.
Germanica (*Phylodromia*), 87.
Gernunicus (*Ectobius*), 87.
Gerstaeckeri (*Diplatys*), 2.
Gerstaeckeri (*Diplatys*), 2.
Gerstaeckeri (*Nannopygia*), 2.
Geryon (*Phyllium*), 423.
Gestriana (*Naupheta*), 155.
Gestroi (*Platylabia*), 22.
Gestroi (*Spelaeoblatta*), 106.
Gestroiana (*Heterogamia*), 173.
Gestroiana (*Polyphaga*), 173.
Ghiliani (*Labia*), 28.
Gibbicollis (*Cyrtotria*), 187.
Gibbicollis (*Deroctymna*), 187.
Gibbicollis (*Deropeltis*), 187.
Gibbicollis (*Ischnoptera*), 187.
Gibbosa (*Craspedonotia*), 387.
Gibbosa (*Diapherodes*), 361.
Gibbosa (*Monandroptera*), 361.
Gibbosa (*Phasma*), 387.
Gibbosum (*Cranidium*), 361.
Giebeliana (*Hyposphæria*), 193.
Giebeliana (*Liohettia*), 193.
Gigantea (*Eurotopoda*), 199.
Gigantea (*Blabera*), 163.
Gigantea (*Blatta*), 163, 164.
Gigantea (*Diapherodes*), 362.
Gigantea (*Forficula*), 10, 11.
Gigantea (*Forficula*), 10, 11.
Gigantea (*Labidura*), 10, 11.
Gigantea (*Mantis*), 362.
Gigantea var. *Japonica* (*Forficula*), 11.
Gigantea var. *Japonica* (*Forficula*), 11.
Giganteus (*Geoscapheus*), 205.
GIGANTOPHASMA, 386.
Gigas (*Brunneria*), 265.
Gigas (*Cyphocerana*), 390.
Gigas (*Cyphocerana*), 390, 391.
Gigas (*Diapherodes*), 362.
Gigas (*Eremoplana*), 265.
Gigas (*Fischeria*), 265.
Gigas (*Gryllus*), 390.
Gigas (*Iris*), 265.
Gigas (*Japyx*), 56.
Gigas (*Mantis*), 362, 385, 390.
Gigas (*Phasma*), 390.
Gigas (*Phasma*), 385, 391, 392.
Gilola (*Musonia*), 256.
Gilola (*Nanomantis*), 256.
Gilva (*Chiropacha*), 216.
Giraffa (*Leptocela*), 263.
Glabra (*Melanozosteria*), 129.
Glabra (*Nyetibora*), 108.
Glabra (*Periplaneta*), 129, 130.
Glabricollis (*Diapherodes*), 364.
Glabricollis (*Haplopus*), 364.
Glabricula (*Blatta*), 73.
Glabricula (*Chorisneura*), 73.
Glabrieula (*Labia*), 28.
Glauca (*Iridopteryx*), 222.
Glauca (*Micromantis*), 222.
Glauca (*Panchlora*), 152.
Glaucopterus (*Chelisoches*), 33.
Glomeriformis (*Perisphæria*), 190.
Glomeris (*Perisphæria*), 190.
Glomeris (*Pseudoglomeris*), 190.
Gloriosa (*Blatta*), 150.
Gloriosa (*Gyna*), 150.
Glyptomerium (*Aerosoma*), 416.
GLYPTOPELTIS, 182.

- Godama (*Lonchodes*), 322.
 Godmani (*Acanthops*), 282.
 Goeldiana (*Hieetia*), 274.
Goliath (*Cyphocrauia*), 391.
Goliath (*Divra*), 391.
Goliath (*Euryenema*), 391.
Goliath (*Japyx*), 57.
Goliath (*Phasma*), 391.
 GONATISTA, 269.
Gongylodes (*Empusa*), 311.
Gongylodes (*Gongylus*), 310, 311.
Gongylodes (*Gryllus*), 310.
Gongylodes (*Mantis*), 310.
GONGYLUS, 310.
GONOLABINA, 16.
GONOLABIS, 15.
GONYPETA, 224.
GONYPETYLIS, 288.
Gorgon (*Phyllium*), 413.
Gorgus (*Lopaphus*), 394.
Gorgus (*Onchestus*), 394.
Gracile (*Ellipsidion*), 80.
Gracilicollis (*Hierodula*), 247.
Gracilipes (*Amelus*), 225.
Gracilipes (*Bacillus*), 337.
Gracilipes (*Clonaria*), 337.
Gracilipes (*Entella*), 225.
Gracilipes (*Photina*), 274.
Gracilipes (*Pyrgoeotis*), 218.
Gracilis (*Ameles*), 230.
Gracilis (*Bacillus*), 335, 337.
Gracilis (*Bacteria*), 351.
Gracilis (*Blatta*), 72.
Gracilis (*Calidomantis*), 259.
Gracilis (*Chorisoneura*), 72.
Gracilis (*Cladoxerus*), 357.
Gracilis (*Clonistria*), 351.
Gracilis (*Cylindro-*
gaster), 2.
Gracilis (*Danuria*), 310.
Gracilis (*Derocalymna*), 186.
Gracilis (*Deropeltis*), 146.
Gracilis (*Diplatys*), 2.
Gracilis (*Empusa*), 314.
Gracilis (*Epilampra*), 118.
Gracilis (*Forficula*), 24, 47.
Gracilis (*Idolomorpha*), 314.
Gracilis (*Ischnoptera*), 146.
Gracilis (*Limocerus*), 335.
Gracilis (*Mantis*), 230.
Gracilis (*Miomantis*), 259.
Gracilis (*Oxyophthalmus*), 261.
Gracilis (*Periplaneta*), 141.
Gracilis (*Perisphearia*), 186.
Gracilis (*Phibalosoma*), 357.
Gracilis (*Popa*), 310.
Gracilis (*Spararta*), 24.
Gracilis (*Sphingolabis*), 47.
Gracilis (*Stenopilema*), 186.
Gracillima (*Leptocola*), 263.
Gracillima (*Leptocola*), 263.
Gracillimus (*Staelon-*
chodes), 318.
Graciosa (*Cyphocrauia*), 397.
Graciosa (*Euryantha*), 397.
Graciosa (*Phasma*), 397.
Græca (*Aphlebia*), 70.
Græca (*Hololampra*), 70.
Græca (*Isolabella*), 43.
GRAEFFEA, 386.
Grallator (*Baculum*), 328.
Grallator (*Lonchodes*), 328.
Gramen (*Bacunculus*), 349.
Gramen (*Heteronemia*), 349.
Graminea (*Calvisia*), 370.
Graminea (*Macynia*), 332.
Graminea (*Necroscia*), 370.
Graminea (*Phthoia*), 332.
Gramineus (*Bacillus*), 332.
Graminis (*Oligonyx*), 278.
Grammica (*Anaxarcha*), 223.
Granadensis (*Mio-*
pteryx), 275.
Grandidieri (*Grom-*
phadorhina), 199.
Grandidieri (*Gymnonyx*), 184.
Grandidieri (*Stagmatop-*
tera), 301.
Grandipennis (*Ana-*
plecta), 67.
Grandis (*Fischeria*), 263.
Grandis (*Forficula*), 47.
Grandis (*Hierodula*), 246.
Grandis (*Hoplocorypha*), 257.
Grandis (*Ischnomantis*), 266.
Grandis (*Labia*), 27.
Grandis (*Mantis*), 249.
Grandis (*Miopteryx*), 275.
Grandis (*Pachlora*), 150.
Grandis (*Phasma*), 385.
Grandis (*Phasmomantis*), 266.
Grandis (*Platzosteria*), 130.
Grandis (*Polyzosteria*), 130.
Grandis (*Rhombodera*), 249.
Grandis (*Rhyparobia*), 150.
Grandiventralis (*Forficula*), 4.
Grandiventralis (*Tagalina*), 4.
Granicollis (*Oniscosoma*), 159.
Granicollis (*Perisphearia*), 192.
Granicollis (*Pœcilo-*
blatta), 192.
Granicollis (*Zetobora*), 159.
Graniferum (*Periphetes*), 320.
Graniferum (*Phasma*), 320.
Graniger (*Stenopilema*), 186.
Granosa (*Monachoda*), 162.
Granosa (*Monastria*), 162.
Granulata (*Ateloblatta*), 199.

- Granulata* (*Deroctyloma*), 188.
Granulata (*Hemiblabera*), 166.
Granulata (*Homalodemas*), 188.
Granulata (*Oxyothespis*), 255.
Granulatus (*Bacillus*), 334.
Granulatus (*Bathycharax*), 335.
Granulatus (*Caranarius*), 320.
Granulicollis (*Bacteria*), 356.
Granulicollis (*Creoboter*), 291.
Granulifera (*Pseudoderopeltis*), 147.
Granulosa (*Labidura*), 11.
GRATIDIA, 330.
Gravidula (*Apterygida*), 45.
Gravidula (*Forficula*), 45.
Gravidula (*Labia*), 45.
Gravidus (*Acanthoderus*), 400.
Gravidus (*Pylamenes*), 400.
Grayi (*Anchiiale*), 393.
Grayi (*Diapherodes*), 363.
Grayi (*Haaniella*), 397.
Grayi (*Haplopus*), 353.
Grayi (*Heteropteryx*), 397.
Grayi (*Pachymorpha*), 393.
Grayii (*Heteropteryx*), 397, 398.
Greeni (*Anisolabis*), 19.
Greeni (*Diplatys*), 2.
GREENIA, 319.
Grisea (*Blatta*), 125.
Grisea (*Coptopteryx*), 272.
Grisea (*Epilampra*), 125.
Grisea (*Gonatista*), 270.
Grisea (*Mantis*), 213, 270, 272.
Grisea (*Nauphæta*), 156.
GROMPHADO-RHINA, 199.
Grossa (*Blabera*), 160.
Grossa (*Blatta*), 160.
Grossa (*Monachoda*), 160.
Grossa (*Monachoda*), 160.
Grylloides (*Anisomorpha*), 403.
Grylloides (*Dinelytron*), 403.
Grylloides (*Paradoxomorpha*), 403.
Grylloides (*Platyerania*), 403.
Gryps (*Harpagonyx*), 279.
Guatemalæ (*Tenmopteryx*), 105.
Gueinzii (*Bacillus*), 337.
Gueinzii (*Clonaria*), 337.
Guerini (*Epicharmus*), 404.
Guerini (*Eremoplana*), 255.
Guerini (*Fischeria*), 265.
Guerini (*Iris*), 265.
Guerini (*Lamponius*), 343.
Guerini (*Prisopus*), 404.
Guerini (*Pygiolyceus*), 343.
Guerini (*Thespis*), 265.
Guerini (*Trichoblatta*), 191.
Gueriniana (*Corydia*), 167.
Gueriniana (*Pseudomops*), 76.
Gueriniana (*Thyrsocera*), 76.
Guineensis (*Nauphæta*), 155.
Guineensis (*Platylabia*), 22.
Gulare (*Necroscia*), 375.
Gulare (*Phasma*), 375.
Gularis (*Necroscia*), 375.
Gulosa (*Aneistrogaster*), 36.
Gunnii (*Mantis*), 218.
Guttata (*Dorylaea*), 135.
Guttata (*Echinopsalis*), 7.
Guttata (*Labia*), 27.
Guttata (*Mantis*), 243.
Guttata (*Psalis*), 13.
Guttata (*Pygidicrama*), 6.
Guttata (*Sphodromantis*), 243.
Guttata (*Stylopiga*), 135.
Gutticollis (*Prosoplecta*), 177.
Guttifera (*Blatta*), 93.
Guttifera (*Phyllodromia*), 93.
Guttigerum (*Phasma*), 400.
Guttigerus (*Datames*), 400.
Guttipennis (*Homoeogamia*), 171.
Guttipennis (*Tropidomantis*), 227.
Guttipennis (*Zelotes*), 171.
Guttiventris (*Blabera*), 165.
Guttiventris (*Tarrafæ*), 165.
Gutulata (*Sporiphora*), 30.
Guttulosa (*Nuphæta*), 157.
Guttulosa (*Tribonium*), 157.
Guttulus (*Empusa*), 313.
Guttulus (*Gymnopus*), 313.
GYMNONYX, 184.
Gymnopaga (*Coptopteryx*), 272.
Gymnopaga (*Mantis*), 272.
GYNA, 149.
GYNOPELTIS, 182.
Gyrinoides (*Blatta*), 92.
Gyrinoides (*Phylodromia*), 92.
HAANIA, 289.
HAANIELLA, 397.
Haanii (*Necroscia*), 376.
Haanii (*Pseudomantis*), 236.
Haanii (*Rhombodera*), 248.
Hadrillus (*Lopaphus*), 360.
Haekelii (*Ectobia*), 62.
Hadulus (*Mesilochus*), 320.
Hamatomus (*Lochodes*), 318.
Hamatomus (*Stelonchodes*), 318.
HAGIOMANTIS, 270.
HAGIOTATA, 306.
Haita (*Bacteria*), 351.
Haita (*Cloniaria*), 351.
Halmaturina (*Loboptera*), 102.
Hanata (*Ischnoptera*), 82.
Hamifera (*Allacta*), 100.
Hamifera (*Blatta*), 100.
Hampsoni (*Parepiscopius*), 261.
Hannuligera (*Paraclo-naria*), 336.
Hanitschi (*Cyphocoridæ*), 391.
Hansenii (*Hemimerns*), 59.

- HAPALOMANTIS, 226.
 HAPALOPEZA, 221.
 HAPLOPUS, 363.
 HARPAGOMANTIS, 295.
 HARPAGONYX, 279.
 HARPAZ, 295.
Harpax (*Temmelytra*), 137.
Harpax (*Zonioploca*), 137.
Harpax (*Hierodula*), 244.
Harpyia (*Sphodromantis*), 244.
Hastata (*Bacterio*), 348.
Hastata (*Heteronemria*), 348.
Hastifera (*Ischnoptera*), 87.
Harvaniense (*Phasma*), 362.
Havaniensis (*Apterygida*), 46.
Havaniensis (*Forficula*), 46.
Havaniensis (*Sphingolabis*), 46.
Haworthii (*Ctenomorpha*), 365.
Haworthii (*Palophus*), 365.
Hebes (*Ischnoptera*), 85.
Hebetata (*Pilema*), 185.
Hebraica (*Eremiaphila*), 211.
Hectica (*Cyphocrania*), 365.
Hectica (*Platycrania*), 365.
Hecticum (*Phasma*), 365.
Hecticus (*Palophus*), 365.
 HEDAIA, 123.
Hedenborgi (*Empusa*), 312.
Hedenborgii (*Eremiaphila*), 212.
Hedenborgii (*Eremophila*), 212.
Heldreichi (*Ameles*), 231.
Heldreichi (*Parameles*), 231.
Hellmanni (*Forficula*), 52.
Hellotis (*Lopaphus*), 360.
Helvetica (*Blatta*), 62.
 HELVIA, 292.
Helvolum (*Phasma*), 413.
Helvolum (*Pseudophasma*), 413.
Hemerobina (*Phyllo-dromia*), 88.
Hemerobius (*Mantis*), 256.
Hemerobius (*Nanomantis*), 256.
 HEMIBLABERA, 166.
HEMIBLATTA, 194.
HEMIEMPUSA, 313.
HEMILATINDIA, 169.
HEMIMERIDE, 59.
HEMIMERUS, 59.
HEMINAUPHIETA, 156.
HEMINYCTOBORA, 108.
HEMIPACHYMORELLA, 341.
HEMIPANESTHIA, 204.
Hemiptera (*Blatta*), 62.
HEMIPTEROTA, 74.
HEMITHYSOCERA, 77.
Hemus (*Calvisia*), 370.
Hemus (*Necroscia*), 370.
Herbacea (*Mantis*), 238.
Herbacea (*Tenodera*), 238.
Herculeana (*Cyphocrania*), 391.
Herculeana (*Eurycenna*), 391.
Herculeana (*Forficula*), 11.
Herculeana (*Labidura*), 11.
Hercules (*Chelisochella*), 35.
 HERMAGORAS, 322.
 HERMARCHUS, 360.
Hermes (*Anechura*), 41.
Heros (*Blatta*), 142.
Heros (*Periplaneta*), 142.
Hesione (*Aeromantis*), 280.
 HESPEROPHASMA, 343.
HESTIAS, 288.
HESTIASULA, 288.
 HETEROCHÆTA, 306.
HETEROCHÆTULA, 307.
Heterochroa (*Humbertia*), 213.
Heterochroa (*Thespompa*), 213.
Heteroclyta (*Blatta*), 167.
Heterodera (*Hierodula*), 246.
 HETEROGAMIA, 171.
Heterogamia (*Stagmomantis*), 252.
 HETEROLAMPIRA, 120.
 HETERONEMIA, 348.
HETERONUTARSUS, 212.
HETERONYCHOTARSUS, 212.
 HETEROPLANA, 205.
Heteroptera (*Euchomena*), 237.
Heteroptera (*Mantis*), 237.
HETEROPTERYGINAE, 396.
HETEROPTERYX, 396.
HETEROPTERYX, 397.
Heterospila (*Polyzosteria*), 135.
 HETEROVATES, 302.
Heusseriana (*Calolampra*), 117.
Heusseriana (*Epilampra*), 117.
Heydeniana (*Epilampra*), 126.
Heydeniana (*Nanphœta*), 156.
Heydeniana (*Paratropes*), 112.
Heydeniana (*Periplaneta*), 129.
Heydeniana (*Phoraspis*), 112.
Heydeniana (*Platyzosteria*), 129.
Heydeniana (*Polyzosteria*), 129.
Heydeniana (*Pseudophyllodromia*), 97.
Heydeniana (*Syntomoptera*), 129.
Heydenianum (*Ellipsidion*), 97.
Heydenianum (*Ellipsidium*), 97.
 HICETIA, 274.
 HIERODULA, 245.
Hieroglyphica (*Perlamorpha*), 418.
Hieroglyphica (*Phyllo-dromia*), 100.
Hieroglyphicus (*Perlamorphus*), 418.
Hilara (*Enicophlebia*), 228.
Hilare (*Necroscia*), 370.
Hilare (*Phasma*), 370.
Hilaris (*Calvisia*), 370.
Hilaris (*Corydia*), 167.
Hilaris (*Labia*), 27.
Hilaris (*Necroscia*), 371.
Hilaris (*Panesthia*), 204.
Hildebrandti (*Gromphadorhina*), 199.

- Himalayæ (Perisphæria), 189.
 Himalayanus (Dysaules), 262.
 Himalayica (Ischnoptera), 81.
 Hippolyte (Calvisia), 370.
 Hippolyte (Neuroscia), 370.
 Hippolytus (Lysicles), 381.
 Hipponax (Dinelytron), 408.
 Hipponeæ (Loxopsis), 406.
 Hipponeæ (Neuroscia), 406.
 Hippotaurus (Ischnopoda), 366.
 Hippotaurus (Palophus), 366.
 Hirsuta (Ancistrogaster), 37.
 Hirsuta (Forficula), 37.
 Hirsuta (Heterogamia), 173.
 Hirsuta (Polyphaga), 173.
 Hirticornis (Pseudomops), 76.
 Hirticornis (Thyrsocera), 76.
HIRTULEIUS, 361.
Hispa (*Lonchodes*), 326.
Hispa (*Promachus*), 326.
Hispanica (*Forficula*), 18.
Hispanicus (*Phthoaa*), 332.
Hispidulus (*Bacillus*), 330.
Hispidulus (*Paraclitumnus*), 330.
Histrinus (*Acanthoclonia*), 407.
Histrinus (*Ceroys*), 407.
Histro (*Paratropæ*), 110.
Histro (*Paratropes*), 110.
Histro (*Paratropes*), 155.
Histro (*Peripaneta*), 135.
Histro (*Pseudophylodromia*), 98.
Histro (*Thyrsocera*), 78.
Hobsonii (*Bolidena*), 218.
Hobsonii (*Mantis*), 218.
Hobsonii (*Orthodera*), 218.
Hoevenii (*Archiblatta*), 148.
Hofmanni (*Hagiota*), 306.
HOLOCOMPSA, 169.
HOLOLAMPRA, 68.
HOLOLAMPRA, 177.
Holosericea (*Nyctibora*), 107.
HOMALOBLATTA, 194.
HOMALODEMAS, 188.
HOMALOPTERYX, 115.
HOMALOSILPHA, 143.
HOMOEOGAMIA, 174.
Hookeri (*Bacillus*), 339.
Hookeri (*Clitarchus*), 339.
Hopei (*Ectatosoma*), 381.
Hopei (*Extatosoma*), 380.
Hopei (*Heteropteryx*), 397.
Hopei (*Phasma*), 410.
Hoppi (*Oleophides*), 410.
Hoppi (*Phasma*), 410.
HOPLOCOLONIA, 399.
HOPLOCORYPHA, 256.
HOPLOPHORA, 209.
HORMETICA, 197.
HORMETICA, 196.
Horologea (*Hedaea*), 124.
Horrida (*Eurycaantha*), 395.
Horrida (*Eurycaanthæ*), 396.
Horrida (*Phasma*), 395.
Horridum (*Echinosoma*), 8.
Horridum (*Karabidion*), 395.
Horridus (*Acanthoderus*), 340.
Horridus (*Argosarchus*), 340.
Horridus (*Platytelus*), 406.
Horridus (*Prisopus*), 406.
Horrifexa (*Deroplatys*), 282.
Horsfieldii (*Necroscia*), 376.
Horsfieldii (*Pygidierana*), 6.
Horsfieldii (*Sparatta*), 23.
Horstokkii (*Phasma*), 405.
Horstokkii (*Prisopus*), 405.
Hosei (*Hermagoras*), 322.
Hospes (*Phyllodromia*), 93.
HOSTILIA, 192.
Hottentotta (*Dorylæa*), 135.
Hottentotta (*Anisolabis*), 18.
Hottentotta (*Cerati-noptera*), 98.
Hottentotta (*Forcina*), 18.
Hova (*Blatta*), 138.
Hova (*Elliptoblatta*), 184.
Hova (*Galepus*), 217.
Hova (*Heminauphoeta*), 156.
Hova (*Hierodu'a*), 241.
Hova (*Opisthocosmia*), 38.
Hova (*Periplaneta*), 138.
Hova (*Stylopiga*), 138.
Hova (*Tarachomantis*), 241.
Hova (*Theganopteryx*), 64.
Hralili (*Eremiaphila*), 212.
Hralili (*Eremiaphilæ*), 212.
Hubbardi (*Japyx*), 57.
Huegeli (*Anechura*), 41.
Hugeli (*Forficula*), 41.
Hugeli (*Pygidierana*), 5.
Humberti (*Bacillus*), 328.
Humberti (*Rumulus*), 328.
Humbertiana (*Blatta*), 92.
Humbertiana (*Empusa*), 313.
Humbertiana (*Gonypteta*), 224.
Humbertiana (*Necroscia*), 369.
Humbertiana (*Parathespis*), 256.
Humbertiana (*Perisphæria*), 190.
Humbertiana (*Phyllodromia*), 90.
Humbertiana (*Phyllodromia*), 92.
Humbertiana (*Polyzosteria*), 90.
Humbertiana (*Pseudoglomeris*), 190.
Humbertiana (*Sosibia*), 369.
HUMBERTIELLA, 214.

- Humbertii (Iapyx)*, 56.
Humbertii (Japyx), 56.
Humeralē (Ellipsidion), 79.
Humeralis (Apolyta), 79.
Humeralis (Blatta), 91.
Humeralis (Cardioptera), 242.
Humeralis (Cilnia), 242.
Humeralis (Nyctibora), 107.
Humeralis (Opistho-cosmia), 38.
Humeralis (Phyllo-dromia), 91.
Humilis (Bacillus), 329.
Humilis (Rainulus), 329.
Hummeli (Hypnorna), 178.
Huseinæ (Apterygida), 12.
Huseinæ (Labidura), 12.
Hyalina (Blatta), 152.
Hyalina (Charadodis), 220.
Hyalina (Empusa), 305.
Hyalina (Galinthias), 296.
Hyalina (Ischnoptera), 84.
Hyalina (Macromantis), 273.
Hyalina (Mantis), 273, 299, 303.
Hyalina (Panchlora), 152.
Hyalina (Panchlora), 153.
Hyaloptera (Mantis), 299.
Hyaloptera (Stagmatoptera), 299.
Hybrida (Epilampra), 123.
Hybrida (Heterolampra), 123.
Hybrida (Hierodula), 246.
Hybrida (Mantis), 246.
Hydrophoroides (Blatta), 73.
Hydrophoroides (Choristima), 73.
Hygrophoroides (Choris-neura), 73.
HYMENOPA, 294.
HYMENOPUS, 294.
HYPERCOMPSTA, 170.
Hypharpax (Phibalo-soma), 360.
Hypharpax (Tirachoiðea), 360.
Hyphereon (Bacillus), 330.
Hyphereon (Gratidia), 330.
HYPNORMA, 178.
HYPNORNA, 178.
HYPOCRITA, 101.
HYPOSPHERIA, 193.
HYPSCORYPIA, 314.
HYRTACUS, 331.
Hystriculea (Bacillus), 342.
Hystriculea (Pachymorpha), 342.
Hystriculea (Pachymorpha), 342.
Hystrinus (Acanthoclonia), 407.
Hystrinus (Cerops), 407.
Hystrix (Acanthoderus), 326.
Hystrix (Parectatosoma), 398.
Hystrix (Promachus), 326.

IAPYX, 55.
Icaris (Necroseia), 375.
Ictericā (Forficula), 11.
Ictericā (Labidura), 11.
Ictericā (Oxyops), 298.
IDOLOMORPHIA, 314.
IDOLUM, 316.
IGNACIA, 411.
Ignava (Heteronemia), 348.
Ignavus (Cerops), 345.
Ignavus (Libethra), 345.
Ignobilis (Allacta), 100.
Ignobilis (Blatta), 100.
Ignobilis (Ischnoptera), 83.
Iheringi (Phyllolates), 304.
Iheringi (Theoclytes), 304.
Illepidā (Proscratae), 159.
Illudens (Phyllocreania), 290.
Imitans (Epilampra), 121.
Imitans (Heterolampra), 121.
Imitatrix (Epilampra), 125.
Immacula (Blabera), 165.
Immaculata (Hedaia), 123.
Immanis (Acanthoderus), 344.
Immanis (Parobrimus), 344.
Immunda (Phyllo-dromia), 92.
Impannosa (Danuria), 310.
Impennis (Ancistro-gaster), 37.
Imperatoria (Epilampra), 116.
Imperatrix (Molytria), 115.
Imperatrix (Pygidicerana), 5.
Impressa (Polyzosteria), 128.
Impressa (Zetobora), 157.
Impressicollis (Bormansia), 13.
Inæqualis (Ischnoptera), 82.
Inæqualis (Panchlora), 157.
Inæqualis (Tribonium), 157.
Inca (Ischnoptera), 84.
Inca (Latindia), 168.
Inca (Pseudophasina), 412.
Inca (Strongylopsalis), 15.
Incerta (Labia), 26.
Incerta (Panesthia), 203.
Incertus (Prisopus), 405.
Incisa (Blatta), 88.
Incisa (Phyllodromia), 88.
Inclarata (Epilampra), 121.
Inclarata (Heterolampra), 121.
Inclinata (Clonaria), 337.
Inclinata (Gratidia), 337.
Inclusa (Cosmozosteria), 133.
Inclusa (Periplaneta), 133, 142.
Inclusa (Pseudomops), 75.
Incommoda (Blatta), 105.
Incommoda (Temno-pteryx), 105.
Incommodus (Bacillus), 383.
Incommodus (Xenomachæ), 383.
Incompta (Bostra), 350.
Inconspicua (Epilampra), 120.
Inconspicua (Heterolampra), 120.

- Inconspicua* (*Labidura*), 12.
Inconspicua (*Tennopteryx*), 104.
Incuriosa (*Ischnoptera*), 81.
Indica (*Bacteria*), 330.
Indica (*Blatta*), 151.
Indica (*Ectobia*), 64.
Indica (*Forficula*), 13.
Indica (*Humbertiella*), 214.
Indica (*Ischnoptera*), 81.
Indica (*Labidura*), 13.
Indica (*Loboptera*), 102.
Indica (*Panchlora*), 151.
Indica (*Parachitumus*), 330.
Indica (*Paranauphoeta*), 179.
Indica (*Polyphaga*), 172.
Indica (*Polyzosteria*), 104.
Indica (*Psalis*), 13.
Indica (*Tennopteryx*), 104.
Indica (*Theganopteryx*), 64.
Indica var. *Minor* (*Psalis*), 13.
Indicator (*Mantis*), 301.
Indicator (*Staguoatoptera*), 301.
Indicus (*Bacillus*), 330.
Indicus (*Japyx*), 57.
Indistincta (*Labia*), 26.
Induta (*Allacta*), 100.
Induta (*Ceratinoptera*), 100.
Inermis (*Bacillus*), 335.
Inermis (*Hestias*), 288.
Inermis (*Labidura*), 10.
Inermis (*Pachymantis*), 288.
Inermis (*Panesthia*), 204.
Inermis (*Phasma*), 335.
Inexacta (*Blatta*), 92.
Inexacta (*Phylodromia*), 92.
Inflexipes (*Mantis*), 374.
Inflexipes (*Necroscia*), 374.
Infumata (*Aphelbia*), 69.
Infumata (*Forficula*), 50.
Infumata (*Gonypteta*), 223.
Infumata (*Hololampra*), 69.
Infumata (*Iridopteryx*), 223.
Infumata (*Mantis*), 276.
Infumata (*Musonia*), 276.
Infumata (*Oligonyx*), 276.
Infumatum (*Asceposoma*), 419.
Infumatum (*Aschipasmar*), 419.
Infumatus (*Presbistus*), 419.
Infuscata (*Fischeria*), 269.
Infuscata (*Iris*), 269.
Infuscata (*Phismomantis*), 269.
Infuscata (*Pseudomiopteryx*), 275.
Infuscata (*Sphendale*), 269.
Ingens (*Platzosteria*), 143.
Innotabilis (*Blatta*), 97.
Innotabilis (*Mareta*), 97.
Inopinata (*Ancistrosgaster*), 37.
Inornata (*Chætospania*), 22.
Inquinata (*Aeontista*), 233.
Inquinata (*Blatta*), 79.
Inquinata (*Chorisoneura*), 72.
Inquinata (*Ellipsidion*), 79.
Inquinata (*Epilampra*), 114.
Inquinata (*Mantis*), 252.
Inquinata (*Molytria*), 114.
Inquinata (*Epilampra*), 114.
Insatiabilis (*Stagmatoptera*), 301.
Inscripta (*Ceratinoptera*), 98.
Inscripta (*Periplaneta*), 98.
Insculpta (*Ellipsica*), 183.
Insidiator (*Chiropus*), 216.
Insidiator (*Tarachodes*), 215.
Insignata (*Trichomera*), 148.
Insignis (*Æluropoda*), 199.
Insignis (*Ethalochroa*), 308.
Insignis (*Bacillus*), 329.
Insignis (*Baculum*), 329.
Insignis (*Blatta*), 142.
Insignis (*C'la loxerus*), 381.
Insignis (*Forficula*), 39.
Insignis (*Käkerblaw*), 142.
Insignis (*Locustales*), 329.
Insignis (*Lysicles*), 381.
Insignis (*Opisthocosmia*), 39.
Insignis (*Periplaneta*), 142.
Insignis (*Phylloerani*), 290.
Insignis (*Phylloerania*), 290.
Insignis (*Polyspilota*), 239.
Insignis (*Psolidophora*), 31.
Insignis (*Spongiphora*), 31.
Insofita (*Periplaneta*), 116.
Insuetta (*Epilampra*), 121.
Insuetta (*Heterolampra*), 121.
Insulanum (*Echinosoma*), 8.
Insularis (*Anchiale*), 393.
Insularis (*Blatto*), 95.
Insularis (*Dicellonotus*), 201.
Insularis (*Dixippus*), 324.
Insularis (*Ectobia*), 65.
Insularis (*Epilampra*), 125.
Insularis (*Euryeantha*), 396.
Insularis (*Phasgania*), 324.
Insularis (*Phylodromia*), 95.
Insularis (*Promachus*), 326.
Insularis (*Psendectobia*), 65.
Insularis (*Sphingolabis*), 49.
Insularis (*Theganopteryx*), 65.
Intacta (*Epilampra*), 111.
Integerrima (*Deroptolis*), 146.
Integra (*Metilia*), 282.
Integra (*Panesthia*), 204.
Intercepta (*Blatta*), 75.

- Intercepta (*Pseudomops*), 75.
 Intermedia (*Ancistrogaster*), 37.
Intermedia (*Dero-calymma*), 188.
 Intermedia (*Deropeltis*), 146.
 Intermedia (*Homalodemas*), 188.
 Intermedia (*Homalopteryx*), 115.
 Intermedia (*Nyctibora*), 107.
 Intermedia (*Pseudectobia*), 66.
 Intermedia (*Tenodera*), 239.
Intermedia (*Tenodera*), 218.
Intermedia (*Theganopteryx*), 66.
 Interna (*Brachycola*), 197.
Inuncans (*Monandroptera*), 382, 387.
Inuncanus (*Monandroptera*), 387.
 Inversa (*Phyllodromia*), 91.
Invisa (*Periplaneta*), 130.
 Invisa (*Platyzosteria*), 130.
 Invisa (*Polyzosteria*), 128.
 Iodomus (*Tropidoderus*), 380.
Iolas (*Candaules*), 367.
Iolas (*Lopaphus*), 367.
Iolas (*Necroscia*), 367.
Iphiclus (*Caulonia*), 344.
Iphiclus (*Pygirhynchus*), 344.
IPISOMA, 169.
Ipsoides (*Euthyrrapha*), 168.
Iridescent (*Ascephasma*), 419.
Iridescent (*Aschipasma*), 419.
Iridescent (*Oleophides*), 411.
Iridescent (*Phasma*), 419.
Iridescent (*Presbistus*), 419.
Iridicolor (*Polyzosteria*), 128.
Iridipennis (*Iridopteryx*), 223.
Iridipennis (*Miopteryx*), 227.
Iridipennis (*Tropidomantis*), 227.
IRIDOPTERYX, 223.
Irina (*Gomypeta*), 223.
Irina (*Iridopteryx*), 223.
IRIS, 259.
Irregularis (*Danuriella*), 310.
Irregulariter-vittata (*Phyllodromia*), 90.
Irrorata (*Blatta*), 117.
Irrorata (*Calolampra*), 117.
Irrorata (*Mantis*), 252.
Irrorata (*Tarachodes*), 215.
Irroratus (*Gryllus*), 252.
Isabellæ (*Japyx*), 56.
ISAGORAS, 415.
ISCHNOMANTIS, 266.
ISCHNOPODA, 365.
ISCHNOPTERA, 80.
Ismene (*Marmessoidea*), 372.
Ismene (*Necroscia*), 372.
Isochroma (*Epilampra*), 120.
Isochroma (*Heterolampra*), 120.
ISOLABELLA, 43.
ISOLABIS, 21.
Isomorpha (*Blatta*), 92.
Isomorpha (*Phyllodromia*), 92.
JACKERYENSIS (*Forficula*), 53.
Jagori (*Apterygida*), 44.
Jagori (*Forficula*), 44.
Jagori (*Pterygida*), 44.
Jamaicensis (*Haplopus*), 363.
Jamaicensis (*Mantis*), 363.
Jamaicensis (*Phasma*), 363, 385.
Jamaicensis (*Platycerana*), 363.
Janeirensis (*Anisolabis*), 20.
Janeirensis (*Foreinella*), 20.
Janeri (*Aphelebia*), 71.
Janeri (*Hololampra*), 71.
Jansoni (*Anaplecta*), 68.
Jansoni (*Cylindrogaster*), 2.
Jansoni (*Diplatys*), 2.
Janus (*Necroscia*), 377.
Janus (*Prexaspes*), 415.
JAPETUS (*Acrophylla*), 393.
Japetus (*Cyphocrania*), 393.
Japetus (*Diura*), 393.
Japetus (*Phasma*), 393.
JAPONICA (*Acromantis*), 280.
Japonica (*Forficula*), 11.
Japonica (*Forficula*), 11, 46.
Japonica (*Mantis*), 251.
Japonica (*Sphingolabis*), 46.
Japonicum (*Acanthoderus*), 325.
Japonicum (*Phasma*), 325.
Japonicus (*Acanthoderus*), 325.
Japonicus (*Neohirasea*), 325.
JAPYX, 55.
JASPIDEA (*Blatta*), 119.
Jaspedea (*Epilampra*), 120.
Javana (*Acromantis*), 223.
Javana (*Anisolabis*), 16.
Javana (*Gonolabis*), 16.
Javana (*Micromantis*), 223.
Javana (*Odontomantis*), 223.
Javana (*Platylabia*), 22.
Javanica (*Anaplecta*), 66.
Javanica (*Epilampra*), 124.
Javanica (*Hednia*), 124.
Javanica (*Panesthia*), 202.
Javanica (*Paranauphoëta*), 180.
Javanicus (*Japyx*), 57.
Javanum (*Bacillus*), 331.
Javanum (*Phasma*), 331.
Javanus (*Apachyus*), 3.
Javanus (*Bacillus*), 331.
Javanus (*Paraclitumnus*), 331.
Jocoseluna (*Anisopygia*), 101.
Jonesi (*Pyrgomantis*), 217.
Josephi (*Epilampra*), 127.
Josephina (*Ischnoptera*), 83.
Jucunda (*Ectobia*), 65.
Jucunda (*Entella*), 225.
Jucunda (*Hemithyrsocera*), 78.
Jucunda (*Periplaneta*), 108.

- Jucunda (*Theganopteryx*), 65.
 Jucunda (*Thyrsocera*), 78.
 Julieæ (*Hypsicorypha*), 314.
Junnos (*Cyphocrania*), 387.
Junnos (*Monandroptera*), 387.
Juncea (*Deropeltis*), 146.
Juncea (*Deropeltis*), 146.
Juncea (*Ischnoptera*), 146.
JUNODIA, 286.
Jupiter (*Chetospania*), 22.
Jurinii (*Metriotes*), 410.
Jurinii (*Oleophides*), 410.
- KAKERLAC**, 137.
Kakkerlae (*Blatta*), 140.
Kallipygos (*Pygidicerana*), 5.
KARABIDION, 395.
KARSCHIELLA, 13.
Kaupiana (*Tennopteryx*), 105.
Kaupii (*Myronides*), 321.
Keratoskeleton (*Mantis*), 363.
Kerandrenii (*Blatta*), 122.
Kerandrenii (*Epilampra*), 122.
Keraudrenii (*Heterolampra*), 122.
Kershawi (*Choristima*), 73.
Kersteni (*Hierodula*), 244.
Kersteni (*Mantis*), 244.
Kersteni (*Stagmatoptera*), 244.
Khamisini (*Eremiaphila*), 212.
Kheili (*Panesthia*), 203.
Kheili (*Phasma*), 413.
Kheili (*Pseudophasma*), 413.
Kheychi (*Eremiaphila*), 212.
Kirbii (*Xeroderus*), 383.
Kirhyi (*Anisolabis*), 16.
Kirbyi (*Gonolabis*), 16.
Kirschianus (*Thrinacoxys*), 279.
Kitensis (*Oxyhaloa*), 175.
KNEPHASIA, 132.
Koenigi (*Leptynia*), 325.
Komarowi (*Opisthoecosmia*), 38.
- Kotschyï (*Blepharodes*), 315.
Kraussiana (*Hemipanesthia*), 204.
Kraussiana (*Panesthia*), 204.
Kraussii (*Hrania*), 207.
Kraussii (*Paraoxypilus*), 207.
Krugi (*Plectoptera*), 178.
Kudagæ (*Anisolabis*), 19.
Kuhlgatzi (*Gonolabina*), 16.
Kuhlii (*Blepharis*), 290.
Kuhlii (*Mantis*), 290.
Kuhlii (*Parablepharis*), 290.
- LABIA**, 25.
Labiata (*Macynia*), 322.
Labiata (*Mantis*), 322.
Labiata (*Phasmar*), 322.
LABIDOPHORA, 21.
LABIDURA, 9.
LABIDURODES, 15.
Lacandon (*Panchlora*), 154.
Laceratus (*Creoxylus*), 404.
Laceratus (*Neocles*), 404.
Lacertinum (*Acanthoderus*), 325.
Lacertinum (*Phasma*), 325.
Lacertinus (*Acanthoderus*), 325.
Lacertinus (*Menexenus*), 325.
Laciniatus (*Ceroys*), 344.
Laciniatus (*Parobrimus*), 344.
Lacrymula (*Blatta*), 88.
Lacrymula (*Phyllodromia*), 88.
Lactea (*Miopteryx*), 255.
Lactea (*Panchlora*), 154.
Lacteipeanus (*Necroscia*), 377.
Læta (*Anisolabis*), 19.
Læta (*Anisolabis*), 19.
Læta (*Brachylabis*), 19.
Lætior (*Chelisoches*), 35.
Lætior (*Lobophora*), 35.
Lætus (*Promaeetus*), 326.
Læviceps (*Hirtuleius*), 361.
Lævicollis (*Brachycola*), 197.
Lævicollis (*Creoboter*), 291.
Lævicollis (*Epilampra*), 122.
- Lævicollis (*Heterolampra*), 122.
Lævicollis (*Hierodula*), 247.
Lævicollis (*Panesthia*), 203.
Lævigata (*Blatta*), 116, 152.
Lævigata (*Gromphadorhina*), 199.
Lævigata (*Hormetica*), 197.
Lævigata (*Leucophara*), 152.
Lærigata (*Nauphoeta*), 116.
Lærigata (*Panchlora*), 116.
Lævigatus (*Bacillus*), 329.
Lævigatus (*Baculum*), 329.
Lævis (*Calodampra*), 117.
Lævis (*Dicellonotus*), 201.
Læris (*Epilampra*), 117.
Lævis (*Typhlotabia*), 58.
Lævinseulus (*Clitarchus*), 339.
LAMACHUS, 368.
Lambii (*Anamesia*), 129.
Lanellatus (*Oxyartes*), 325.
Laminata (*Homalopteryx*), 124.
Laminata (*Perisphecia*), 160.
Laminata (*Rhienoda*), 124.
Laminigera (*Apifragi*), 52.
Laminigera (*Forsicula*), 52.
Lampethusa (*Necroscia*), 377.
Lampetia (*Necroscia*), 377.
LAMPONIUS, 343.
Lampyrina (*Deroclymma*), 188.
Lampyrina (*Homalodemas*), 188.
Lampyrodes (*Melanoblatta*), 191.
Lampyrodes (*Nauphoeta*), 191.
Laneadon (*Panchlora*), 154.
Laneolata (*Indymoecypha*), 218.
Laneolata (*Mantis*), 218.
Laneolatus (*Paratr. pes*), 110.

- Lancettifer* (*Hyrtaeus*), 331.
Laponica (*Phyllodromia*), 61.
Lapponica (*Blatta*), 61.
Lapponica (*Ectobia*), 61.
Lapponicus (*Ectobius*), 61.
Larrinæ (*Aphlebia*), 71.
Larrinæ (*Hololampra*), 71.
Larunda (*Necroscia*), 375.
Larva (*Forficula*), 58.
Larva (*Iapyx*), 58.
Larva (*Typhlolabia*), 58.
Larvoïdes (*Geomantis*), 224.
Lata (*Blatta*), 141.
Lata (*Gyna*), 149.
Lata (*Ischnoptera*), 85.
Lata (*Panchlora*), 149.
Lata (*Panesthia*), 203.
Lata (*Periplaneta*), 141.
Laterale (*Ellipsidium*), 77.
Laterale (*Phasma*), 413.
Lateralis (*Anaplecta*), 67.
Lateralis (*Anaplecta*), 67.
Lateralis (*Blatta*), 138.
Lateralis (*Blatta*), 78, 108.
Lateralis (*Cosmoxosteria*), 132.
Lateralis (*Empusa*), 314.
Lateralis (*Hemithyrsoeca*), 77.
Lateralis (*Idolomorpha*), 314.
Lateralis (*Mantis*), 413, 414.
Lateralis (*Nyctibora*), 108.
Lateralis (*Periplaneta*), 138.
Lateralis (*Phasma*), 413, 414.
Lateralis (*Platyzosteria*), 132.
Lateralis (*Polyzosteria*), 132.
Lateralis (*Prexaspes*), 414.
Laterifera (*Blatta*), 92.
Laterifera (*Phyllodromia*), 92.
Laticaput (*Phyllodromia*), 93.
Laticauda (*Bacteria*), 349.
Laticauda (*Heteroneuria*), 349.
Laticeps (*Blatta*), 91.
Laticeps (*Deciphobe*), 266.
Laticeps (*Eremophana*), 266.
Laticeps (*Fischeria*), 266.
Laticeps (*Phyllodromia*), 91.
Laticollis (*Blabera*), 164.
Laticollis (*Choeradodis*), 220.
Laticollis (*Epilampra*), 122.
Laticollis (*Mantis*), 248.
Laticollis (*Monachoda*), 160.
Laticollis (*Orthodera*), 218.
Laticollis (*Polyspilota*), 241.
Laticollis (*Rhombodera*), 248.
Laticornis (*Pseudomops*), 75.
Laticornis (*Thrysocera*), 75.
Laticosta (*Gyna*), 149.
Laticosta (*Panchlora*), 149.
Latisfrons (*Epilampra*), 125.
Latinarco (*Blatto*), 94.
Latinargo (*Blatta*), 94.
LATINDIA, 168.
Latipennis (*Allacta*), 100.
Latipennis (*Blatta*), 90.
Latipennis (*Hierodula*), 245.
Latipennis (*Mantis*), 253.
Latipennis (*Methana*), 136.
Latipennis (*Nyctibora*), 108, 136.
Latipennis (*Panchlora*), 154.
Latipennis (*Phyllodromia*), 90, 100.
Latipennis (*Platycalymma*), 228.
Latipennis (*Thysanoblatta*), 185.
Latipennis (*Tropidomantis*), 228.
Latipes (*Cilia*), 242.
Latipes (*Mantis*), 242.
Latipes (*Phasma*), 322.
Latipes (*Polyzosteria*), 106.
Latipes (*Temnopteryx*), 106.
Latirupta (*Blatta*), 97.
Latirupta (*Ellipsidion*), 79.
Latissima (*Blabera*), 165.
Latissima (*Blatta*), 165.
Latissima (*Monachoda*), 160.
Latistriga (*Blatta*), 90.
Latistylus (*Archimantis*), 234.
Latistylus (*Mantis*), 234.
Latiusvittata (*Phyllodromia*), 90.
Lativentris (*Anisolabis*), 16.
Lativentris (*Forficula*), 15.
Lativentris (*Gonolabis*), 15, 16.
Lativitrea (*Blatta*), 91.
Lativitrea (*Phyllodromia*), 91.
Latizona (*Cosmoxosteria*), 133.
Latizona (*Platyzosteria*), 133.
Latistylus (*Archimantis*), 234.
Laubneri (*Pilema*), 184.
Laurenziana (*Loboptera*), 102.
Laurifolia (*Phyllomanitis*), 284.
Laxeretis (*Amorphoscelis*), 208.
LAXTA, 159.
Lefebvrei (*Eremaphila*), 211.
Lefebvrei (*Eremophila*), 211.
Lemoroi (*Heterochæta*), 307.
Lemoroi (*Severinia*), 307.
Lenticularis (*Aptera*), 182.
Lenticularis (*Chiropacha*), 217.
Lenticularis (*Lygdamia*), 217.
LEOCRATES, 396.
LEOSTHENES, 406.
Lepelletieri (*Phibalosoma*), 356, 357.
Lepelletieri var. *Dilatipes* (*Phibalosoma*), 357.
Lepelletieri var. *Rubus* (*Phibalosoma*), 357.
Lepida (*Blatta*), 102.
Lepida (*Compsoblatta*), 180.
Lepida (*Eustegasta*), 180.
Lepida (*Loboptera*), 102.
Lepidella (*Blatta*), 73.

- Lepidella (*Chorizoneura*), 73.
Leprosa (*Gratidior*), 338.
Leprosus (*Bacillus*), 338.
Leprosus (*Clonaria*), 338.
Leptelytra (*Mantis*), 238.
LEPTISOLABIS, 21.
LEPTOCOLA, 263.
LEPTOZOSTERIA, 131.
LEPTYNIA, 335.
Lesnei (*Forficula*), 50.
Leucogramma (*Phoraspis*), 113.
Leucogramma var. *Conspersa* (*Phoraspis*), 112.
LEUCOPHÉA, 151.
Leucophthalmus (*Zetobora*), 193.
Lherminieri (*Psalidophora*), 31.
Lherminieri (*Spongiphora*), 31.
Liberiensis (*Japyx*), 56.
LIBETHRA, 345.
LIBISOCA, 163.
Lichenale (*Phasma*), 413.
Lichenalis (*Liturgousa*), 271.
Licoidea (*Paratropa*), 110.
Lifuensis (*Graeffea*), 386.
LIGARIA, 226.
Ligata (*Blabera*), 162.
Ligata (*Cassidodes*), 177.
Ligata (*Periplaneta*), 136.
Ligata (*Platyzosteria*), 132.
Ligata (*Polyzosteria*), 132.
Ligata (*Prosoplecta*), 177.
Ligia (*Haplopus*), 304.
Lignaria (*Perisphæria*), 158.
Lignaria (*Tribonium*), 158.
Ligneal (*Leptocola*), 263.
Limbaticollis (*Tenodera*), 238.
Limbalis (*Epilampra*), 127.
Limbata (*Blabera*), 165.
Limbata (*Blatta*), 102.
Limbata (*Loboptera*), 102.
Limbata (*Mantis*), 231, 253.
Limbata (*Paramelis*), 231.
Limbata (*Paranauphoëta*), 180.
Limbata (*Polyphaga*), 172.
Limbata (*Polyzosteria*), 127.
Limbara (*Polyzosteria*), 102.
Limbata (*Stagmomantis*), 253.
Limbata (*Temnopteryx*), 105.
Limbata (*Zetobora*), 158.
Limbatus (*Temnopteryx*), 105.
Limosa (*Elliptoblatta*), 184.
Limosa (*Polyzosteria*), 184.
Lindsayi (*Anamesia*), 129.
Linearis (*Bacteria*), 347, 351.
Linearis (*Blatta*), 195.
Linearis (*Ceroys*), 345.
Linearis (*Clonistria*), 351.
Linearis (*Forficula*), 48.
Linearis (*Mantis*), 351, 377.
Linearis (*Parasphaeria*), 195.
Linearis (*Perisphæria*), 186, 195.
Linearis (*Phasma*), 377, 415.
Linearis (*Sermyle*), 345.
Linearis (*Sphingolabis*), 48.
Linearis (*Stenopilema*), 186.
Lineata (*Bacteria*), 338.
Lineata (*Blatta*), 86.
Lineata (*Clonaria*), 338.
Lineata (*Pseudischnotaptera*), 86.
Lineata (*Thrysocera*), 86.
Lineaticollis (*Epilampra*), 120.
Lineaticollis (*Heterolampra*), 120.
Lineaticollis (*Thrysocera*), 78.
Lineiventris (*Mionyx*), 277.
Lineiventris (*Musoniis*), 277.
Lineatum (*Phasmat*), 410.
Lineatus (*Paraclitimus*), 330.
Lineola (*Hierodula*), 243.
Lineola (*Mantis*), 243.
Lineola (*Sphodromantis*), 243.
Lineolata (*Pseudophyllo-dromia*), 98.
Lineolatum (*Phasma*), 410.
Lingua (*Apterygida*), 45.
Lingua (*Sphingolabis*), 45.
Lingulata (*Hierodula*), 249.
LINOCERUS, 335.
LINOBLATTÄ, 193.
LIOSILPHA, 87.
LITANEUTRIA, 232.
Literata (*Blatta*), 97.
Literata (*Pseudophyllo-dromia*), 97.
Lithophyla (*Ectobia*), 84.
Littorea (*Anisolabis*), 20.
Littorea (*Forcinella*), 20.
Littorea (*Forficula*), 20.
Litura (*Apolyta*), 79.
Litura (*Ellipsidion*), 79.
Liturata (*Allacta*), 100.
Liturata (*Blatta*), 116, 117.
Liturata (*Compsolampra*), 116.
Liturata (*Cutilia*), 134.
Liturata (*Forficulæta*), 4.
Liturata (*Opisthoplatia*), 116.
Liturata (*Phyllodromia*), 100.
Liturata (*Polyzosteria*), 134.
Liturata (*Pygidierana*), 4.
LITURGOUSA, 271.
Lituriceps (*Achroblatta*), 155.
Lituriceps (*Pseudomops*), 155.
Lituricollis (*Blatta*), 90.
Lituricollis (*Phyllo-dromia*), 90.
Liturifera (*Blatta*), 65, 98.
Liturifera (*Ectobia*), 65.
Liturifera (*Phyllodromia*), 65.
Liturifera (*Pseudectobia*), 65.
Liturifera (*Pseudophyllo-dromia*), 98.
Liturifera (*Theganopteryx*), 65.
Livida (*Blatta*), 63.
Livida (*Ectobia*), 63.
Livida (*Forficula*), 25.
Livida (*Heterogymnia*), 173.
Livida (*Lahidura*), 12.
Livida (*Miopteryx*), 275.
Livida (*Polyphaga*), 173.

- Lividia (Thespis)*, 275.
Lividia var. Brevipennis (Ectobia), 63.
Lividipes (Forficula), 11.
Lividipes (Labidura), 11.
Lividus (Demogorgon), 12.
Lividus (Ectobius), 63.
Lobata (Allacta), 100.
Lobata (Blatta), 100.
Lobata (Chæradodis), 281.
Lobata (Creoboter), 291.
Lobata (Deroplatys), 281.
Lobata (Harpax), 295.
Lobata (Mantis), 295, 305.
Lobata (Oxypiloides), 286.
Lobata (Phyllodromia), 100.
Lobata (Vates), 305.
Lobiceps (Cyphocrania), 391.
Lobiceps (Haania), 289.
Lobiceps (Mantis), 288, 289.
Lobiceps (Oxypilus), 288, 289.
Lobiceps (Phasma), 391.
Lobifrons (Paraoxypilus), 207.
Lobipennis (Panesthia), 203.
Lobipennis (Temnopteryx), 105.
Lobipes (Bacillus), 334.
Lobipes (Empusa), 302.
Lobipes (Mantis), 302,
Lobipes (Parastigmatoptera), 299.
Lobipes (Thecoclyte), 302.
Lobipes (Zoolea), 302.
Lobiventre (Phyllium), 420.
Lobiventris (Blatta), 88.
Lobiventris (Chitoniscus), 420.
Lobiventris (Phyllodromia), 88.
LOBOPHORA, 32.
Lobophoroides (Forficula), 53.
LOBOPTERA, 101.
Lobulipes (Phitrus), 310.
Loftyensis (Chorisoneura), 73.
Loftyensis (Choristima), 73.
LONCHODES, 321.
LONCHODES, 317.
LONCHODINÆ, 317.
Longealata (Phyllodromia), 92.
Longelaminata (Paracelonaria), 335.
Longiceps (Arrhidæus), 384.
Longiceps (Necroscia), 384.
Longiceps (Pseudobac-teria), 351.
Longicollis (Dysaules), 262.
Longicollis (Dysaules), 262.
Longicollis (Orthodera), 218.
Longicollis (Pseudovates), 304.
Longicollis (Vates), 304.
Longicollis var. Brevipennis (Dysaules), 262.
Longicorn (Phibalosoma), 374.
Longicornis (Cladoxerus), 374.
Longicornis (Orthoneuroscia), 374.
Longiforceps (Auchenomus), 29.
Longiforcipata (Forficula), 31.
Longifrons (Idolomorpha), 314.
Longimana (Abbrachia), 352.
Longimana (Bacteria), 352.
Longimanum (Phibalosoma), 352.
Longipennis (Anchiale), 393.
Longipennis (Blabera), 109.
Longipennis (Deropeltis), 146.
Longipennis (Ischnoptera), 146.
Longipennis (Megalo-blatta), 109.
Longipennis (Pachymorpha), 393.
Longipes (Cladoxerus), 358.
Longipes (Forficula), 39.
Longipes (Opistho-cosmia), 39.
Longipes (Phibalosoma), 358.
Longiscaphum (Bacillus), 336.
Longiscaphum (Phales), 336.
Longiscaphum (Phasma), 336.
Longisetosa (Diplatys), 2.
Longisetosa (Diplatys), 2.
Longisetosa (Dyscritina), 2.
Longissima (Forficesila), 31.
Longiuscula (Blatta), 82.
Longiusecula (Ischnoptera), 82.
Longixiphia (Burria), 336.
LOPAPHUS, 360.
Loricata (Thoracopyga), 195.
LOXOPSIS, 406.
Lucanoides (Dicello-notus), 201.
Lucasi (Forficula), 51.
Lucasiana (Perispæria), 190.
Lucida (Blatta), 62.
Lucida (Ectobia), 65.
Lucida (Epilampra), 111.
Lucida (Ischnoptera), 83.
Lucida (Theganopteryx), 65.
Luctuosa (Ancistrogaster), 36.
Luctuosa (Blabera), 164.
Luctuosa (Opisthocosmia), 36.
Luctuosa (Phoraspis), 112.
Luctuosa (Thrysocera), 76.
Luctuosus (Ancistro-gaster), 36.
Luctuosus (Ancistro-gaster), 36.
Lueubensis (Orobia), 409.
Lueubrans (Achlæna), 216.
Lucubrans (Mantis), 216.
Lucubrans (Tarachodes), 216.
Ludekingi (Chelisoches), 34.
Ludekingi (Lobophora), 34.
Lucci (Eustegasta), 181.
Lugardi (Bactrododema), 366.
Lugens (Onchestus), 394.
Lugens (Opisthocosmia), 38.
Lugens (Phasma), 394.

- Lugubrina* (*Epilampra*), 121.
Lugubrina (*Heterolampra*), 121.
Lugubris (*Forsicula*), 53.
Lugubris (*Hemithyrsocera*), 77.
Lugubris (*Phyllodromia*), 92.
Lugubris (*Thrysocera*), 77.
Luna (*Mantis*), 300.
Luna (*Stagmatoptera*), 300.
Lunata (*Bomistria*), 292.
Lunata (*Chlidonoptera*), 292.
Lunata (*Wodongia*), 119.
Luneli (*Blatta*), 65.
Luneli (*Ectobia*), 65.
Luneli (*Pseudectobia*), 65.
LUPPARIA, 65.
Lurida (*Epilampra*), 122.
Lurida (*Forcipula*), 9.
Lurida (*Forsicula*), 51.
Lurida (*Gyna*), 149.
Lurida (*Heterolampra*), 122.
Lutea (*Ceratinoptera*), 99.
Lutea (*Spongiphora*), 30.
Luteipennis (*Apterygida*), 47.
Luteipennis (*Forficula*), 47.
Luteipes (*Forficula*), 47.
Luteipes (*Sphingolabis*), 47.
Luteola (*Achroblatta*), 155.
Luteola (*Blatta*), 155.
Luteola (*Mantoida*), 210.
Luteola (*Panchlora*), 153.
Luteola (*Phoraspis*), 112.
Luteoviride (*Lonchodes*), 325.
Luteoviride (*Phasma*), 325.
Luteoviridis (*Lonchodes*), 325.
Luteoviridis (*Menexenus*), 325.
Lutescens (*Calidomantis*), 258.
Lutescens (*Hagiomantis*), 271.
Lutescens (*Liturgousa*), 271.
Lutescens (*Mantis*), 271.
Lutescens (*Miomantis*), 258.
Luxori (*Eremiaphila*), 211.
Luz mica (*Lubia*), 26.
Lycoides (*L'atta*), 62.
Lycoides (*Paratropes*), 110.
Lycoides (*Phyllodromia*), 92.
Lycus (*Paratropes*), 109, 110.
LYGDAMLA, 216.
Lyncea (*Epilampra*), 122.
Lyneea (*Heterolampra*), 122.
Lyrota (*Blatta*), 180.
Lyrota (*Nauphoëta*), 180.
Lyrota (*Paranauphoëta*), 180.
Lyrota (*Phasma*), 343.
Lyrum (*Hesperophasmus*), 343.
LYSICLES, 381.
Lysippus (*Necroscia*), 378.
Mabilie (*Forsicula*), 53.
Maccassariensis (*Blatta*), 115.
Maccassariensis (*Epilampra*), 115.
Macassariensis (*Homalopteryx*), 115.
MACELLA, 332.
Macer (*Carausius*), 320.
Macilenta (*Blatta*), 88.
Macilenta (*Phyllodromia*), 88.
Macilenta (*Stenopilema*), 186.
Macilenta (*Thesprotea*), 277.
Macilentus (*Thrasyllus*), 319.
Mackinderi (*Apterygida*), 49.
Mackinderi (*Sphingolabis*), 49.
Macklini (*Labia*), 28.
Macklottii (*Lopaphus*), 367.
Macklottii (*Orxines*), 367.
Macklottii (*Phasmar*), 337.
Maclayi (*Cyphocrania*), 391.
Maclayi (*Phasma*), 391.
Macleayi (*Acrophylla*), 389.
Macleayi (*Ctenomorpha*), 391.
Macra (*Ceratocrania*), 289.
Macra (*Cyefaria*), 185.
Macra (*Derovalyamma*), 185.
Macra (*Deropektis*), 185.
Macra (*Hoplacorypha*), 257.
Macra (*Ischnoptera*), 185.
Macra (*Mantis*), 251.
Macra (*Phyllohalys*), 289.
Macra (*Thysanoblatta*), 185.
MACRACANTHA, 340.
Macrocephala (*Diplatys*), 1.
Macrocephala (*Diplatys*), 1.
Macrocephala (*Forficula*), 1.
MACRODANURIA, 309.
Macrolabia (*Forficula*), 50, 52, 54.
MACROMANTIS, 272.
MACROPANESTHIA, 205.
Macrops (*Euchomena*), 237.
Macrops (*Mioptryx*), 237.
Macrops (*Hierodula*), 249.
Macropsis (*Mantis*), 249.
Macroptera (*Blatta*), 89.
Macroptera (*Mantis*), 302.
Macroptera (*Phyllodromia*), 89.
Macroptera (*Zendea*), 302.
Macropterus (*Vates*), 302.
Macropyga (*Anechura*), 41.
Macropyga (*Forficula*), 41.
Macrotegmus (*Ctenomorpha*), 389.
Macrotegmus (*Lopaphus*), 389.
Macula (*Hierodula*), 242.
Macula (*Tarachomantis*), 242.
Macularia (*Blatta*), 196.
Maculata (*Anchiiale*), 392.
Maculata (*Aphelinus*), 69.
Maculata (*Blatta*), 69, 196.
Maculata (*Calvisia*), 369.
Maculata (*Cyphocrania*), 392.

- Maculata* (*Cyphocrania*), 393.
Maculata (*Epilampra*), 114.
Maculata (*Hapalopeza*), 221.
Maculata (*Hololampra*), 69.
Maculata (*Mantis*), 236, 392.
Maculata (*Molytria*), 114.
Maculata (*Platycerana*), 392.
Maculata (*Polyzosteria*), 128.
Maculata (*Statilia*), 236.
Maculatum (*Cyphocrania*), 392.
Maculatum (*Phasma*), 392, 414.
Maculatus (*Prexaspes*), 414.
Maenliceps (*Aruanoidea*), 378.
Maculiceps (*Necroscia*), 378.
Maculicollis (*Blatta*), 125.
Maculicollis (*Calvisia*), 369.
Maculicollis (*Epilampra*), 125.
Maculicollis (*Necroscia*), 369.
Maculicollis (*Phasma*), 369.
Maculifera (*Ancistrogaster*), 36.
Maculifera (*Opisthosomia*), 36.
Maculifrons (*Epilampra*), 119.
Maculifrons (*Pœcilocer-*
rhis), 119.
Maculimarginata (*Cosmo-*
zosteria), 132.
Maculimarginata (*Platyz-*
osteria), 132.
Maculipennis (*Ameles*), 228.
Maculipennis (*Antistia*), 228.
Maculipennis (*Gyna*), 149.
Maculipennis (*Gyna*), 149.
Maculipennis (*Pan-*
chlora), 149.
Maculisterium (*Tara-*
chodes), 215.
MACYNIA, 332.
Madagascariensis (*Galep-*
sus), 217.
Madagascariensis (*Idolomorpha*), 315.
Madagascariensis (*Mantis*), 217.
Madagascariensis (*Miopteryx*), 227.
Madagascariensis (*Platycalymma*), 228.
Madagascariensis (*Tenedera*), 238.
Madagascariensis (*Tropidomantis*), 227.
Madecassa (*Apblebia*), 71.
Madecassa (*Blatta*), 87, 156.
Madecassa (*Deropeltis*), 145.
Madecassa (*Elliptoblatta*), 183.
Madecassa (*Euchomena*), 237.
Madecassa (*Hololampra*), 71.
Madecassa (*Nauphoëta*), 156.
Madecassa (*Paralygdamia*), 217.
Madecassa (*Perispheeria*), 183.
Madecassa (*Phyllodromia*), 87.
Madecassa (*Temnopteryx*), 104.
Maderæ (*Blatta*), 150, 156.
Maderæ (*Panchlora*), 150.
Maderæ (*Rhynparobia*), 150.
Maeklini (*Labia*), 28.
Magna (*Iapyx*), 56.
Magnifica (*Euryenema*), 391.
MAJANGA, 270.
Major (*Acontista*), 254.
Major (*Anaplecta*), 67.
Major (*Anisolabis*), 18, 19.
Major (*Blatta*), 150.
Major (*Forficella*), 18.
Major (*Forficula*), 18, 50.
Major (*Hierodula*), 219.
Major (*Homalopteryx*), 124.
Major (*Iapyx*), 56.
Major (*Japyx*), 56.
Major (*Melliera*), 254.
Major (*Musonnia*), 276.
Major (*Platylabia*), 22.
Major (*Rhienoda*), 124.
Major (*Rhombodera*), 249.
Major (*Temnopteryx*), 105.
Major (*Thysocera*), 77.
Majuscula (*Blatta*), 81.
Majuscula (*Ischnoptera*), 81.
Makassarinus (*Bacillus*), 341.
Makassarinus (*Medaura*), 341.
Malacæ (*Necroscia*), 376.
Malaceensis (*Agondasooidea*), 373.
Malagassa (*Ateloblatta*), 198.
Malagassa (*Epilampra*), 123.
Malagassa (*Heterolampra*), 123.
Malagassa (*Hierodula*), 242.
Malagassa (*Ischnoptera*), 81.
Malagassa (*Liturgousa*), 271.
Malagassa (*Tarachomantis*), 242.
Malagassa (*Theganoptynx*), 64.
Malaya (*Hierodula*), 246.
Malaya (*Sthenobœa*), 324.
Malayana (*Gonypetia*), 224.
MALLATOBLATTA, 96.
Mamimatus (*Carausius*), 320.
Manca (*Blatta*), 139.
Manca (*Hemiblabera*), 166.
Manca (*Periplaneta*), 139.
Maneella (*Paralatindia*), 169.
Mancinus (*Necroscia*), 369.
Mancinus (*Sosibia*), 369.
Maneus (*Dimorphodes*), 387.
Mandarinea (*Mantis*), 251.
Mandarinea (*Panesthia*), 204.
Mandarinea (*Panesthia*), 201.
MANDURIA, 341.
Manicata (*Ischnoptera*), 82.
Manicatum (*Phasma*), 377.
Manicatus (*Necroscia*), 377.

- Manicatus* (*Prisopus*), 377.
Manicatus (*Xeroderus*), 377.
Manillensis (*Epilampra*), 121.
Manillensis (*Euchomena*), 237.
Manillensis (*Heterolampra*), 121.
Manillensis (*Hicrodula*), 245.
MANTELLAS, 225.
MANTIDE, 207.
MANTILICA, 225.
MANTINE, 221.
MANTIS, 249.
MANTOIDA, 209.
MARANSIS, 336.
Marehali (*Epicharmus*), 404.
Marchali (*Eremiaphila*), 210.
Marchali (*Prisopus*), 404.
Marchali (*Xeroderus*), 404.
Marcida (*Blatta*), 64.
Marcida (*Ectobia*), 64.
MARETA, 97.
Margarita (*Ectobia*), 63.
Marginalis (*Anisolabis*), 19.
Marginalis (*Antissa*), 222.
Marginalis (*Calolampra*), 118.
Marginalis (*Elliptoblatta*), 184.
Marginalis (*Forcina*), 19.
Marginalis (*Forficula*), 25.
Marginalis (*Gonypeta*), 222.
Marginalis (*Ischnoptera*), 118.
Marginalis (*Labia*), 25.
Marginalis (*Mantis*), 222.
Marginalis (*Methana*), 136.
Marginalis (*Miomantis*), 259.
Marginalis (*Nauphoeta*), 116.
Marginalis (*Peltomatopsilpha*), 143.
Marginalis (*Periplaneta*), 136.
Marginalis (*Sisapona*), 164.
Marginata (*Aphlebia*), 68.
Marginata (*Apolytia*), 70.
Marginata (*Blatta*), 68, 92.
Marginata (*Calolampra*), 117.
Marginata (*Epilampra*), 117.
Marginata (*Hololampra*), 68.
Marginata (*Ischnoptera*), 85.
Marginata (*Mantis*), 240, 254.
Marginata (*Marmessoidea*), 372.
Marginata (*Necroseia*), 395.
Marginata (*Orthodera*), 218.
Marginata (*Phyllo-dromia*), 92.
Marginata (*Polyspilota*), 240.
Marginata (*Phyllo-dromia*), 92.
Marginata (*Proscraeta*), 86.
Marginata (*Stagmomantis*), 254.
Marginata var. *Erythro-nota* (*Aphlebia*), 68.
Marginatum (*Ellipsidion*), 79.
Marginatum (*Phasma*), 375.
Marginatus (*Gongylus*), 313.
Marginella (*Entella*), 225.
Marginella (*Forficula*), 10.
Marginella (*Labidura*), 10.
Marginella (*Mantis*), 225.
Marginicollis (*Blatta*), 116.
Marginifera (*Blatta*), 79.
Marginifera (*Periplaneta*), 137.
Marginifera (*Zonioploca*), 137.
Marginiferum (*Ellipsidion*), 79.
Marginipenne (*Ctenomorpha*), 388.
Marginipeanus (*Ctenomorpha*), 388.
Maris Mortui (*Heterogamia*), 172.
Maris Mortui (*Polyphaga*), 172.
Maritima (*Anisolabis*), 17.
Maritima (*Brychylabis*), 17.
Maritima (*Forficula*), 17.
Maritima (*Forficula*), 17, 18.
Maritima (*Labiatura*), 17.
MARMESSOIDEA, 371.
Marmessus (*Marmessoidea*), 371.
Marmessus (*Necroseia*), 371.
Marmessus var. *Eurybatis* (*Necroseia*), 371.
Marmorata (*Allacta*), 100.
Marmorata (*Archimandrita*), 163.
Marmorata (*Bantia*), 275.
Marmorata (*Blabera*), 163.
Marmorata (*Blatta*), 100, 163.
Marmorata (*Dasyoposoma*), 198.
Marmorata (*Epilampra*), 115.
Marmorata (*Iridopteryx*), 223.
Marmorata (*Mantis*), 315.
Marmorata (*Molytria*), 115.
Marmorata (*Phyllo-dromia*), 92.
Marmorata (*Polyspilota*), 241.
Marmorierata (*Forficula*), 5.
Marmorierata (*Pygidicerana*), 5.
Marmorierata (*Pygidicerana*), 6.
Maroccana (*Loboptera*), 102.
Maroccana (*Mantis*), 250.
Martinez (*Zetobora*), 158.
Martini (*Bostra*), 351.
Martini (*Oncotophasma*), 351.
Martini (*Tennopteryx*), 104.
Masoni (*Iris*), 260.
Massane (*Blatta*), 80.
Massane (*Phyllo-dromia*), 89.
Maura (*Chirapachis*), 216.
Maurella (*Latundia*), 168.

- Mauritanica (*Anisolabis*), 18.
Mauritanica (*Brachylabis*), 18.
Mauritanica (*Forficesila*), 18.
Maxima (*Anisolabis*), 18.
Maxima (*Forcinella*), 18.
Maxima (*Forficesila*), 18.
Maxima (*Forficula*), 10, 18.
Maxima (*Pharnaci*), 359.
Maximiliani (*Phorticea*), 159.
Maximiliani (*Pseudophyllodromia*), 98.
Maximiliani (*Zetobora*), 159.
Maximum (*Phibalosoma*), 359.
Maya (*Blatta*), 95.
Maya (*Harpogonyx*), 279.
Maya (*Liturgousa*), 271.
Maya (*Mantoida*), 209.
Maya (*Phyllodromia*), 95.
Maya (*Phylloves*), 303.
Maya (*Stagmomantis*), 253.
Maya (*Theoclytes*), 303.
MÉCOMERA, 23.
MEDAURA, 341.
Media (*Apterygida*), 44.
Media (*Forficula*), 25, 44, 50.
Media (*Ischnomantis*), 266.
Media (*Oxyops*), 298.
Media (*Tarachodes*), 215.
Medilinea (*Knephasia*), 132.
Medioconstricta (*Rhombodera*), 248.
Medora (*Calvisia*), 370.
Medora (*Necroscia*), 370.
MEGACRANIA, 385.
MEGALOBLATTA, 108.
Megaloceros (*Japyx*), 57.
MEGAPHASMA, 347.
Megaspila (*Allacta*), 100.
Megaspila (*Blatta*), 100.
Megaspila (*Prosoplecta*), 177.
Megerlei (*Blatta*), 69.
Melana (*Pseudomops*), 76.
Melanaria (*Periplaneta*), 130.
Melanaria (*Platyzosteria*), 130.
Melanaria (*Platyzosteria*), 130.
Melanaria (*Polyzosteria*), 130.
Melanaria var. *Grandis* (*Polyzosteria*), 130.
Melancholica (*Labia*), 27.
Melandryoides (*Pseudomops*), 76.
MELANOBLATTA, 191.
Melanocephala (*Blatta*), 151.
Melanocephala (*Lobophora*), 33.
Melanocephalus (*Chelisoches*), 33.
Melanocephalus (*Chelisoches*), 34.
Melanophila (*Deropeltis*), 145.
Melanophila (*Ischnoptera*), 145.
MELANOSILPHA, 193.
Melanosoma (*Epilampra*), 123.
Melanosoma (*Hedaia*), 123.
MELANOZOSTERIA, 129.
Melasa (*Ischnoptera*), 83.
Meleagris (*Creoboter*), 291.
MELESTORA, 167.
MELLIERA, 254.
Membranacea (*Hierodula*), 246.
Membranacea (*Mantis*), 246.
MENAKA, 341.
Menaka (*Arannoidea*), 378.
Menaka (*Necroseia*), 378.
Mendica (*Blepharis*), 315.
Mendica (*Blepharopsis*), 315.
Mendica (*Mantis*), 315.
Menelikii (*Calidomantis*), 258.
Menelikii (*Miomantis*), 258.
Menepolemus (*Necroscia*), 378.
MENEXENUS, 325.
MENEXUS, 325.
Menius (*Phasma*), 411.
Menius (*Pseudophasma*), 411.
Menyharthi (*Pseudomantis*), 235.
Mercurius (*Carausius*), 320.
Meridionalis (*Ameles*), 226.
Meridionalis (*Apterygida*), 37, 47.
Meridionalis (*Blatta*), 147.
Meridionalis (*Chiroptera*), 217.
Meridionalis (*Deropeltis*), 147.
Meridionalis (*Forficesila*), 11.
Meridionalis (*Forficula*), 11.
Meridionalis (*Galepsus*), 217.
Meridionalis (*Hapalomantis*), 226.
Meridionalis (*Labidura*), 11.
Meridionalis (*Polyzosteria*), 147.
Meridionalis (*Sphingolabis*), 37, 47.
Merismus (*Dinelytron*), 408.
Mesillana (*Diapheromera*), 347.
MESOCHELI DURA, 43.
Mesomelas (*Coptopteryx*), 268.
Mesomelas (*Mantis*), 268.
Mesoplatus (*Acanthoderus*), 398.
Mesoplatus (*Obrimus*), 398.
Mesoplatus (*Phasma*), 398.
Mesopoda (*Liturgousa*), 271.
MESOPTERYX, 237.
METALLEUTICA, 208.
Metallica (*Anchura*), 41.
Metallica (*Compsoblatta*), 181.
Metallica (*Eustegasta*), 181.
Metallica (*Forficula*), 41.
Metallica (*Mantis*), 221.
Metallica (*Nemotha*), 221.
METALLYTICUS, 208.
METHANA, 135.
Methanoides (*Periplaneta*), 141.
Meticulosa (*Epilampra*), 121.
Meticulosa (*Heterolampra*), 121.
METILIA, 282.
METRIOMANTIS, 273.
METRIOTES, 413, 415.

- Mexicana (Acanthops)*, 229.
Mexicana (Acontista), 233.
Mexicana (Ameles), 229.
Mexicana (Anaplecta), 66.
Mexicana (Bacteria), 348.
Mexicana (Blabera), 164.
Mexicana (Epilampra), 125.
Mexicana (Eurycotis), 144.
Mexicana (Heterogamia), 174.
Mexicana (Heteronemia), 348.
Mexicana (Homœogamia), 174.
Mexicana (Ischnoptera), 83.
Mexicana (Labiū), 27.
Mexicana (Latindia), 168.
Mexicana (Mantis), 255.
Mexicana (Nyctibora), 107.
Mexicana (Panchlora), 154.
Mexicana (Paratropa), 109.
Mexicana (Paratropes), 109.
Mexicana (Phoraspis), 113.
Mexicana (Phyllodromia), 95.
Mexicana (Polyphaga), 174.
Mexicana (Polyzosteria), 144.
Mexicana (Sermyle), 345.
Mexicana (Theoclytes), 303.
Mexicana (Thyrsocera), 74.
Mexicana (Yersinia), 229.
*Mexicana var. *Inquinata* (Acontista)*, 233.
*Mexicana var. *Quadri-maculata* (Acontista)*, 233.
*Mexicana var. *Insularis* (Epilampra)*, 125.
Mexicanus (Acanthoderus), 345.
Mexicanus (Ceroys), 345.
Mexicanus (Oligonyx), 278.
Mexicanus (Prisopus), 405.
Mexicanus (Sermyle), 345.
Micans (Eustegasta), 181.
Micans (Gonyptea), 222.
Micans (Hypsophaeria), 193.
Micans (Iridopteryx), 222.
Micans (Perispæria), 193.
Micans (Plectoptera), 178.
Mierantha (Euryantha), 396.
Micranthum (Kara-bidion), 396.
MICRODINA, 201.
MICROMANTIS, 222.
Microptera (Cyphocrana), 363.
Microptera (Eremoplana), 266.
Micropterum (Haplopus), 364.
Micropterum (Phasma), 364.
Micropterus (Aplopus), 363.
Micropterus (Haplopus), 363.
Micropyga (Forficula), 41.
Microspila (Epilampra), 125.
Mikado (Phraortes), 319.
Miliaris (Bactrododemus), 366.
Mimas (Acanthoderus), 325.
Mimas (Menexenus), 325.
Mimica (Pseudomops), 76.
Minus (Baeunculus), 348.
Minus (Heteronemia), 348.
Minans (Phasma), 373.
Minima (Ameles), 230.
Minima (Ectobia), 63.
Minima (Mantis), 230, 260.
Minimus (Argosarchus), 341.
Minimus (Bacillus), 341.
Ministralis (Mantis), 218.
Ministralis (Orthodera), 218.
Minor (Anisolabis), 20.
Minor (Blabera), 165.
Minor (Blatta), 94.
Minor (Carvilia), 267.
Minor (Diptera), 176.
Minor (Forficula), 28.
Minor (Graeffea), 386.
Minor (Labia), 25.
Minor (Litaneutria), 222.
Minor (Loboptera), 102.
Minor (Psalis), 13.
Minor (Oxyhalotis), 175.
Minor (Panchlora), 153.
Minor (Panesthia), 200.
Minor (Paraspheendale), 267.
Minor (Phyllodromia), 95.
Minor (Phylloptates), 304.
Minor (Psalis), 13.
Minor (Stagmatoptera), 300.
Minor (Stagmatoptera), 232.
Minor (Theoclytes), 304.
Minotaurus (Bactrododema), 366.
Minotaurus (Palophus), 366.
Minuscule (Apterygida), 45.
Minuscule (Forficula), 45.
Minuscule (Opistho-cosmia), 29.
Minuta (Chorisoneura), 72.
Minuta (Labiū), 25.
Minuta (Mantis), 278.
Minuta (Miapteryx), 278.
Minutissima (Anaplecta), 67.
Minutissima (Blatta), 67.
MIOLATTA, 196.
MIOMANTIS, 257.
MIONYX, 276.
MIOPANESTHIA, 205.
MIOPTERYGIN.E, 274.
MIOPTERYX, 274.
Mirando (Angela), 265.
Miranda (Nanomantis), 255.
Miranda (Thespis), 265.
Mirandula (Miapteryx), 255.
Misella (Blatta), 103.
Misella (Phyllodromia), 104.
Misella (Tenuopteryx), 103.
Mithellii (Blatta), 128.

- Mitchellii (*Polyzosteria*), 128.
MITHRENES, 319.
Mixta (Labidura), 10.
MNESILOCHUS, 320.
Moequerysi (Parectatosoma), 398.
Moderata (Arrhidaeus), 384.
Moderata (Necroscia), 384.
Modesta (Abrodiæta), 100.
Modesta (Allacta), 100.
Modesta (Chiropacha), 215.
Modesta (Forficula), 33.
Modesta (Galepsus), 217.
Modesta (Gonypeta), 224.
Modesta (Hierodula), 247.
Modesta (Ischnoptera), 81.
Modesta (Lobophora), 33.
Modesta (Phoraspis), 113.
Modesta (Pygidicerana), 5.
Modesta (Tarachodes), 215, 217.
Modestior (Tarachodes), 215.
Modestum (Rhamphophasma), 331.
Modestus (Chelisoches), 33.
Modigliani (Mecomera), 23.
Mœsta (Anisolabis), 18.
Mœsta (Brachylabis), 18.
Mœsta (Forficella), 18.
Mœsta (Forficula), 18.
Mœsta (Labidura), 18.
Moghrebica (Aphlebia), 70.
Moghrebica (Holo-lampra), 70.
Moiræ (Palophus), 365.
Molesta (Phyllodromia), 92.
Molesta (Thegano-pteryx), 64.
Molita (Bacteria), 344.
Molita (Caulonia), 344.
Molorchus (Bacteria), 417.
Moloreha (Planudes), 417.
Moluccarum (Euchomena), 237.
MOLYTRIA, 114.
Monacha (Calidomantis), 258.
Monacha (Mantis), 258.
Monacha (Miomantis), 258.
MONACHODA, 160.
MONANDROPTERA, 387.
Monastica (Tribonidium), 157, 158.
Monastica (Zetobora), 157.
MONASTRIA, 161.
Monochroa (Mantis), 251.
Monochroma (Periplaneta), 141.
Monstrosa (Archimantis), 235.
Monstrosa (Blabera), 165.
Monstruosa (Panesthia), 201.
Monstruosus (Dicellonotus), 201.
Montana (Forficula), 42.
Montana (Stagmomantis), 253.
Montezuma (Panchlora), 154.
Monticola (Heterolampra), 122.
Monticollis (Hormetica), 197.
Monticollis (Parahormetica), 197.
Morbida (Psalis), 10.
Mordelloides (Euthyrrapha), 170.
Moreti (Eremaphila), 211.
Morio (Chelisoches), 33.
Morio (Forficula), 33.
Morio (Ischnoptera), 85.
Morio (Lobophora), 33.
Morio (Panesthia), [204].
Morio (Panesthia), 200.
Morio (Salganea), 200.
Morio var. Minor (Panesthia), 200.
Morosa (Forcipula), 9.
Morosa (Labidura), 9.
Morosa (Panesthia), 204.
Morsus (Dicellonotus), 201.
Mortuifolia (Acanthops), 283.
Mortuifolia (Sigerpes), 289.
Mortuifolia (Sybilla), 289.
Moseri (Bolivaria), 269.
Moseri (Fischeria), 269.
Moseri (Iris), 269.
Mouffeti (Blatta), 161.
Mouffeti (Monachoda), 161.
Monhotii (Acauthoderus), 400.
Mouhotii (Datames), 400.
Moxa (Anaplecta), 67.
Moxa (Panchlora), 153.
Mozambicus (Bacillus), 336.
Mozambicus (Maransis), 336.
Mucronata (Forficula), 26.
Mueronata (Labia), 26.
Muelleri (Haaniella), 397.
Muelleri (Heteropteryx), 397.
Muelleri (Macropanesthia), 205.
Muelleri (Phasma), 397.
Multicincta (Perisphaeria), 182.
Multicolor (Aeontista), 233.
Multidens (Japyx), 57.
Multilineatus (Strato-cles), 409.
Multiramosa (Ischnoptera), 81.
Multispinosus (Ceroys), 354.
Multispinlosa (Hierodula), 246.
Multistriata (Mantis), 233.
Multivenosa (Chorisoneura), 72.
Munda (Epilampra), 120.
Munda (Heterolampra), 120.
Munda (Nauphæta), 192.
Munda (Pœciliblatta), 192.
Mundicola (Blatta), 79.
Mundicola (Ellipsidion), 79.
Munzigeri (Blatta), 90.
Munzigeri (Phyllo-dromia), 90.
Muricata (Bacteria), 350.
Muricata (Dyme), 350.
Murina (Perisphaeria), 187.
Murina (Pollusca), 187.

- Murrayi (Apachya)*, 4.
Murrayi (Apachyus), 4.
Murrayi (Labia), 26.
Murrayi (Oxyhaloa), 175.
Musarum (Epaphrodita), 284.
Musorum (Mantis), 284.
MUSONIA, 276.
MUSONIA, 276.
Mustea (Necroscia), 377.
Muta (Hierodula), [239], 244.
Muta (Polyspilota), [239].
Muta (Sphodromantis), 244.
Muta (Sphodromantis), [239].
Mutica (Chelidura), 43.
Mutica (Chelidurella), 43.
Mutica (Epilampra), 121.
Mutica (Heterolampra), 121.
MYLACRINA, 205.
MYRCINELLUS, 228.
MYRCINUS, 228.
Myrina (Lonchodes), 318.
Myrina (Stælonchodes), 318.
MYRONIDES, 320.
Myrsilus (Metriotes), 416.
Mysteca (Blatta), 72.
Mysteca (Chorisoneura), 72.
Mysteca (Eurycotis), 144.
Mysteca (Periplaneta), 144.
Mysteca (Polyzosteria), 144.
MYSTIPOLA, 292.

Nævia (Anchiale), 392.
Nævium (Phasma), 392.
Nahua (Anaplecta), 66.
Nahua (Blatta), 94.
Nahua (Ischnoptera), 84.
Nahua (Paraceratino- ptera), 101.
Nahua (Stagmomantis), 252.
Nahua var. Minor (Blatta), 94.
Najas (Panchlora), 154.
Nana (Harpax), 230.
Nana (Ischnoptera), 84.
Nana (Mantis), 229, 230, 258.
Nana (Paramelus), 230.
Nana (Temnopteryx), 104.
NANNOPYGIA, 1.
NANOMANTIS, 255.
Nasuta (Gongylus), 286.
Nasuta (Mantis), 217, 286.
Nasuta (Pyrgomantis), 217.
Nasutus (Oxypilus), 286.
Natalensis (Ameles), 226.
Natalensis (Forficula), 49.
Natalensis (Harpago- mantis), 226.
Natalensis (Ischnoptera), 81.
Natalensis (Mantis), 251.
Natalis (Bacillus), 337.
Natalis (Clonaria), 337.
NAUPHIETA, 155.
NEANTHES, 367.
Nebulosa (Entella), 225.
Nebulosa (Epilampra), 119.
Nebulosa (Mantis), 225, 252.
Nebulosa (Pseudo- phoraspis), 119.
Nebulosum (Aschi- pasma), 419.
Nebulosus (Presbistus), 419.
Necrophoroides (Panes- thia), 204.
NECROSCIA, 374.
NECROSCIA, 374.
NECROSCIINAE, 378.
Necydaloïdes (Cypho- crana), 393.
Necydaloïdes (Cypho- crana), 392.
Necydaloïdes (Gryllus), 412.
Necydaloïdes (Mantis), 412.
Necydaloïdes (Phasma), 390, 392, 412.
Neglecta (Forficula), 50.
Nematodes (Bacteria), 324, 328.
Nematodes (Baeulum), 328.
Nematodes (Lonchodes), 324, 328.
Nematodes (Phasma), 324, 328.
Nemoralis (Pseudo- nantia), 236.
Nemoralis (Statilia), 236.
NEMOTIA, 221.
NEOCLFS, 401.
NEOHRASEA, 325.
NEOLOBOPIORA, 29.
Neolobophoroïdes (Cos- miella), 38.
Neolobophoroïdes (Opis- thocosmii), 38.
Neotropicalis (Japyx), 57.
Nepalensis (Dyseolo- gamia), 173.
Nepalensis (Pseudo- glomeris), 191.
Neptunus (Hinelytron), 414.
Neptunus (Prexaspes), 414.
NESOGASTER, 35.
NESOGASTRELLA, 36.
NEUROPTERA, 58.
Neuroptera (Mantis), 256.
Nentra (Ischnoptera), 81.
Nicæensis (Blatta), 62.
Nicæensis (Ectobia), 62.
Nicaraguæ (Maero- mantis), 272.
Nicobarensis (Panesthia), 203.
Nietneri (Pygidierana), 5.
Nigra (Brachylabis), 17.
Nigra (Cylindrogaster), 17.
Nigra (Dasypozoma), 198.
Nigra (Hemithyrsoœra), 77.
Nigra (Leucophaea), 151.
Nigra (Panchlora), 151.
Nigra (Parapachy- morpha), 342.
Nigra (Parasphearia), 196.
Nigra (Phoraspis), 113.
Nigra (Thyrsocera), 77.
Nigrella (Labia), 26.
Nigrivans (Mantillaea), 225.
Nigrieans (Panesthia), 203.
Nigriceps (Cylindro- gaster), 2.

- Nigriceps* (*Diplatys*), 2.
Nigriceps (*Diplatys*), 2.
Nigriceps (*Platylabia*), 22.
Nigricollis (*Ischnoptera*), 83.
Nigricornis (*Arrhidæus*), 384.
Nigricornis (*Chelisoches*), 34.
Nigricornis (*Hapalopeza*), 221.
Nigricornis (*Labidura*), 34.
Nigricornis (*Panchlora*), 153.
Nigrifrons (*Blatta*), 72.
Nigrifrons (*Choriso-neura*), 72.
Nigrifrons (*Gyna*), 149.
Nigrina (*Sparatta*), 23.
Nigripennis (*Blabera*), 161.
Nigripennis (*Forfiseelia*), 45.
Nigripennis (*Psalidophora*), 32.
Nigripennis (*Spongiphora*), 32.
Nigripes (*Bacteria*), 356.
Nigripes (*Eetobia*), 63.
Nigripes (*Eetobius*), 62.
Nigrispina (*Sosibia*), 368.
Nigrita (*Blatta*), 96, 202.
Nigrita (*Deropeltis*), 146.
Nigrita (*Panesthia*), 202.
Nigrita (*Panesthia*), 203.
Nigrita (*Phyllodromia*), 96.
Nigrita (*Pseudomops*), 77.
Nigrita (*Thyrsocera*), 77.
Nigroannulata (*Necroscia*), 376.
Nigroannulatum (*Necroscia*), 376.
Nigroannulatum (*Phasma*), 376.
Nigrofasciata (*Calvisia*), 370.
Nigrofasciata (*Neuroseia*), 370.
Nigrofasciatum (*Neuroseia*), 370.
Nigrofasciatum (*Phasma*), 370.
- Nigrofusa* (*Blatta*), 62.
Nigrogranosa (*Necroscia*), 374.
Nigrolineata (*Chorisoneura*), 73.
Nigrolineata (*Orobia*), 409.
Nigronitens (*Lobophora*), 34.
Nigropicta (*Theopompa*), 213.
Nigropunctatus (*Lonchodes*), 317.
Nigropunctatus (*Stælonchodes*), 317.
Nigrorufa (*Spongiphora*), 30.
Nigrovaria (*Ctenomorpha*), 389.
Nilgirica (*Hapalopeza*), 221.
Nilotica (*Eremiaphila*), 212.
Nimbata (*Zetobora*), 158.
Niponense (*Bacteria*), 319.
Niponense (*Phasma*), 319.
Niponensis (*Lonchodes*), 319.
NISIBIS, 78.
Nisseri (*Libethra*), 345.
NISYRUS, 407.
Nitens (*Gonypteta*), 221.
Nitens (*Hapalopeza*), 221.
Nitens (*Iridopteryx*), 221.
Nitens (*Parasphearia*), 196.
Nitens (*Phyllodromia*), 93.
Nitens (*Polyzosteria*), 127.
Nitens (*Polyzosteria*), 196.
Nitida (*Blatta*), 139.
Nitida (*Hestiasula*), 288.
Nitida (*Mantoida*), 210.
Nitida (*Melanozosteria*), 129.
Nitida (*Pachymantis*), 288.
Nitida (*Platzosteria*), 129.
Nitida (*Stylopyga*), 139.
Nitida (*Tennopteryx*), 105.
Nitidipennis (*Spongiphora*), 30.
Nitidula (*Blatta*), 169.
- Nitidula* (*Holocompsa*), 169.
Nivea (*Blatta*), 152, 153.
Nivea (*Panchlora*), 153.
Nobilis (*Mantis*), 251.
Nobilis (*Polyzosteria*), 128.
NOCTICOLA, 106.
NOCTICOLINÆ, 106.
Noctivaga (*Gonypteta*), 224.
Nodosa (*Blatta*), 91.
Nodosa (*Phyllodromia*), 91.
Nodosum (*Bacteria*), 318, 321.
Nodosum (*Phasma*), 318, 321.
Nodosus (*Baculeulus*), 349.
Nodosus (*Heteronemia*), 349.
Nodosus (*Lonchodes*), 318, 321.
Nodosus (*Stælonchodes*), 318.
Nolimetangere (*Acanthoderus*), 399.
Nolimetangere (*Phasma*), 399.
Nolimetangere (*Tisamenus*), 399.
Nortouiana (*Ischnoptera*), 85.
Nossibei (*Blatta*), 138.
Nossibei (*Stylopyga*), 138.
Nossidianus (*Xerantherix*), 403.
Notabilis (*Calolampra*), 118.
Notabilis (*Epilampra*), 118.
Notata (*Hierodula*), 246, 247.
Notata (*Mantis*), 246.
Notata (*Paraphoraspis*), 111.
Notata (*Phyllodromia*), 94.
Notigera (*Pydicerana*), 6.
Notigera (*Pygidicerana*), 6.
NOTOLAMPRA, 111.
Notulata (*Allacta*), 100.
Notulata (*Blatta*), 100.
Novæ-Britanniæ (*Chitoniscus*), 421.
Novæ-Britanniæ (*Heremarchus*), 361.
Novæ-Britanniæ (*Phylloxylum*), 421.

- Novæ-Guineæ* (*Mantis*), 256.
Novæ-Guineæ (*Miomantis*), 256.
Novæ-Guineæ (*Nanomantis*), 256.
Novæ-Guineæ (*Pachymorpha*), 342.
Novæ-Guineæ (*Paranauphæta*), 180.
Novæ-Guineæ (*Stenomantis*), 256.
Novæ-Seelandiæ (*Polyzosteria*), 129.
Novæ-Seelandiæ (*Syntomaptera*), 129.
Novæ-Zealandiæ (*Mantis*), 218.
Novæ-Zealandiæ (*Orthodera*), 218.
Novemdentata (*Hierodula*), 246.
Nubeculosa (*Hagiomantis*), 271.
Nubeculosa (*Liturgusa*), 271.
Nudiventræ (*Epilampra*), 114.
Numida (*Eremiaphila*), 211.
Nuptialis (*Corydia*), 167.
Nyassensis (*Calidomantis*), 257.
Nyassensis (*Miomantis*), 257.
NYCTIBORA, 107.
NYCTIBORINÆ, 107.
NYCTOBORA, 107.
Nympha (*Mantis*), 216, 268, 269, 314.
Nympha (*Phasma*), 335, 405.
Nympha (*Prisopus*), 405.

Oannes (*Opisthoesomia*), 38.
Obensis (*Carausius*), 320.
Obliqua (*Epilampra*), 127.
Obliqua (*Ischnoptera*), 127.
Obliquus (*Japyx*), 56.
Oblongata (*Blatta*), 75.
Oblongata (*Pseudomops*), 75.
Oblongata (*Pseudomops*), 75.
Oblongata (*Thysanocera*), 75.
OBRIMUS, 398.
Obscurea (*Blaptica*), 162.
- Obscura* (*Calolampra*), 118.
Obscura (*Carvilia*), 267.
Obscura (*Epilampra*), 118.
Obscura (*Ischnoptera*), 82.
Obscura (*Litaneutria*), 232.
Obscura (*Mantis*), 267.
Obscura (*Metriotes*), 415.
Obscura (*Nyctobora*), 107.
Obscura (*Parahormetica*), 198.
Obscura (*Periplaneta*), 130.
Obscura (*Pseudomops*), 77.
Obscura (*Pseudophyllo-dromia*), 98.
Obscura (*Syntomaptera*), 130.
Obscura (*Temnopteryx*), 104.
Obscura (*Thrysocera*), 77.
Obscurifrons (*Humalopteryx*), 124.
Obscurifrons (*Rhienoda*), 124.
Obscurior (*Blatta*), 92.
Obscuripes (*Cutilia*), 134.
Obscuripes (*Drymaplana*), 134.
Obscuroviridis (*Polyzosteria*), 128.
Obscurum (*Echinosoma*), 8.
Obscurua (*Phasma*), 415.
Obscurus (*Isagoras*), 415.
Obscurus (*Metriotes*), 415.
Obscurus (*Pycnoscelus*), 151.
Obscuraria (*Mantis*), 300.
Obsolete (*Eustegasta*), 181.
Obsolete (*Phyllodromia*), 90.
Obtrita (*Thliptoblatta*), 194.
Obtusa (*Oxyops*), 298.
Obtusata (*Allecta*), 100.
Obtusata (*Hierodula*), 247.
Obtusata (*Phyllodromia*), 100.
Ohtusiceps (*Chiriquacha*), 215.
Ohtusiceps (*Tarachodes*), 215.
Ohtusifrons (*Blatta*), 81.
- Obtusifrons* (*Ischnoptera*), 81.
Occidentale (*Elioposoma*), 8.
Occidentalis (*Anisolabis*), 20.
Occidentalis (*Eupusus*), 312.
Occidentalis (*Eurycotis*), 144.
Occidentalis (*Ischnoptera*), 83.
Occidentalis (*Opisthroplata*), 143.
Occidentalis (*Peltatosilpha*), 143.
Occidentalis (*Priplaneta*), 144.
Occidentalis (*Polyzosteria*), 143.
Occidentalis (*Sigerpes*), 289.
Occipitalis (*Acanthoclonia*), 400.
Occipitalis (*Hapalopeza*), 221.
Occipitalis (*Panchlora*), 151.
Occipitalis (*Pylæmenes*), 400.
Oceanica (*Forficula*), 33.
Oceanica (*Forficula*), 45.
Ocellaria (*Harpax*), 236.
Ocellaria (*Mantis*), 236.
Ocellaria (*Omantomis*), 236.
Ocellata (*Deiphobe*), 266.
Ocellata (*Eupusus*), 293.
Ocellata (*Harpax*), 233.
Ocellata (*Mantis*), 266, 300.
Ocellata (*Pseudocreobota*), 293.
Ocellata (*Thespis*), 266.
Ochroptera (*Mantis*), 269.
Ochropus (*Forficula*), 25.
Ochropus (*Lahia*), 25.
Octospilota (*Mantis*), 251.
Ocularis (*Humbertiella*), 214.
Ocularis (*Ischnoptera*), 81.
Ocularis (*Litaneutria*), 232.
Ocularis (*Lithaneutria*), 232.
Oularis (*Theopompa*), 214.
Ovulata (*Mantis*), 262.
Ovulata (*Periplaneta*), 136.

- Oculata (*Polyzosteria*), 128.
ODONTOMANTIS, 223.
 Gedematesa (*Xylica*), 404.
Ohrmanni (*Phasma*), 405.
Ohrmanni (*Prisopus*), 405.
Oileus (*Acanthoderus*), 400.
Oileus (*Datames*), 400.
OLCYPHIDES, 410.
 Oligoneura (*Aeromantis*), 280.
Oligoneura (*Mantis*), 280.
OLIGONYX, 278.
Olivacea (*Epilampra*), 123.
Olivacea (*Eurycaantha*), 399.
Olivacea (*Hedaia*), 123.
Olivacea (*Theramenes*), 399.
Olmea (*Bacteria*), 348.
Olmea (*Ceratinoptera*), 99.
Olmea (*Heteronemia*), 348.
Omeca (*Blatta*), 171.
Omissa (*Nyetibora*), 108.
OMOMANTIS, 235.
Omphale (*Hemipachymorpha*), 341.
Omphale (*Pachymorpha*), 341.
ONCEROCORYPHA, 182.
ONCHESTUS, 394.
ONCOTOPHASMA, 351.
Oniscina (*Melanosilpha*), 194.
Oniscina (*Perisphearia*), 194.
Oniscoides (*Elliptoblatta*), 184.
Oniscoides (*Laxta*), 160.
Oniscoides (*Polyzosteria*), 184.
ONISCOSOMA, 159.
Onicosoma (*Apsidopis*), 119.
ONYCHOSTYLUS, 96.
Opaca (*Blatta*), 156.
Opaca (*Epilampra*), 127.
Opaca (*Eurycotis*), 143.
Opaca (*Forficula*), 7.
Opaca (*Nauphoeta*), 156.
Opaca (*Pelmatosilpha*), 143.
Opaca (*Polyzosteria*), 143.
OPHICRANIA, 386.
Ophidiiderma (*Aruanoidae*), 378.
Ophthalmica (*Humbertiella*), 213.
Ophthalmica (*Mantis*), 213.
Ophthalmica (*Pygidicerana*), 6.
Ophthalmica (*Theopompa*), 213.
Opima (*Phyllodromia*), 90.
OPISTHOCOSMIA, 38.
OPISTHOPLATIA, 114.
Oratoria (*Iris*), 260.
Oratoria (*Mantis*), 213, 233, 250.
Oratorius (*Gryllus*), 260.
Oratorius (*Mantis*), 260.
Orba (*Deropeltis*), 146.
Orba (*Hapalomantis*), 226.
Orba (*Mantis*), 226.
Orba (*Periplaneta*), 146.
Orbus (*Vates*), 302.
OREOPHETES, 350.
Ortmanni (*Prisopus*), 405.
Orientalis (*Anechura*), 40.
Orientalis (*Blatta*), 137.
Orientalis (*Blatta*), 141.
Orientalis (*Empusa*), 313.
Orientalis (*Forficula*), 52.
Orientalis (*Heterochæta*), 307.
Orientalis (*Iris*), 260.
Orientalis (*Kakerlæ*), 138.
Orientalis (*Mantis*), 236.
Orientalis (*Opisthoptilia*), 114.
Orientalis (*Paradanuria*), 307.
Orientalis (*Periplaneta*), 138.
Orientalis (*Perisphearia*), 190.
Orientalis (*Polyzosteria*), 114.
Orientalis (*Stygopyga*), 138.
Orientalis (*Toxodera*), 307.
Orizabæ (*Blatta*), 95.
Orizabæ (*Phyllodromia*), 95.
Ornata (*Blatta*), 180.
Ornata (*Corydia*), 167.
Ornata (*Dorylaea*), 135.
Ornata (*Forficula*), 53.
Ornata (*Gonatista*), 270.
Ornata (*Hagiomantis*), 270.
Ornata (*Mantis*), 270.
Ornata (*Melestora*), 167.
Ornata (*Orthoderella*), 219.
Ornata (*Panesthia*), 203.
Ornata (*Periplaneta*), 135.
Ornata (*Pseudolampra*), 132.
Ornata (*Pseudophyllo-dromia*), 97.
Ornatipennis (*Bisanthe*), 267.
Ornatum (*Phasma*), 410.
OROBIA, 409.
Orsinii (*Chelidura*), 55.
Orsinii (*Forficula*), 54.
Orsinii (*Pseudochelidura*), 54.
ORTHODERA, 218.
ORTHODERELLA, 219.
ORTHIOMERIA, 420.
ORTHONECROSCIA, 374.
ORTHOPTERA, 1.
ORXINES, 307.
Oryx (*Acanthoderus*), 355.
Oryx (*Ceroys*), 355.
Osiris (*Acrophylla*), 389.
Osiris (*Ctenomorpha*), 389.
Osiris (*Diura*), 389.
Osiris (*Phasma*), 389.
Osmylus (*Aruanoidea*), 378.
Osmylus (*Necroscia*), 378.
OTOMANTIS, 296.
Otomia (*Anaplecta*), 67.
Otomia (*Blatta*), 84.
Otomia (*Tennopteryx*), 105.
Otomius (*Tennopteryx*), 105.
Otys (*Acanthoderus*), 400.
Otys (*Dares*), 400.
Oudemansi (*Japyx*), 57.
Ova (*Neolobophora*), 38.
Ovalifolia (*Cardioptera*), 272.
Ovalifolia (*Macromantis*), 272.
Ovalifolia (*Mantis*), 272.
Ovalifolia var. *Nicaraguæ* (*Macromantis*), 272.
Ovata (*Blatta*), 195.
Ovata (*Hierodula*), 247.

- Ovata (Metriomantis), 273.
 Ovata (Parasphearia), 195.
OXYARTES, 324.
 Oxycephala (Tarachodes), 215.
OXYCERCUS, 196.
OXYHALOA, 175.
OXYHALOIN.E, 175.
OXYOPHTHALMA, 261.
OXYOPHTHALMUS, 261.
OXYOPS, 297.
OXYOTHESPIS, 255.
OXYPILOIDEA, 286.
OXPILUS, 285.
 Oxyptera (Derocardia), 119.
Oxyptera (*Epilampra*), 119.
Oxytenes (*Bacillus*), 329.
Oxytenes (*Baculum*), 329.
OXYTHESPIS, 255.
- PACHNEPTERYX**, 78.
PACHNEPTERYX, 78.
PACHYMANTIS, 287.
PACHYMORPHA, 542.
PACHYMORPHA, 541.
 Pacifica (Anisolabis), 20.
Pacifica (*Blatta*), 168.
Pacifica (*Euthyrhrapha*), 168.
Pacifica (*Forficula*), 20.
Pacificæ (*Litanentria*), 232.
Pæderina (*Forficula*), 53.
Paganæ (*Stagmatoptera*), 301.
Palea (*Bacunculus*), 348.
Palea (*Heteronemia*), 348.
Palinurus (*Arrhidæus*), 384.
Palinurus (*Necroscia*), 384.
Pallasiana (*Mantis*), 313.
Pallasii (*Iris*), 268.
Pallasii (*Mantis*), 268.
Pallens (*Paraphoraspis*), 110.
Pallens (*Phlebonotus*), 110.
Pallens (*Phoraspis*), 110.
Pallescens (*Apolyta*), 80.
Pallescens (*Ellipsoidion*), 80.
- Pallescens* (*Necroscia*), 375.
Pallescens (*Rhyparobia*), 151.
Pallata (*Mantis*), 281.
Pallicornis (*Riatia*), 68.
Pallieornis (*Stenopilema*), 186.
Pallida (*Anaplecta*), 67.
Pallida (*Aphlebia*), 70.
Pallida (*Apolyta*), 79.
Pallida (*Blatta*), 63.
Pallida (*Enicophlebia*), 228.
Pallida (*Heterolampra*), 122.
Pallida (*Hololampra*), 70.
Pallida (*Nauphæta*), 116.
Pallida (*Oniscosoma*), 110.
Pallida (*Phætalia*), 116.
Pallida (*Popa*), 309.
Pallida subsp. *Cecconii* (*Aphlebia*), 70.
Pallidicollis (*Pachnepteryx*), 79.
Pallidicollis (*Thrysocera*), 79.
Pallidicornis (*Autolyca*), 402.
Pallidicornis (*Forficula*), 52.
Pallidipennis (*Forficula*), 5.
Pallidipennis (*Pygidierana*), 5.
Pallidula (*Pseudectobia*), 65.
Pallidula (*Thegano-pteryx*), 65.
Pallidum (*Ellipsoidion*), 79.
Pallidus (*Ectobius*), 63.
Pallipalpis (*Kakerlac*), 136.
Pallipalpis (*Methana*), 136.
Pallipalpis (*Periplaneta*), 136.
Pallipalpis (*Periplaneta*), 136.
Pallipes (*Blatta*), 139.
Pallipes (*Cirphia*), 176.
Pallipes (*Deroeomyrmex*), 188.
Pallipes (*Forficula*), 10, 11.
Pallipes (*Gigantophasma*), 386.
Pallipes (*Homalodemas*), 188.
Pallipes (*Kakerlac*), 139.
- Pallipes* (*Labidura*), 10.
Pallipes (*Lahidura*), 11.
Pallipes (*Periplaneta*), 139.
Pallipes (*Phyllodromia*), 96.
Palmeri (*Bacillus*), 333.
Palmeri (*Parabacillus*), 333.
Palmes (*Libethra*), 345.
PALOPHIN.E, 360.
PALOPHUS, 365.
Palpalis (*Blotta*), 101.
Palpalis (*Duryodana*), 101.
Palpata (*Phyllodromia*), 101.
Panætius (*Necroscia*), 375.
Panamensis (*Ancistrogaster*), 37.
PANCHLORA, 152.
PANCHLORIN.E, 148.
Pandens (*Epilampra*), 121.
Pandens (*Heterolampra*), 121.
Pandora (*Aschipasma*), 420.
Pandora (*Orthomeria*), 420.
PANESTHIA, 202.
PANESTHIN.E, 200.
Panesthoïdes (*Blaptica*), 162.
Panesthoïdes (*Polyzosteria*), 162.
Pannulata (*Sibylla*), 287.
Panteli (*Dicellonotus*), 201.
Panteli (*Panesthia*), 201.
Panteli (*Temnopteryx*), 104.
PANTELICA, 270.
Pantherina (*Phoraspis*), 112.
Pantherina (*Stenovates*), 306.
Pantherina (*Tarachodes*), 215.
PANURGICA, 286.
Panzeri (*Ectobia*), 62.
Panzeri (*Ectobius*), 62.
Panzeri var. *Nigripes* (*Ectobia*), 63.
Papua (*Blatta*), 93.
Papua (*Epilampra*), 122.
Papua (*Heterolampra*), 122.
Papua (*Labia*), 27.
Papua (*Phyllodromia*), 93.

- Papuana (Marmessoidea), 371.
Papuana (*Necroscia*), 371.
Papuasius (*Japyx*), 57.
PARABACILLUS, 333.
PARABLEPHARIS, 290.
Parabolica (*Blabera*), 164.
PARACANTHOPS, 283.
PARACERATINO-PTERA, 101.
PARACLITUMNUS, 320.
PARACLONARIA, 335.
PARADANURIA, 307.
Paradoxa (*Acanthoelonia*), 407.
Paradoxa (*Dystacta*), 227.
Paradoxa (*Montis*), 295.
Paradoxa (*Phyllocrania*), 290.
PARADOXOMORPHA, 403.
Paradoxum (*Phyllobethys*), 289.
Paraensis (*Acontista*), 233.
Paraensis (*Pseudovates*), 304.
Paraensis (*Vates*), 304.
PARAEPISCOPUS (*recte PAREPISCO-PUS*), 261.
Paraguayensis (*Oxyops*), 298.
PARAHORMETICA, 197.
PARAIRIDOPTERYX, 288.
PARALATINDIA, 169.
Parallelia (*Blatta*), 139.
Parallelia (*Forficula*), 30, 54.
Parallelia (*Ischnoptera*), 82.
Parallelia (*Mantis*), 304.
Parallelia (*Monandroptera*), 387.
Parallelia (*Phyllolates*), 304.
Parallelia (*Psilidophora*), 30.
Parallelia (*Pseudochelidura*), 54.
Parallelia (*Spongiphora*), 30.
Parallelia (*Spongophora*), 31.
Parallelia (*stenoplatta*), 179.
Parallelia (*Stylopyga*), 139.
Parallelia (*Theoclytes*), 304.
PARALOBOPTERA, 101.
PARALYGDAMIA, 217.
PARAMELES, 230.
PARAMUSONIA, 276.
Parana (*Blatta*), 95.
Parana (*Phyllodromia*), 95.
PARANAUPHETA, 179.
PARAOXYPILUS, 207.
PARAPACHY-MORPHA, 342.
PARAPHORASPIS, 111.
PARASPHÆRIA, 195.
PARASPHENDALE, 266.
PARASTAGMATO-PTERA, 298.
PARATEMNO-PTERYX, 106.
PARATHESPIS, 256.
PARATOXODERA, 285.
PARATROPA, 109.
PARATROPES, 109.
Pardalina (*Agathemora*), 402.
Pardalina (*Anisomorpha*), 402.
Pardalina (*Calolampra*), 117.
Pardalina (*Epilampra*), 117.
Pardalina (*Heterovates*), 302.
Pardalina (*Onomantis*), 235.
PARECTATOSOMA, 398.
Parenthesis (*Phyllo-dromia*), 87.
PAREPISCOPOUS, 261.
Parilis (*Blatta*), 92.
Parilis (*Phyllodromia*), 92.
PAROBRIMUS, 344.
Paromelas (*Anisomorpha*), 401.
PAROXYOPHTHALMUS, 261.
Partita (*Blatta*), 96.
Partita (*Phyllodromia*), 96.
Parva (*Entella*), 225.
Parva (*Mantis*), 278.
Parva (*Oligonyx*), 278.
Parviceps (*Blatta*), 67.
Parviceps (*Hierodula*), 247.
Parvicollis (*Ancistro-gaster*), 37.
Parvicollis (*Epilampra*), 124.
Parvicollis (*Forficula*), 37.
Parvicollis (*Hedai*), 124.
Parvicollis (*Psalidophora*), 37.
Parvicollis (*Spongiphora*), 37.
Parvipennis (*Anaplecta*), 67.
Parvipennis (*Necroscia*), 375.
Parvula (*Acromantis*), 280.
Parvula (*Bactromantis*), 278.
Parvula (*Blatta*), 92.
Parvula (*Chætospania*), 22.
Parvula (*Ischnoptera*), 84.
Parvula (*Mantis*), 278.
Parvula (*Paradanuria*), 307.
Parvula (*Phyllodromia*), 92.
Parvula (*Toxodera*), 307.
Parvulum (*Echinosoma*), 8.
Parvulus (*Phyllolates*), 304.
Parvulus (*Theoclytes*), 304.
Parvulus (*Vates*), 304.
PARYMENOPUS, 294.
Pascoci (*Apachys*), 3.
Pascoei (*Apachys*), 3.
Pasimachus (*Cyphocrania*), 394.
Pasimachus (*Onchestus*), 394.
Pasithoe (*Bacillus*), 342.
Pasithoe (*Pachynormpha*), 342.
Passalooides (*Panesthia*), 200.
Passalooides (*Salganea*), 200.
Passalus (*Nerrosaria*), 368.
Passalus (*Sosibia*), 368.
Patagonicus (*Demogoron*), 12.
Patagonicus (*Japyx*), 57.
Patellifer (*Bacillus*), 329.
Patellifera (*Hierodula*), 245.
Patellifera (*Hierodula*), 245.

- Patellifera* (*Mantis*), 245.
Patens (*Periplaueta*), 142.
Patinifera (*Homalopteryx*), 115.
Patricia (*Phyllobromia*), 89.
Patula (*Allacta*), 100.
Patula (*Blatta*), 100.
Patula (*Capucina*), 159.
Patula (*Polyzosteria*), 128.
Patula (*Zetobora*), 159.
Pauli (*Ameles*), 230.
Paula (*Cadolampra*), 118.
Paula (*Epilampra*), 118.
Paulinoi (*Deropektis*), 146.
Paupera (*Gyna*), 150.
Pauperata (*Ampusa*), 312.
Pauperata (*Empusa*), 313.
Pauperata (*Empusa*), 312, 313.
Pauperata (*Mantis*), 311, 313.
Paupercula (*Foficula*), 54.
Paupercula (*Pseudochelidura*), 54.
Pavonina (*Chlinidoptera*), 292.
Pavonina (*Mantis*), 292.
Pavonia (*Staphylinoptera*), 292.
Paxillus (*Phasma*), 417.
Paxillus (*Planudes*), 417.
Paykullii (*Calidomantis*), 258.
Paykullii (*Mirnautis*), 258.
Pectinata (*Chorisoneura*), 73.
Pectinata (*Choristima*), 73.
Pectinata (*Empusa*), 311.
Pectinata (*Epilampra*), 115, [122].
Pectinata (*Heterolampra*), [122].
Pectinata (*Homalopteryx*), 115, [122].
Pectinata (*Mantis*), 311.
Pectinata (*Vates*), 305.
Pectinicoris (*Ectopsocus*), 312.
Pectinicoris (*Mantis*), 312, 313.
Pectinicoris (*Thelyphassa*), 305.
Pectinicoris (*Vates*), 305.
Pectoralis (*Anisolabis*), 19.
Pectoralis (*Cosmoxostera*), 133.
Pectoralis (*Foficula*), 19.
Pectoralis (*Platyzosteria*), 133.
Pectoralis (*Polyzosteria*), 133.
Pectoralis (*Rhombodera*), 249.
Peculiaris (*Loboptera*), 102.
Pedistris (*Blabera*), 161.
Pedistris (*Ectopsocus*), 44.
Pedestris (*Morpha*), 161.
Peeli (*Charieis*), 210.
Peleus (*Ascephasma*), 419.
Peleus (*Aschipasius*), 419.
Peleus (*Perlaeophata*), 420.
Peleus (*Perlamorphes*), 419.
Peleus (*Phasma*), 419.
Peleus (*Presbistus*), 419.
Pelewensis (*Homalopteryx*), 115.
PELLITA, 189.
Pellucens (*Blatta*), 112.
Pellucens (*Phoraspis*), 112.
Pellucida (*Amorphoceilis*), 208.
Pellucida (*Apolita*), 80.
Pellucida (*Blatta*), 72, 95.
Pellucida (*Calidomantis*), 259.
Pellucida (*Chorisoneura*), 72.
Pellucida (*Heteropoda*), 172.
Pellucida (*Mantis*), 273.
Pellucida (*Mirnautis*), 259.
Pellucida (*Mirnus*), 259.
Pellucida (*Phyllodromia*), 95.
Pellucida (*Polyphaga*), 172.
Pellucidum (*Ellipsidion*), 80.
PELMATOSILPHIA, 142.
Peltata (*Plena*), 148.
Pelvimetra (*Sparatta*), 24.
Pelvimetra (*Spacata*), 24.
Peninsularis (*Sosibia*), 308.
Pennatus (*Gryllus*), 313.
Pennicornis (*Ectopsocus*), 311.
Pennicornis (*Empusa*), 312.
Pennicornis (*Mantis*), 312.
Pennsylvania (*Ischnoptera*), 85.
Pensylvanica (*Blatta*), 85.
Pensylvanica (*Lamproptera*), 85.
PENTACANTHA, 272.
Penthesilea (*Borealis*), 329.
Penthesilea (*Boreum*), 329.
Percheron (*Apterygota*), 48.
Percheron (*Foersteria*), 48.
Percheron (*Foersteri*), 48.
Percheroni (*Sphingobabis*), 48.
Perezii (*Phasmus*), 412.
Perezii (*Pseudophasma*), 412.
Perfecta (*Panesthin*), 204.
Pigidia (*Mantis*), 265.
Pigidia (*Aplochelidurus*), 354.
Perfoliatus (*Corrys*), 354.
Perfoliatus (*Corylus*), 354.
Peridermis (*Brevipus*), 331.
Peridromes (*Hyrtalis*), 331.
Perillus (*Planudes*), 417.
Peringuyni (*Drepanomyia*), 189.
Peringu-yi (*Goniabasis*), 16.
Peringueyi (*Honalobatta*), 194.
Peringueyi (*Honalodemus*), 189.
Peringueyi (*Pecilobatta*), 192.
Periplanes (*Antephelipes*), 382.
PERIPHETES, 320.
PERIPLANETA, 140.
PERIPHERA, 189.

- PERISPHÆRIA, 189.
 PERISPHÆRINÆ, 179.
PERISPHERUS, 189.
Peristhenes (*Bacillus*), 339.
Peristhenes (*Echetlus*), 339.
Perla (*Miopteryx*), 227.
PERLAMANTIS, 229.
PERLAMORPHA, 418.
PERLAMORPHUS, 418.
Perloides (*Blatta*), 98.
Perloides (*Elaea*), 214.
Perloides (*Humbertiella*), 214.
Perloides (*Miopteryx*), 274.
Perloides (*Pseudophyllo-dromia*), 98.
Perloides (*Tarachodes*), 216.
Perlucida (*Blatta*), 73.
Perlucida (*Chorisoneura*), 73.
Perplexa (*Ancistrogaster*), 37.
Perplexa (*Epilampra*), 124.
Perplexa (*Rhienoda*), 124.
Perplexa (*Sphingolabis*), 37.
Perpulchra (*Angela*), 265.
Perpulchra (*Pseudoxyops*), 298.
Perpulchra (*Stigmatoptera*), 298.
Perpulchra (*Thespis*), 265.
Personatus (*Hermagoras*), 323.
Personatus (*Lonchodes*), 323.
Perspicillare (*Phasma*), 409.
Perspicillaris (*Blatta*), 63.
Perspicillaris (*Ectobia*), 63.
Perspicillaris (*Ectobius*), 62.
Perspicillaris (*Phasma*), 409.
Perspicillaris (*Stratocles*), 409.
Perspicua (*Acontista*), 232.
Perspicua (*Mantis*), 232.
Perspicua (*Zetobora*), 158.
Peruana (*Bactrera*), 253.
Peruana (*Blatta*), 97.
Peruana (*Ischnoptera*), 83.
Peruana (*Oreophoetes*), 350.
Peruana (*Panchlora*), 153.
Peruana (*Phortiœca*), 158.
Peruana (*Proscræta*), 195.
Peruana (*Pseudophyllo-dromia*), 97.
Peruana (*Zetobora*), 158.
Peruviana (*Anaplecta*), 66.
Peruviana (*Anisolabis*), 21.
Peruviana (*Ceratinoptera*), 99.
Peruviana (*Chœradodis*), 219.
Peruviana (*Megaloblatta*), 108.
Peruviana (*Paralatindia*), 169.
Peruvianus (*Oxycercus*), 496.
PETASODES, 161.
Petiti (*Eremiaphila*), 210.
Petiveriana (*Blatta*), 166.
Petiveriana (*Cassida*), 166.
Petiveriana (*Corydia*), 166, 167.
Petropolis (*Ancistrogaster*), 36.
Petropolis (*Forficula*), 36.
Pfeifferæ (*Epilampra*), 124.
Pfeifferæ (*Hedaja*), 124.
Pfeifferæ (*Lonchodes*), 321.
Pfeifferæ (*Myronides*), 321.
Phacellus (*Prisopus*), 406.
PILÆNOPIAROS, 360.
Phaeton (*Pseudophasma*), 411.
Phætusa (*Necroscia*), 378.
Phalangium (*Archiblatta*), 148.
Phalangodes (*Baculum*), 328.
Phalangodes (*Lonchodes*), 328.
PHALCES, 336.
Phalerata (*Blatta*), 88, 104, 110.
Phalerata (*Nyetibora*), 110.
Phalerata (*Paratropa*), 110.
Phalerata (*Paratropes*), 110.
Phalerata (*Temnopteryx*), 104.
PHANOCLES, 353.
PHANTASIS, 343.
Phantasma (*Cladoxerus*), 358.
Phantasma (*Phasma*), 358.
Pharaonis (*Calidomantis*), 259.
Pharaonis (*Miomantis*), 259.
PHARNACIA, 359.
PHASGANIA, 324.
PHASMA, 390.
PHASMA, 333, 360, 411.
PHASMIDÆ, 317.
Phasmoides (*Macro-danuria*), 309.
PHASMODONTIS, 254.
Phelaus (*Megaeraania*), 385.
Phelaus (*Platycrania*), 385.
PHENACISMA, 148.
PHIBALOSOMA, 356.
Philetas (*Brachylabis*), 16.
Philippa (*Necroscia*), 375.
Phillipsi (*Ischnoptera*), 366.
PHILOBORA, 157.
PHITRUS, 310.
PHLEBONOTUS, 110.
Phlegyas (*Phasma*), 412.
Phlegyas (*Pseudophasma*), 412.
Phluctainoides (*Marmessoidea*), 384.
Phlyctenoides (*Arrhidiæus*), 384.
PHOCYLIDES, 410.
PHIGETALIA, 116.
Pholeus (*Phasma*), 414.
Pholeus (*Prexaspes*), 414.
Pholidotus (*Necroscia*), 368.
Pholidotus (*Sosibia*), 368.
PHORASPIS, 112.
Phoraspoides (*Phortiœca*), 159.
Phoraspoides (*Zetobora*), 159.
PHORTIŒCA, 158.
PHOTINA, 273.
PHOTINA, 257.

- PHRAORTES, 319.
Phryganea (*Miopteryx*), 274.
 PHRYGANISTRIA,
 358.
PHRYGANISTRIA,
 359.
 PHRYGANISTRINÆ,
 358.
Phryganoides (*Mantis*), 270.
Phryne (*Hierodula*), 249.
Phryne (*Rhombodera*), 249.
PHTHERSIGENA,
 207.
Phthisica (*Mantis*), 263,
 412.
Phthisica (*Solygia*), 263.
Phthisicum (*Pseudoplasma*), 412.
Phthisicus (*Gryllus*), 412.
Phthisicus (*Mantis*), 412.
 PHTHOA, 332.
 PHYLLIINÆ, 420.
Phyllinus (*Cladomorphus*), 356.
Phyllinus (*Cladoxerus*), 356.
Phyllinus (*Phibalosoma*), 356.
 PHYLLIUM, 422.
Phyllocephala (*Abrachia*), 352.
Phyllocephalum (*Phibalosoma*), 352.
Phyllocephalus (*Acanthoderus*), 352.
 PHYLLOCRANIA, 290.
 PHYLLODROMIA, 56.
 PHYLLODROMIINÆ,
 76.
 PHYLLOMANTIS, 284.
Phyllopoda (*Bacteria*), 349.
Phyllopoda (*Bacunculus*), 349.
Phyllopodus (*Acanthoderus*), 323.
Phyllopodus (*Bacunculus*), 349.
Phyllopodus (*Mantis*), 287.
Phyllopodus (*Oxypilus*), 287.
Phyllopodus (*Pachymantis*), 287.
Phyllopodus (*Phasma*), 323.
Phyllopodus (*Prisomera*), 349.
Phyllopodus (*Stenobœa*), 323.
 PHYLLOTHELYS, 289.
 PHYLLOVATES, 302.
Physconia (*Sermyle*), 345.
Pia (*Mantis*), 251.
Pia (*Stagmatoptera*), 300.
Pica (*Paratropes*), 110.
Pica (*Pseudomops*), 78.
Pica (*Thyrsoeca*), 78.
Picea (*Blatta*), 138.
Picea (*Ischnoptera*), 80.
Picea (*Periplaneta*), 138.
Picea (*Perisphearia*), 187.
Picina (*Psalis*), 14.
Picta (*Blatta*), 113.
Pieta (*Ceratimoptera*), 99.
Pieta (*Forficula*), 53.
Pieta (*Gynopeltis*), 182.
Pieta (*Hierodula*), 244.
Pieta (*Mantis*), 265.
Pieta (*Phoraspis*), 113.
Pieta (*Platzosteria*), 132.
Pieta (*Plectoptera*), 178.
Pieta (*Polyspilota*), 244.
Pieta (*Pygidierana*), 5.
Pieta var. *Luteola* (*Phoraspis*), 112.
Picteti (*Amelus*), 230.
Picteti (*Paramelus*), 230.
Picteti (*Phyllocladus*), 90.
Pictetiana (*Polyzosteria*), 114.
Pictocollis (*Blatta*), 91.
Pictocollis (*Phyllocladus*), 91.
Picticornis (*Chelisoches*), 53.
Pictipennis (*Creoboter*), 291.
Pictipennis (*Harpax*), 293.
Pictipes (*Hestias*), 288.
Pictipes (*Hestiasula*), 288.
Pictipes (*Necroscia*), 376.
 PILEMA, 185.
Pilicornis (*Forficula*), 26.
Pilicornis (*Labia*), 26.
Pilifera (*Blepharodera*), 194.
Pilifera (*Heterogamia*), 194.
Pilifera (*Perisphearia*), 194.
Pilifera (*Trichocoma*), 194.
Piligeria (*Anisolabis*), 19.
- Pilipes* (*Mantis*), 297.
Pilipes (*Panellus*), 194.
Pilosa (*Culama*), 175.
Pilosa (*Dyseologamia*), 174.
Pilosa (*Zelobora*), 174.
Pilosella (*Heterojawia*), 172.
Pilosella (*Mallatoblatta*), 96.
Pilosella (*Polyphaga*), 172.
Pilosella (*Theganopteryx*), 65.
Pilosipes (*Ascephasma*), 419.
Pilosipes (*Aschiphasma*), 419.
Pilosipes (*Phasma*), 419.
Pilosipes (*Presbitus*), 419.
 PINACONOTA, 113.
Pinnapavonis (*Pseudempusa*), 308.
Pirithous (*Aruanoidea*), 378.
Pirithous (*Necroscia*), 378.
Placens (*Blatta*), 80.
Placens (*Ellipsidion*), 80.
Plagiata (*Chelisoches*), 33.
Plagiata (*Corydia*), 167.
Plagiata (*Forficula*), 32.
Plagiata (*Panesthia*), 204.
Plagiatus (*Chelisoches*), 32, 33.
 PLANA, 205.
Plana (*Apachys*), 23.
Plana (*Epilampra*), 114.
Plana (*Forficula*), 23.
Plana (*Molytria*), 114.
Plana (*Sparatta*), 23.
Plana (*Sparatta*), 24.
Planeyi (*Polyphaga*), 172.
 PLANES, 111.
PLANETICA, 148.
Planiceps (*Mantis*), 223,
 227.
Planiceps (*Odontomantis*), 223.
Planiceps (*Oxypilus*), 223, 227.
Planicollis (*Fortienla*), 53.
Planinuseula (*Pseudoglomeris*), 190.
 PLANUDES, 417.
Planula (*Phantasis*), 343.

- Planulum (*Hesperophasma*), 343.
Planulum (Phasma), 343.
PLATAMODES, 80.
Platensis (*Japyx*), 57.
PLATYCALYMPMA, 228.
Platycephala (*Mesopteryx*), 237.
Platycephala (*Tenodera*), 237.
PLATYCRANA, 385.
PLATYCRANIA, 385.
PLATYLABIA, 21.
Platysoma (*Blatta*), 63.
Platysoma (*Ectobia*), 63.
Platystetha (*Kakerlac*), 138.
PLATYTTELUS, 405.
PLATYZOSTERIA, 130.
Plebeia (*Epilampra*), 121.
Plebeia (*Heterolampra*), 121.
Plebeja (*Labidura*), 14.
Plebeja (*Psalis*), 14.
PLECTOPTERA, 177.
PLECTOPTERINÆ, 177.
Plena (*Epilampra*), 122.
Plena (*Heterolampra*), 122.
Plicipennis (*Blatta*), 68.
Plicipennis (*Kakerlac*), 68.
Ploaria (*Cladoxerus*), 358.
Ploaria (*Phibalosoma*), 358.
Pluvialis (*Labidura*), 11.
PODACANTHUS, 379.
Podagrīca (*Bostra*), 351.
Podagrīca (*Oncotophasma*), 351.
Poduriformis (*Perisphæria*), 186.
Poduroides (*Perisphæria*), 186.
Poduroides (*Stenopilema*), 186.
Poecila (*Eustegasta*), 181.
Poecila (*Panchlora*), 181.
POECILOBLATTA, 192.
POECILODERRHIS, 118.
Paciloptera (*Necroscia*), 375.
Paciloptera (*Sipyloidea*), 375.
Poeyi (*Agathemera*), 402.
Poeyi (*Anopalepis*), 402.
Poeyi (*Blatta*), [99], 178.
Poeyi (*Caulonia*), 344.
Poeyi (*Ceratinoptera*), [99].
Poeyi (*Ceratinoptera*), 178.
Poeyi (*Creoxylus*), [417].
Poeyi (*Creoxylus*), 364.
Poeyi (*Haplopus*), 364.
Poeyi (*Panchlora*), 152.
Poeyi (*Plectoptera*), 178.
Polita (*Aphelobia*), 69.
Polita (*Elliptoblatta*), 183.
Polita (*IIololampra*), 69.
Polita (*Melanozosteria*), 129.
Polita (*Periplaneta*), 129.
POLLUSCA, 187.
Polvacantha (*Sibylla*), 287.
Polygrapha (*Allacta*), 100.
Polygrapha (*Blatta*), 100.
POLYPHAGA, 171.
POLYPHAGINÆ, 171.
Polyspila (*Epilampra*), 114, 115.
POLYSPILOTA, 239.
Polystictica (*Mantis*), 260.
Polyzona (*Cosmозosteria*), 133.
Polyzona (*Platzosteria*), 133.
Polyzona (*Polyzosteria*), 133.
POLYZOSTERIA, 127.
Pomposa (*Gyna*), 150.
Ponderosa (*Pharucacia*), 359.
POPA, 308.
Popa (*Amibiavia*), 280.
Popa (*Extatosoma*), 381.
Porellana (*Blatta*), [99], 178.
Porellana (*Ceratinoptera*), [99], 178.
Porellana (*Phoraspis*), 111.
Porellana (*Plectoptera*), 178.
Porellana (*Thorax*), 111.
Porellio (*Derovalymna*), 188, 189.
Porellio (*Homalodemas*), 188.
Portentosa (*Eurycantha*), 396.
Portentosa (*Gromphadorhina*), 199.
Portentosa (*Gromphadorhina*), 199.
Portentosa (*Hormetica*), 199.
Portentosa var. *Lævigata* (*Gromphadorhina*), 199.
Porus (*Lonchodes*), 317.
Porus (*Lopaphus*), 317.
Porus (*Stælonchodes*), 317.
Postica (*Blabera*), 165.
Postrostrata (*Gratidia*), 336.
Postrostrata (*Parmelonaria*), 336.
Poststriga (*Blatta*), 73.
Poststriga (*Chorisneura*), 73.
Præcaria (*Mantis*), 300, 301.
Præcaria (*Stagmatoptera*), 300.
Præarius (*Gryllus*), 300.
Præarius (*Mantis*), 300.
Præcipua (*Epilampra*), 120.
Præcipua (*Rhabdo-blatta*), 120.
Præcontatrix (*Theopropus*), 293.
Prædictoria (*Stagmatoptera*), 300.
Præstans (*Peltatosilpha*), 142.
Praon (*Lonchodes*), 317, 319.
Praon (*Stælonchodes*), 317.
Prasina (*Calidomantis*), 259.
Prasina (*Mantis*), 251.
Prasina (*Mantis*), 251, 259.
Prasina (*Orthoderia*), 218.
Prasina (*Panchlora*), 152.
Prasina (*Polyspilota*), 240.
Prasina (*Mantis*), 231.
Prasinum (*Phasma*), 376, 413.
Prasinum (*Pseudophasma*), 413.
Prasinus (*Acanthoderus*), 340.
Prasinus (*Maeracantha*), 340.

- Precaria* (*Mantis*), 299,
300.
Precaria (*Stagmatoptera*), 300.
Precarius (*Gryllus*), 300.
Precarius (*Mantis*), 300.
Predatoria (*Stagmatoptera*), 300.
PRESBISTUS, 418.
Pretiosa (*Sibylla*), 286.
Preussi (*Calidomantis*),
258.
Preussi (*Miomantis*),
258.
PREXASPES, 413.
Prima (*Leptozosteria*),
131.
PRISOMERA, 323.
PRISOMERA, 322.
PRISOPIN.E, 403.
PRISOPUS, 405.
Procera (*Epilampra*),
124.
Procera (*Forficula*), 14.
Procera (*Hedaia*), 124.
Procera (*Ischnoptera*),
81.
Procera (*Psalis*), 14.
Prodigiosa (*Clonaria*),
338.
Prodigiosa (*Gratidia*),
338.
Producta (*Ligaria*),
226.
Productus (*Paraclitumnus*), 330.
Prolata (*Clonaria*), 338.
Prolata (*Gratidia*), 338.
Prolixa (*Donusa*), 409.
Prolixa (*Phthea*), 332.
Prolixa (*Spongiphora*),
30.
PROMACHUS, 326.
PRONAONOTA, 184.
Propinqua (*Blatta*), 93.
Propinqua (*Phyllo-dromia*), 93.
Propria (*Epilampra*),
118.
Propria (*Polyzosteria*),
118.
PROSCRATEA, 195.
PROSOPLECTA, 177.
Prostasis (*Dimorphodes*),
387.
Protensa (*Apterygida*),
49.
Protensa (*Forficula*), 49.
Protensa (*Sphingolabis*),
49.
Proterva (*Blatta*), 192.
Proterva (*Hostilia*),
192.
- Proterva* (*Phyllo-dromia*),
192.
Provisionalis (*Periplaneta*), 130.
Provisionalis (*Syntomoptera*), 130.
Proxima (*Epilampra*),
119.
Proxima (*Pœciloceris*),
119.
Pruinosa (*Pachmepteryx*), 78.
Pruinosa (*Thysanocera*),
78.
PSALIDOPHORA, 29.
PSALIS, 13.
PSEUDACANTHOPS,
283.
Pseudadrata (*Platyzosteria*), 131.
PSEUDECTOBIA, 65.
PSEUDEMUSA, 308.
PSEUDISCHNO-
PTERA, 86.
PSEUDOBACTERIA,
346.
PSEUDOCANTHOPS,
283.
Pseudocastanea (*Platyzosteria*), 131.
PSEUDOCILETA, 307.
PSEUDOCHELL-
DURA, 54.
PSEUDOCREO-
BOTRA, 293.
PSEUDODERO-
PELTIS, 147.
PSEUDOGLOMERIS,
190.
PSEUDOHALPAX,
296.
PSEUDOLAMPRA,
132.
PSEUDOMANTIS,
235.
PSEUDOMANTIS, 236.
PSEUDOMIO-
PTERYX, 275.
PSEUDOMOPS, 74.
PSEUDOPAN-
CHLORA, 189.
PSEUDOPLASMA,
411.
PSEUDOPHASMA,
411.
PSEUDOPLASMIN.E,
408.
PSEUDOPHORASPIS,
119.
PSEUDOPHYLLO-
DROMIA, 97.
Pseudoporus (*Baculum*),
328.
- Pseudoporus* (*Chionus*),
328.
Pseudoporus (*Loeschkei*),
328.
PSEUDOSERMYLE,
345.
PSEUDOVATES, 304.
PSEUDOXYOPS, 298.
PSEUDOYERSINA,
231.
PTERINOXYLUS, 362.
Pterodactylus (*Lophostodus*), 321.
PTEROPOUS, 422.
PTERYGIDA, 44.
Pubescens (*Forficula*),
51.
Pubescens (*Forficula*),
51.
Pubescens (*Mallatoblatta*), 96.
Pubescens (*Perisphecia*),
185.
Pubescens (*Polyzosteria*),
128.
Pubescens (*Thysanoblatta*), 185.
Pubescens var. *Versini*
(*Forficula*), 51.
Pubicornis (*Mantellias*),
225.
Pudica (*Epilampra*),
121.
Pudica (*Heterolampra*),
121.
Pugnax (*Forcipula*), 9.
Pugnax (*Labidura*), 9.
Puiggarii (*Pseudomops*),
77.
Puiggarii (*Thysanocera*),
77.
Pulchella (*Calliphorna*),
179.
Pulchella (*Chelisches*),
32.
Pulchella (*Compsoblatta*), 181.
Pulchella (*Eustegasta*),
181.
Pulchella (*Forficula*),
27.
Pulchella (*Hypnora*),
179.
Pulchella (*Labia*), 27.
Pulchella (*Lobia*), 27.
Pulchella (*Neeroscia*),
377.
Pulchella (*Panflora*),
154.
Pulchella (*Phyllo-dromia*), 89.
Pulchella (*Polyzosteria*),
127.

- Pulchellum (Necroscia)*, 377.
Pulchellum (Phasma), 377.
Pulchellus (Chelisoches), 32.
Pulcherrima (Ortho-necroscia), 374.
Pulchra (Antissa), 222.
Pulchra (Mantis), 222.
Pulchrifolium (Phasma), 421.
Pulchrifolium (Phyllum), 421.
Pulchrifolium (Pulchri-phyllum), 421.
Pulchripennis (Bisan-the), 267.
Pulchripennis (Cheli-soches), 33.
Pulchripennis (Mantis), 267.
Pulchripes (Forficula), 53.
PULCHRIPHYL-LIUM, 421.
Pulicaria (Plectoptera), 178.
Pulverulentus (Dapherodes), 364.
Pulverulentus (Hap-lopus), 364.
Punicata (Blatta), 96.
Pumicata (Phyllo-dromia), 96.
Pumilio (Cranidium), 361.
Pumilio (Diapherodes), 361.
Pumilio (Monandro-ptera), 361.
Punctata (Aphlebia), 69.
Punctata (Aruanoidea), 379.
Punctata (Blatta), 69, 151.
Punctata (Brachylabis), 16.
Punctata (Derocalymma), 188.
Punctata (Epilampra), 120.
Punctata (Gonypeta), 224.
Punctata (Hetero-lampra), 120.
Punctata (Hololampra), 69.
Punctata (Homalo-demas), 188.
Punctata (Mantis), 224, 246.
Punctata (Necroscia), 376, 379.
Punctata (Notolampra), 111.
Punctata (Oxypilus), 224.
Punctata (Parahor-metica), 198.
Punctata (Platycrana), 379.
Punctata (Platzosteria), 131.
Punctata (Polyzosteria), 131.
Punctata (Pseudolampra), 132.
Punctata (Thegano-pteryx), 64.
Punctata (Thorax), 111.
Punctatum (Necroscia), 376, 379.
Punctatum (Phasma), 376, 379.
Puncticollis (Epilampra), 120, 121, 122.
Puncticollis (Hetero-lampra), 122.
Puncticollis (Panesthia), 203.
Puncticollis (Phyllo-dromia), 93.
Punctifera (Epilampra), 114.
Punctifrons (Phyllo-dromia), 89.
Punctigera (Gonypeta), 224.
Punctipectus (Hierodula), 245.
Punctipennis (Epi-lampra), 123.
Punctipennis (Hetero-lampra), 123.
Punctipennis (Psalido-phora), 31.
Punctipennis (Spongi-phora), 31.
Punctipes (Aehrio-ptera), 394.
Punctipes (Cyphocrana), 394.
Punctipes (Cyphoerania), 394.
Punctipes (Hemi-pterota), 74.
Punctosa (Ischnoptera), 189.
Punctosa (Pseudopan-chlora), 189.
Punctulata (Blatta), 63, 94.
Punctulata (Cryptocer-cus), 200.
Punctulata (Dasypo-soma), 200.
Punctulata (Ellipto-blatta), 183.
Punctulata (Epilampra), 123.
Punctulata (Hetero-lampra), 123.
Punctulata (Ischnoptera), 94.
Punctulata (Phyllo-dromia), 92, 94.
Punctulata (Pseudec-tobia), 65.
Punctulata (Thegano-pteryx), 65.
Punctulatus (Cheli-soches), 34.
Punctulatus (Crypto-cercus), 200.
Punctulatus (Oligonyx), 278.
Punctum (Panchlora), 153.
Punctuosa (Ischnoptera), 189.
Puppeius (Cladoxerus), 358.
Puppeins (Phasma), 358.
Purcelli (Japyx), 56.
Purpuralis (Corydia), 167.
Purpurascens (Mantis), 264.
Purpurascens (Pelmatosilpha), 143.
Purpurascens (Polyzosteria), 127.
Purpurascens (Thespis), 264.
Purpurea (Polyzosteria), 192.
Purpurea (Trichoblatta), 192.
Purpureascens (Hierodula), 247.
Purpureascens (Metallyticus), 209.
Purpuripennis (Empusa), 314.
Purpuripennis (Graeffea), 386.
Pusilla (Ameles), 230.
Pusilla (Gonypeta), 230.
Pusilla (Latindia), 168.
Pusilla (Mantis), 230.
Pustulata (Epilampra), 121.
Pustulata (Hetero-lampra), 121.

- Pustulata* (*Mantis*), 240.
Pustulata (*Polyspilota*), 240.
Pustulifera (*Hierodula*), 249.
Pustulifera (*Rhombo-dera*), 249.
Pustulosa (*Phyllostomia*), 88.
Putidum (*Phasma*), 412.
Putidum (*Pseudophasma*), 412.
PYCNOSCELUS, 151.
Pygidiata (*Labia*), 26.
Pygidiata (*Sparatta*), 24.
PYGIDICRANA, 4.
PYGIRIYNCHUS, 408.
Pygmæa (*Bantia*), 275.
Pygmæa (*Blatta*), 99.
Pygmæa (*Ceratino-ptera*), 99.
Pygmæa (*Forficula*), 21.
Pygmæa (*Platylobia*), 21.
Pygmæa (*Psalidophora*), 32.
Pygmæa (*Spongiphora*), 32.
Pygmea (*Bolbe*), 226.
Pygmea (*Oligonyx*), 275.
PYLÆMENES, 400.
PYRAGRA, 7.
Pyrenaica (*Chelidura*), 42.
Pyrenaica (*Forficula*), 42.
PYRGOCOTIS, 218.
PYRGOMANTIS, 217.
Pythonius (*Hermarchus*), 361.
Pythonius (*Phibalosoma*), 360, 361.
- Quadrata* (*Calolampra*), 117.
Quadrata (*Epilampra*), 117.
Quadrata (*Platylobia*), 22.
Quadratipes (*Obrimus*), 398.
Quadratum (*Phasma*), 415.
Quadratus (*Prexaspes*), 415.
Quadricornis (*Mantis*), 295.
Quadrifascia (*Cosmopolitanus*), 133.
- Quadrifascia* (*Platzosteria*), 133.
Quadrifascia (*Polyzosteria*), 133.
Quadrifera (*Blabera*), 164.
Quadriglumis (*Panesthia*), 203.
Quadriguttata (*Marmessoidea*), 371.
Quadriguttata (*Nero-scia*), 371.
Quadriguttatum (*Nero-scia*), 371.
Quadriguttatum (*Phasma*), 371.
Quadrilobata (*Blatta*), 139.
Quadrilobata (*Forficula*), 25.
Quadrilobata (*Labia*), 25.
Quadrilobata (*Stylopaga*), 139.
Quadrinaculata (*Acontista*), 233.
Quadrinaculata (*Forficula*), 30.
Quadrinaculata (*Mantis*), 233.
Quadrinaculata (*Panesthia*), 202.
Quadrinaculata (*Psalidophora*), 30.
Quadrinaculata (*Spongiphora*), 30.
Quadrinotata (*Epilampra*), 122.
Quadrinotata (*Heterolampra*), 122.
Quadrinotata (*Ligaria*), 226.
Quadrinotata (*Ischnoptera*), 88.
Quadrupliata (*Prosoptecta*), 177.
Quadrupunctata (*Apolita*), 79.
Quadrupunctata (*Blatta*), 154.
Quadrupunctata (*Calidomantis*), 258.
Quadrupunctata (*Miomantis*), 258.
Quadrupunctata (*Panachlora*), 154.
Quadrupunctatum (*Ellipsidion*), 79.
Quadrispinosa (*Forcipula*), 9.
Quadrispinosa (*Labidura*), 9.
Quadrispinosa (*Lurida* (*Forcipula*)), 9.
- Quadrismaculata* (*Eurycotis*), 144.
Quindensis (*Anthonidurus*), 344.
Quindensis (*Bacterium*), 344.
Quindensis (*Caulonia*), 344.
Quinquedens (*Hierodula*), 242.
Quinqudens (*Mantis*), 242.
Quinquedens (*Sphodropoda*), 242.
Quinquedentata (*Panesthia*), 202.
Quinquemaculata (*Agelaius*), 265.
Quinquemaculata (*Mantis*), 265.
Quinquemaculata (*Thespis*), 265.
Quitense (*Phasma*), 415.
Quitensis (*Isagoras*), 415.
Quitensis (*Phasma*), 415.
- Rachis* (*Acanthoderus*), 326.
Rachis (*Promachus*), 326.
Radiata (*Mantis*), 250.
Radiatum (*Phasma*), 413.
Radiatum (*Pseudophasma*), 413.
Rafflesii (*Neuroteria*), 371.
Rafflesii (*Phasma*), 371.
Rafflesii (*Phryganoides*), 371.
Raffrayi (*Diplatys*), 1.
Ramale (*Libethra*), 345.
Ramifera (*Allacta*), 99.
Ramifera (*Bottae*), 99.
Ramifera (*Epilampra*), 114.
Ramifera (*Molytria*), 114.
Ramosa (*Blatta*), 80.
Ramosa (*Ischnoptera*), 81.
Ramosum (*Baculum*), 329.
Ramosum (*Ellipsidion*), 80.
Ramosus (*Bacillus*), 329.
Ramosus (*Baculus*), 329.
RAMULUS, 329.

- Ramulus* (*Bacneulus*), 354.
Ramulus (*Ceroys*), 354.
Ramulus (*Myronides*), 321.
Ranarius (*Acanthoderus*), 399.
Ranarius (*Tisamenus*), 399.
Rapax (*Antemna*), 284.
Rapax (*Hoplocorypha*), 257.
Rapax (*Mionyx*), 276.
Rapax (*Musonia*), 276.
Raptoria (*Hierodula*), 245.
Rebus (*Cosmiella*), 38.
Rebus (*Opisthocosmia*), 38.
Rectangulariter-vittata (*Phyllodromia*), 91.
Rectivenis (*Euthyphleps*), 307.
Redtenbacheri (*Bacillus*), 333.
Reducta (*Blatta*), 89.
Reducta (*Phyllodromia*), 89.
Reductus (*Clitarchus*), 339.
Reflexa (*Blabera*), 161.
Reflexa (*Blatta*), 161.
Reflexa (*Derocalymma*), 185.
Reflexa (*Monachoda*), 161.
Reflexa (*Perispheeria*), 185.
Reflexa (*Petasodes*), 161.
Reflexa (*Pilema*), 185.
Reflexa (*Polyzosteria*), 128.
Reflexa (*Rhienoda*), 124.
Regale (*Clemacantha*), 389.
Regalis (*Panesthia*), 203.
Regina (*Blabera*), 109.
Regina (*Epilampra*), 115.
Regina (*Homalosilpha*), 115.
Regina (*Megaloblatta*), 109.
Regina (*Methana*), 136.
Regina (*Panesthia*), 200.
Regina (*Periplaneta*), 136.
Regina (*Salganea*), 200.
Regulus (*Bacillus*), 328.
Regulus (*Baculum*), 328.
Reichardi (*Apachya*), 4.
Reichardi (*Apachyus*), 4.
Reinwardtii (*Cyphocraea*), 391.
Reinwardtii (*Phasma*), 391.
Religiosa (*Mantis*), 250.
Religiosa (*Mantis*), 238.
Religiosus (*Gryllus*), 250.
Religiosus (*Mantis*), 250.
Relucens (*Phyllodromia*), 90.
Remiformis (*Bostra*), 350.
Remota (*Forficula*), 32.
Remota (*Spongiphora*), 32.
Remphan (*Bacteria*), 355.
Rendalli (*Acanthomantis*), 297.
Rendalli (*Otomantis*), 297.
Repanda (*Epilampra*), 126.
Repanda (*Periplaneta*), 141.
Replicata (*Anaplecta*), 67.
Reticularis (*Blatta*), 96.
Reticularis (*Phyllodromia*), 96.
Reticulata (*Anchiale*), 393.
Reticulata (*Apolyta*), 80.
Reticulata (*Cardioptera*), 274.
Reticulata (*Cyphocrania*), 393.
Reticulata (*Hierodula*), 247.
Reticulata (*Iridopteryx*), 223.
Reticulata (*Mantis*), 223, 237, 270, 273.
Reticulata (*Oxyptilus*), 223.
Reticulata (*Phasma*), 393, 415.
Reticulata (*Photina*), 273.
Reticulata (*Platyerana*), 393.
Reticulatum (*Ellipsidion*), 80.
Reticulatum (*Phasma*), 412.
Reticulosa (*Blatta*), 98.
Reticulosa (*Pseudophyllodromia*), 98.
Retowskii (*Aphlebia*), 70.
Retowskii (*Hololampra*), 70.
Reversa (*Ischnoptera*), 81.
Reyi (*Ischnopoda*), 365.
Reyi (*Palophus*), 365.
RHABDOBLATTA, 120.
Rhabdota (*Caulonia*), 344.
Rhabdota (*Ceroys*), 344.
Rhachis (*Acanthoderus*), 326.
RHAMPHOPHASMA, 331.
RHAPHIDERUS, 382.
RHIICNODA, 124.
Rhinoceros (*Macropanesthia*), 205.
Rhipheus (*Acanthomima*), 383.
Rhipheus (*Anophelepis*), 383.
Rhodus (*Tropiderus*), 380.
Rhombica (*Deroplatys*), 281.
Rhombica (*Deroplatys*), 281.
Rhombica (*Mantis*), 281.
Rhombicollis (*Choradodis*), 220.
Rhombicollis (*Choradodis*), 219.
Rhombicollis (*Mantis*), 220.
Rhombifolia (*Blatta*), 135.
Rhombifolia (*Dorykea*), 135.
Rhombifolia (*Periplaneta*), 135.
RHOMBODERA, 248.
Rhomboidalis (*Hierodula*), 249.
Rhomboidea (*Choradodis*), 220.
Rhomboidea (*Mantis*), 220.
RHYPOROBIA, 150.
RIATIA, 68.
Ridens (*Labia*), 26.
Ridens var. *Cyclolabia* (*Labia*), 26.
Ridleyi (*Bactricia*), 327.
Ridleyi (*Diplatys*), 2.
Ridleyi (*Heterolampra*), 122.
Ridleyi (*Presbistus*), 419.

- Riparia* (*Forficula*), 10.
Riparia (*Labidura*), 10.
Riparia var. Mixta (*Labidura*), 10.
Ritsemæ (*Chelisoches*), 34.
Robusta (*Brachycera*), 197.
Robusta (*Careinophora*), 15.
Robusta (*Chelidura*), 15.
Robusta (*Dermopteris*), 145.
Robusta (*Hierodula*), 245.
Robusta (*Mesopteryx*), 238.
Robusta (*Plano*), 205.
Robusta (*Sphendale*), 269.
Robustus (*Geoscapheus*), 205.
Robustus (*Labidurodes*), 15.
Rodziankoi (*Forficula*), 52.
Rogatoria (*Mantis*), 300, 301.
Rogenhoferi (*Iris*), 260.
Rogenhoferi (*Pachymantis*), 288.
Rogersi (*Sphingolabis*), 33.
Rogersi (*Spongiphora*), 32.
Rollandi (*Heteropteryx*), 397.
Rosaria (*Bacteri*), 326.
Rosarius (*Acanthoderus*), 326.
Rosarius (*Promachus*), 326.
Rosea (*Mantis*), 371.
Rosea (*Marmessoidea*), 371.
Rosea (*Necroscia*), 384.
Rosea (*Phasma*), 371, 384.
Roseinervis (*Hierodula*), 241.
Roseipenne (*Diura*), 381.
Roseipenne (*Necroscia*), 376.
Roseipenne (*Phasma*), 376.
Roseipennis (*Aeontista*), 234.
Roseipennis (*Aerophylla*), 381.
Roseipennis (*Diura*), 381.
Roseipennis (*Necroscia*), 376.
Roseipennis (*Tithrone*), 234.
Rosenbergi (*Eurycaantha*), 396.
Rosenbergi (*Haaniella*), 397.
Rosenbergi (*Heteropteryx*), 397.
Rosenbergi (*Necroscia*), 377.
Rosenbergi (*Psalis*), 14.
Roseni (*Heterogamia*), 172.
Roseni (*Polyphaga*), 172.
Roseum (*Phasma*), 371.
Rossia (*Bacillus*), 333, 334.
Rossia (*Mantis*), 333.
Rossia (*Phasma*), 334.
Rossii (*Bacillus*), 334.
Rossium (*Phasma*), 334.
Rossius (*Bacillus*), 334.
Rothei (*Pseudolampra*), 132.
Rotundata (*Blatta*), 139.
Rotundata (*Labia*), 27.
Rotundata (*Peltomatophilus*), 142.
Rotundata (*Periplaneta*), 139.
Rotundipeurus (*Eremiaphila*), 210.
Roulinii (*Anisomorpha*), 402.
Roulinii (*Autolyca*), 402.
Roulinii (*Bacteri*), 402.
Rubescens (*Necroscia*), 372.
Rubescens (*Trigonophasma*), 372.
Rubicunda (*Mantis*), 297.
Rubicunda (*Necroscia*), 372.
Rubicunda (*Oxyops*), 297.
Rubicunda (*Trigonophasma*), 372.
Rubicundua (*Necroscia*), 372.
Rubicundum (*Phasma*), 372.
Rubiginosa (*Hierodula*), 241.
Rubiginosa (*Ischnoptera*), 85.
Rubiginosa (*Tarachomantis*), 241.
Rubispinosa (*Philaenus*), 356.
Rubispinosa (*Philocalosoma*), 356.
Rubriceps (*Spongiphora*), 30.
Rubricosa (*Nauphoeta*), [156].
Rubricosa (*Nasuta*), 193.
Rubricosa (*Pocilloblatta*), 193.
Rubrocavata (*Mantis*), 218.
Rubromaculata (*Mantis*), 240.
Rubus (*Cladoxeras*), 357.
Rubus (*Phibalesoma*), 357.
Rufa (*Zetobora*), 158.
Rudolfæ (*Sphodromantis*), 243.
Rudolfæ (*Sphodrepoda*), 243.
Rufa (*Blatta*), 139.
Rufa (*Ischnoptera*), 83.
Rufa (*Panesthia*), 200.
Rufa (*Periplaneta*), 139.
Rufa (*Prosoplecta*), 177.
Rufescens (*Amisolabis*), 19.
Rufescens (*Blabera*), 164.
Rufescens (*Blatta*), 82.
Rufescens (*Cylindrogaster*), 2.
Rufescens (*Diplatys*), 2.
Rufescens (*Foersteri*), 14, 29, 45.
Rufescens (*Ischnoptera*), 82.
Rufescens (*Methana*), 136.
Rufescens (*Psalis*), 14.
Ruficeps (*Apterygota*), 29, 45.
Ruficeps (*Ferfieldi*), 29, 45.
Ruficeps (*Ischnoptera*), 176.
Ruficeps (*Necrophora*), 176.
Ruficeps (*Neolobophora*), 29.
Ruficeps (*Nesogastrella*), 36.
Ruficeps (*Orthonecroscia*), 371.
Ruficeps (*Panesthia*), 202.
Ruficeps (*Phyllodromea*), 89.

- Ruficollis (*Forficula*), 51.
 Ruficornis (*Cosmozosteria*), 133.
 Ruficornis (*Hyposphæria*), 193.
Ruficornis (*Lioblutta*), 193.
Ruficornis (*Periplaneta*), 133.
 Rufina (*Sparatta*), 24.
Rufipes (*Megaloblatta*), 109.
Rufipes (*Paranauphoeta*), 180.
Rufipes (*Parasphearia*), 196.
Rufipes (*Rhyparobia*), 151.
Rufipes var. *Nova Guineæ* (*Paranauphata*), 180.
Rufitarsis (*Chelisoches*), 33.
Rufitarsis (*Forficula*), 33.
Rufitarsis (*Lobophora*), 33.
Rufitarsis (*Psalidophora*), 33.
Rufiventris (*Hemithyrsoera*), 77.
Rufiventris (*Thrysocera*), 77.
Rufofusca (*Platyzosteria*), 130.
Rufolineatus (*Maransi*), 337.
Rufoterminalata (*Polyzosteria*), 130.
Rufoterminalata (*Syntomoptera*), 130.
Rufovittata (*Lampyris*), 113.
Rufovittata (*Polyzosteria*), 144.
Rugicolle (*Pseudophasma*), 413.
Rugicollis (*Catara*), 148.
Rugicollis (*Metriotes*), 413.
Rugiecollis (*Platycerana*), 413.
Rugosa (*Heterogamia*), 173.
Rugosa (*Pectinoblatta*), 193.
Rugosa (*Polyphaga*), 173.
Rugosa (*Rhienoda*), 124.
Rugosa (*Zetobora*), 193.
Rugosicollis (*Catara*), 148.
Rugosicollis (*Deropeltis*), 148.
Rugulata (*Salganea*), 200.
Russellii (*Baculum*), 327.
Russellii (*Lonchodes*), 327.
Rustica (*Mantis*), 274.
Rustica (*Miopteryx*), 274.
Rusticus (*Baculum*), 328.
Rusticus (*Clitumnus*), 328.
Sabalianus (*Platyzosteria*), 144.
Sabulosa (*Epilampra*), 125.
Sabulosa (*Eremiaphila*), 212.
Sacalava (*Exedra*), 199.
Saera (*Mantis*), 250.
Sacra (*Mantis*), 405.
Sacra (*Prisopus*), 405.
SADYATTES, 358.
Sævu (*Mionyx*), 277.
Sævissimus (*Acanthoclonia*), 407.
Sævissimus (*Cereys*), 407.
Sævus (*Mionyx*), 277.
Sagitta (*Idolomorpha*), 314.
Sahlbergi (*Cylindrogaster*), 3.
Sakai (*Bacteriu*), 350.
Sakai (*Dyme*), 350.
Sakalava (*Elliptoblatta*), 183.
Sakalava (*Heminaupheta*), 156.
Sakalava (*Hierodula*), 241.
Sakalava (*Tarachomantis*), 241.
Sakalava (*Temnopteryx*), 104.
Salamandra (*Canachus*), 396.
Salebrosa (*Pachymorpha*), 342.
SALGANEA, 200.
Sallei (*Pseudomops*), 74.
Sallei (*Thrysocera*), 74.
Salmanazar (*Acrophylla*), 329.
Salmaeis (*Ctenomorpha*), 389.
Salmanazar (*Aruanoidea*), 378.
Salmanazar (*Necroscia*), 378.
Sulpingus (*Phasma*), 413.
Salpingus (*Pseudophasma*), 413.
Samouellii (*Bacteria*), 349.
Samouellii (*Heteroneuria*), 349.
Samson (*Necroseia*), 369.
Samson (*Sosibia*), 369.
Sanchezii (*Tæniösoma*), 361.
Sancta (*Chiropus*), 216.
Sancta (*Ischnoptera*), 83.
Sancta (*Mantis*), 250.
Sancta (*Mantis*), 301.
Sancta (*Stagmatoptera*), 301.
Sancta (*Tarachodes*), 216.
Sanctæ-Helenæ (*Euthyrphapha*), 168.
Sangarius (*Calvisia*), 370.
Sangarius (*Neuroscia*), 370.
Sansibara (*Gratidia*), 330.
Sansibariea (*Apterygida*), 49.
Sansibarica (*Gratidia*), 330.
Sansibarica (*Gratidia*), 330.
Sansibarica (*Sphingolabis*), 49.
Santara (*Isagoras*), 415.
Santara (*Metriotes*), 415.
Santarema (*Blatta*), 95.
Santarema (*Phyllodromia*), 95.
Saperdiformis (*Calhypnorna*), 179.
Saperdiformis (*Hypnorma*), 179.
Saperdoides (*Calhypnorna*), 179.
Saperdoides (*Hypnorma*), 179.
Sarawaca (*Bacteriu*), 317.
Sarawaca (*Deroplatys*), 281.
Sarawaca (*Hestias*), 288.
Sarawaca (*Hestiasula*), 288.
Sarawaca (*Pachymantis*), 288.
Sarawaca (*Stælonchodes*), 317.

- Sardea (Aphlebia)*, 69.
Sardea (Blatta), 69.
Sardea (Hololampra), 69.
Sardea var. Adspersa (Aphlebia), 69.
Sarmentosa (Bacteria), 358.
Sarmentosa (Phryganistria), 358.
Sarmentum (Bacunculus), 348.
Sarmentum (Heteronemia), 348.
Sarpedon (Necroscia), 377.
Sartoriana (Bacteria), 354.
Sartoriana (Phanocles), 354.
Saturnus (Diura), 388.
Saussurei (Caparia), 201.
Saussurei (Calidomantis), 259.
Saussurei (Carvilia), 267.
Saussurei (Ceratomantis), 287.
Saussurei (Deropeltis), 146.
Saussurei (Diapheromera), 347.
Saussurei (Fischeria), 267.
Saussurei (Gonypeta), 224.
Saussurei (Haaniella), 397.
Saussurei (Hesperophasma), 243.
Saussurei (Heterogamia), 172.
Saussurei (Heterolampra), 120.
Saussurei (Heteropteryx), 397.
Saussurei (Hierodula), 245.
Saussurei (Iapyx), 57.
Saussurei (Iridopteryx), 224.
Saussurei (Japyx), 57.
Saussurei (Miomantis), 259.
Saussurei (Oxypilus), 287.
Saussurei (Panesthia), 202.
Saussurei (Panesthia), 201.
Saussurei (Phantasis), 343.
Saussurei (Pilema), 185.
Saussurei (Polyphaga), 172.
Saussurei (Polyspilota), 240.
Saussurei (Pygidicerana), 7.
Saussurei (Pyragra), 7.
Saussurei (Rhombodera), 248.
Saussurei (Sermyle), 345.
Saussurei (Temnopteryx), 103.
Saussurei (Thermastris), 7.
Savatieri (Oxyophthalma), 261.
Savatieri (Paroxyo-phthalmus), 261.
Savignyi (Calidomantis), 259.
Savignyi (Eremiaphila), 212.
Savignyi (Miomantis), 259.
Savignyi (Periplaneta), 142.
Saxicola (Blatta), 185.
Saxicola (Pilema), 185.
Sayi (Bacteria), 347.
Sayi (Diapheromera), 347.
Scabra (Cacoblatta), 166.
Scabra (Deroealymma), 187.
Scabra (Gymnonyx), 184.
Scabra (Necroscia), 369.
Scabra (Perisphearia), 187.
Scabra (Platzosteria), 131.
Scabra (Polyzosteria), 131.
Scabra (Sipyloidea), 369.
Scabra (Sosibia), 369.
Scabrella (Platzosteria), 131.
Scabricollis (Blatta), 193.
Scabricollis (Calidomantis), 259.
Scabricollis (Cyrtotria), 187.
Scabricollis (Deroealymma), 187.
Scabricollis (Diapherodes), 364.
Scabricollis (Haplopus), 364.
Scabricollis (Miomantis), 259.
Seabriuscula (Allodahlia), 41.
Seabriuscula (Anechura), 41.
Seabriuscula (Forficula), 41.
Seabriuscula (Menaka), 341.
Seabriuscula (Periplaneta), 130.
Seabriuscula (Syntomaptera), 130.
Seabriusculus (Bucillus), 341.
Seabriusculus (Medaura), 341.
Scabrosa (Bacteria), 382.
Scabrosus (Acanthoderus), 355, 382.
Scabrosus (Raphiderus), 382.
Scabrosus (Rhaphiderus), 382.
Scabrosus (Rhaphidurus), 382.
SCAPHEGYNA, 327.
Scarabæoides (Ergaula), 173.
Sceleton (Phasna), 324.
Schæfferi (Blatta), 69.
Schaumi (Clonaria), 337.
Schaumi (Gratidia), 337.
SCHIZOCEPHALA, 262.
SCHIZOPILIA, 159.
Schotti (Sparatta), 24.
Schotti (Sparatta), 24.
Schluthessi (Turachodes), 215.
Schluthessi (Temnopteryx), 108.
Schwarzii (Latindia), 168.
Schweinfurthi (Deropeltis), 146.
Scindus (Chelidura), 52.
Seita (Epilampra), 120.
Seita (Pseudophoraspis), 120.
Scops (Acanthoderus), 355.
Scops (Ceroys), 355.
Scorpionides (Eurycantha), 396.
Scorpionides (Karabidion), 396.
Scripta (Punchlora), 149.
Sericiculata (Hormetica), 197.
Scudderii (Forficula), 52.
Scudderii (Oligonyx), 278.
Scudderii (Psalis), 14.
Sculpturata (Deropeltis), 147.
Sculpturata (Epilampra), 120.
Sculpturata (Heterolampra), 120.

- Seutata (Blabera), 165.
 Seutata (Rhombodera), 248.
Scutelligera (*Gyna*), 149.
Scutelligera (*Panchlora*), 149.
Scutigera (*Hemithyrsocera*), 77.
Scutigera (*Otomantis*), 296.
Scutigera (*Pseudomops*), 77.
Seytale (*Bacillus*), 329.
Seytale (*Baeulum*), 329.
Scythe (*Phyllium*), 422.
Sythe (*Pulchriphyllum*), 422.
Seythrus (*Anophelepis*), 343.
Seythrus (*Hesperorpha*), 343.
Seythrus (*Phantasis*), 343.
Sechellensis (*Lonchodes*), 318.
Sechellensis (*Staelonhodes*), 318.
Secunda (*Leptozosteria*), 131.
Sedilloti (*Cutilia*), 134.
Sedilloti (*Polyzosteria*), 134.
Sekalavum (*Echinosoma*), 8.
Semele (*Anisomorpha*), 402.
Semele (*Autolyca*), 402.
Semiæneus (*Metallyticus*), 209.
Semialata (*Miomantis*), 259.
Semialata (*Monachoda*), 162.
Semialata (*Monastria*), 162.
Semiarmata (*Acanthoderia*), 324.
Semiarmata (*Phasma*), 325.
Semiarmatus (*Acanthoderus*), 325.
Semiarmatus (*Menexenus*), 325.
Semicincta (*Hemithyrsocera*), 77.
Semicincta (*Periplaneta*), 134.
Semicincta (*Thyrsocera*), 77.
Seniflava (*Spongiphora*), 30.
 nifulva (*Chaetospania*), 22.
Semifulva (*Sparatta*), 22.
Semilimbata (*Elliptoblatta*), 183.
Semiluteus (*Chelisoches*), 34.
Semipicta (*Eurycotis*), 144.
Semipicta (*Periplaneta*), 144.
Senirufa (*Acontista*), 234.
Semirufa (*Sparatta*), 24.
Semirufula (*Hapalomantis*), 214.
Semirufula (*Humbertiella*), 214.
Semivitrea (*Pseudophyllodromia*), 98.
Semivitta (*Cutilia*), 134.
Semivitta (*Drymoplneta*), 134.
Semivitta (*Periplaneta*), 134.
Semperi (*Lamachus*), 368.
Semperi (*Tagalina*), 4.
Semuncialis (*Gouyptylis*), 288.
Senegalensis (*Blatta*), 64.
Senegalensis (*Calidomantis*), 259.
Senegalensis (*Ectobia*), 64.
Senegalensis (*Forficula*), 52.
Senegalensis (*Miomantis*), 259.
Senegalensis (*Oxyothepis*), 255.
Senegalensis (*Theganoptynx*), 64.
Senticosa (*Caulonia*), 344.
Senticosa (*Xerosoma*), 416.
Septenguttata (*Cassida*), 167.
Septentrionalis (*Stagmatoptera*), 300.
Septentrionalis *rar.*
Minor (*Stagmatoptera*), 300.
Septentrionum (*Humbertiella*), 214.
Septentrionum (*Theopompa*), 214.
Sequens (*Phyllodromia*), 93.
Sequens (*Blatta*), 93.
Sericella (*Nyetibora*), 107.
Sericella (*Perispheeria*), 191.
Sericella (*Trichoblatta*), 191.
Seriepunctata (*Leptocola*), 263.
SERYMLE, 345.
Serpæ (*Deroealymina*), 185.
Serpæ (*Pilema*), 185.
Serrata (*Forficula*), 49, 53.
Serrata (*Panesthia*), 203.
Serrata (*Sphingolabis*), 49.
Serraticornis (*Theoclytes*), 305.
Serraticornis (*Vates*), 305.
Serratipes (*Cladoxcrus*), 359.
Serratipes (*Pharnacia*), 359.
Serratipes (*Pharmacia*), 359.
Serratipes (*Phibalosoma*), 359.
Serratissima (*Panesthia*), 203.
Serradentata (*Danuria*), 310.
Serratorius (*Tisamenus*), 399.
Serricauda (*Bacteria*), 350.
Serricauda (*Dyme*), 350.
Serricollis (*Craniidium*), 361.
Serricollis (*Diapherodes*), 361.
Serricornis (*Mantis*), 298.
Serricornis (*Parastagmatoptera*), 298.
Servilleana (*Orthomeria*), 420.
Servilleanum (*Aschippasma*), 420.
Servillei (*Acanthoderus*), 326.
Servillei (*Bacteria*), 326.
Servillei (*Blatta*), 107.
Servillei (*Chleradodis*), 220.
Servillei (*Empusa*), 313.
Servillei (*Humbertiella*), 213.
Servillei (*Labidura*), 11.
Servillei (*Mantis*), 213.
Servillei (*Metriotes*), 413, 414.
Servillei (*Phasma*), 414.
Servillei (*Prexaspes*), 414.
Servillei (*Promachus*), 326.
Servillei (*Theopompa*), 213.

- Setulosa (Forficula)*, 51.
Setulosa (Sparattina),
 24.
Severa (Diplatys), 2.
Severini (Labia), 28.
SEVERINIA, 307.
Sexguttata (Cosmoxo-
teria), 133.
Sexguttata (Drymapla-
neta), 133.
Sexguttata (Periplaneta),
 133.
Sexnotata (Bhatta), 196.
Sexnotata (Brachycera),
 196.
Sexpustulata (Blatta),
 140.
Sexpustulata (Polyzos-
teria), 140.
Shelfordi (Chelisochella),
 35.
Shelfordi (Deroplatys),
 281.
Shelfordi (Molytria),
 114.
Shiva (Bacteria), 322.
Shiva (Lonchodes), 322.
Shuckardi (Dinelytron),
 408.
Sialidea (Mantillica),
 225.
Siamensis (Pygidicerana),
 5.
SIBYLLA, 286.
Sicaria (Labia), 27.
Sicca (Ischnoptera), 113.
Siccfolia (Blatta), 141.
Siccfolia (Mantis), 422.
Siccfolia (Phasma), 422.
Siccfolium (Deroplatys),
 281.
Siccfolium (Phasma),
 423.
Siccfolium (Phyllium),
 422.
Siccfolium (Phyllium),
 423.
Siccfolius (Gryllus),
 422.
Siccfolius (Mantis),
 422.
Siccfolius (Pteropus),
 422.
Sifa (Euryeantha), 396.
SIGERPES, 289.
Sigillata (Zetobora), 155.
Signata (Blatta), 135.
Signata (Dorylæa), 135.
Signata (Elliptoblatta),
 184.
Signata (Hemithyrso-
cera), 77.
Signata (Latindia), 168.
Signata (Mantis), 240.
Signata (Polyzosteria),
 184.
Signata (Thyrsocera),
 77.
Signaticollis (Pachne-
pteryx), 79.
Signaticollis (Thyrsocera),
 79.
Signaticollis (Triboni-
dium), 157.
Signaticollis (Zetobora),
 157.
Signatura (Calolampra),
 117.
Signatura (Epilampra),
 117.
Signifer (Creoboter), 291.
Signifer (Harpax), 291.
Signifera (Achroblatta),
 155.
Signifera (Ponchlora),
 155.
Signifrons (Nauphaxta),
 176.
Sikoræ (Blatta), 90.
Sikoræ (Phyllodromia),
 90.
Silana (Apterygia), 50.
Silana (Forficula), 50.
Silpha (Diplopoda), 176.
Silpha (Prosoplecta), 176.
Silphoides (Derocalymma),
 189.
Silphoides (Diplopoda),
 176.
Silphoides (Homalodes-
mas), 189.
Silphoides (Polyphaga),
 172.
Similis (Aplopus), 364.
Similis (Blabera), 161.
Similis (Blatta), 93.
Similis (Deropeltis), 146.
Similis (Haplopus), 364.
Similis (Hierodula), 247.
Similis (Ischnoptera),
 146.
Similis (Mantis), 247.
Similis (Monachoda), 161.
Similis (Monastria), 161.
Similis (Phyllodromia),
 93.
Similis (Spoungiphora),
 31.
Simoni (Nocticola), 106.
Simonyi (Holocompsa),
 170.
Simplex (Bacteria), 324.
Simplex (Chelidura), 42.
Simplex (Forficula), 42.
Simplex (Myronides),
 321.
Simplex (Opisthocosmia),
 39.
Simplex (Phasma), 324.
Simplicipes (Ethalo-
chroa), 308.
Simplicipes (Pachy-
morpha), 342.
Simplictarsis (Bacteria),
 355.
Simulacrum (Hierodula),
 245, 247.
Simulacrum (Mantis),
 213, 246, 299.
Simulacrum (Parastagma-
toptera), 299.
Simulans (Chelisoches),
 34.
Simulans (Forficula), 34.
Simulans (Lobophora),
 34.
Simulans (Pseudomops),
 76.
Simulans (Thyrsocera),
 76.
Simulatrix (Tibia), 169.
Sinyla (Crocylus), 404.
Sinyla (Neocles), 404.
Sinensis (Epilampra),
 120.
Sinensis (Heterogamia),
 172.
Sinensis (Heterolampra),
 120.
Sinensis (Honocogamia),
 172.
Sinensis (Ischnoptera),
 81.
Sinensis (Polyphaga),
 172.
Sinensis (Polyphaga),
 172.
Sinensis (Tenodera), 239.
Singularis (Pyrgomantis),
 217.
Sinkiebensis (Bacteria),
 317.
Sinkiebensis (Stelon-
chodes), 317.
Sinuata (Acanthops),
 283.
Sinuata (Blatta), 139.
Sinuata (Chelidura),
 54.
Sinuata (Forficula), 54.
Sinuata (Mantis), 282.
Sinuata (Panesthia),
 203.
Sinuata (Pseudecheli-
dura), 54.
Sinuata (Stylopyga),
 139.
*Sinuata var. *Cyclabia**
(Pseudechelidura), 54.

- Sinuata var. Dufouri* (*Chelidura*), 54.
Sinuata var. Macrolabia (*Pseudochelidura*), 54.
SIPYLOIDEA, 374.
Sipylus (*Necroscia*), 375.
SISAPONA, 163.
Smaragdina (*Panchlora*), 154.
Smaragdula (*Necroscia*), 370.
Smithi (*Forficula*), 53.
Smithi (*Tarachodes*), 216.
Smyrnensis (*Forficula*), 51.
Snelleni (*Nanomantis*), 255.
Snodgrassi (*Temnopteryx*), 105.
Sobrina (*Archimantis*), 235.
Sobrius (*Chelisoches*), 34.
Socia (*Epilampra*), 119.
Sodalis (*Dixippus*), 321.
Sodalis (*Epilampra*), 126.
Sodalis (*Lonchodes*), 321.
Sohri (*Orobia*), 409.
Solida (*Perisphæria*), 193.
Solifuga (*Dicellura*), 56.
Solifugus (*Japyx*), 55.
Solifugus (*Japyx*), 56.
Solifugus (*Japyx*), 55, 56.
Solifugus var. Humbertii (*Japyx*), 56.
Solifugus var. Magna (*Japyx*), 56.
Solifugus var. Major (*Japyx*), 56.
Solitaria (*Galapagia*), 276.
Solitaria (*Yersinia*), 229.
SOLYGIA, 263.
Somali (*Stenopilema*), 186.
Somalica (*Elaea*), 214.
Somalica (*Eremiaphila*), 211.
Soranus (*Decidia*), 403.
Soranus (*Phasma*), 403.
Sordida (*Chorisonoura*), 73.
Sordida (*Necroscia*), 377.
Sordida (*Phyllodromia*), 91.
Sordidula (*Zetobora*), 192.
Sordidum (*Neuroscia*), 377.
Sordidum (*Phasma*), 377.
- Sordidus* (*Myronides*), 321.
Sordidus (*Promachus*), 326.
Soror (*Cutilia*), 134.
Soror (*Hemithyrsocera*), 77.
Soror (*Mantis*), 229.
Soror (*Methana*), 136.
Soror (*Periplaneta*), 136.
Soror (*Polyzosteria*), 134.
Soror (*Thyrsocera*), 77.
SOSIBIA, 368.
Souchongia (*Bacillus*), 332.
Souchongia (*Macella*), 332.
Spallanzania (*Ameles*), 229.
Spallanzania (*Mantis*), 229.
SPANIONYX, 279.
SPARATTA, 23.
SPARATTINA, 24.
Sparatoides (*Platylabia*), 22.
Sparaxes (*Necroscia*), 377.
Sparnius (*Candaules*), 367.
Spatulata (*Bacteria*), 349.
Spatulata (*Bacunculus*), 349.
Spatulatus (*Bacunculus*), 349.
Speciosum (*Ellipsidium*), 78.
Spectabilis (*Anisolabis*), 21.
Spectabilis (*Forficula*), 21.
Spectabilis (*Thyrsocera*), 78.
Spectrum (*Blatta*), 157.
Spectrum (*Tribonium*), 157.
Speculigera (*Forficula*), 48.
Speculigera (*Sphingolabis*), 48.
Speiseri (*Deropeltis*), 145.
SPELEOBLATTA, 106.
SPHÆROMANTIS, 226.
SPIENDALE, 269.
Sphingicornis (*Mantis*), 305.
Sphingicornis (*Vates*), 305.
- Sphingicornis* (*Vates*), 305.
SPIINGOLABIS, 45.
Sphinx (*Spongiphora*), 30.
SPHODROMANTIS, 243.
SPHODROPODA, 242.
Spiculifera (*Apterygida*), 47.
Spiculifera (*Sphingolabis*), 47.
Spinax (*Ancistrogaster*), 36.
Spiniceps (*Agondasoidae*), 373.
Spiniceps (*Necroscia*), 373.
Spiniceps (*Phasma*), 373.
Spiniceps (*Prisopus*), 406.
Spinicolle (*Ctenomorpha*), 393.
Spinicolle (*Phasma*), 393, 412.
Spinicolle (*Prismocra*), 33.
Spinicolle (*Pseudophasma*), 412.
Spinicollis (*Anchiale*), 393.
Spinicollis (*Ctenomorpha*), 393.
Spinicollis (*Phyllovotes*), 304.
Spinicollis (*Prisomera*), 323.
Spinicollis (*Prisopus*), 406.
Spinicollis (*Theoclytes*), 304.
Spinicornis (*Entoria*), 328.
Spinifrons (*Empusa*), 314.
Spinifrons (*Idolomorpha*), 314.
Spinifrons (*Pseudomiopteryx*), 275.
Spiniger (*Acanthoderus*), 340.
Spiniger (*Argosarchus*), 340.
Spinigera (*Bacteria*), 353.
Spinigera (*Ischnomantis*), 266.
Spinigera (*Monandroptera*), 382.
Spinigera (*Raphididerus*), 382.

- Spinipes* (*Ethalochroa*), 308.
Spinipes (*Diapherodes*), 364.
Spinipes (*Haplopus*), 364.
Spiniventris (*Acanthoderus*), 400.
Spiniventris (*Acanthodytia*), 383.
Spiniventris (*Pylæmenes*), 400.
Spinocalu (*Harpax*), 295.
Spinosa (*Bacterio*), 351, 353.
Spinosa (*Mantis*), 417.
Spinosa (*Parapachymorpha*), 342.
Spinosa (*Phasma*), 417.
Spinosa (*Xerosoma*), 417.
Spinosissima (*Caulomia*), 344.
Spinosissima (*Enetia*), 394.
Spinosum (*Bacterio*), 339.
Spinosum (*Phasma*), 339, 417.
Spinosus (*Acanthoderus*), 339.
Spinosus (*Candaules*), 367.
Spinous (*Creoxylus*), 417.
Spinous (*Promachus*), 326.
Spinulifera (*Blatta*), 139.
Spinulosa (*Eremiaphila*), 211.
Spinulosa (*Paracanthrops*), 284.
Spinulosa (*Pseudacanthrops*), 284.
Spinulosa (*Rhienoda*), 124.
Spinulosa (*Sphæromantis*), 226.
Spinulosus (*Nisyrus*), 407.
Splendens (*Eustegasta*), 181.
Splendida (*Metalleutica*), 208, 209.
Splendidus (*Metallyticus*), 208.
Splendidus (*Metallyticus*), 209.
Splendidus var. *Purpureus* (*Metallyticus*), 209.
Splendidus var. *Viridauratus* (*Metallyticus*), 208.
SPONGIPHORA, 29.
SPONGOPHORA, 29.
Spurea (*Popa*), 308.
Spurea (*Gyna*), 149.
Spurea (*Panchlora*), 149.
Spuria (*Eubulides*), 395.
Spuria (*Mantis*), 312.
Spuria (*Phyllodromia*), 93.
Squalida (*Pachymorpha*), 342.
Squalida (*Pachymorpha*), 342.
Squalidus (*Bacillus*), 342.
Skeleton (*Mantis*), 324.
Skeleton (*Phasgania*), 324.
Squilla (*Chœradodis*), 221.
Squilla (*Chœradodis*), 221.
Stabilinus (*Phasma*), 409.
Stabilinus (*Stratocles*), 409.
Stæli (*Anisolabis*), 19.
Stæli (*Arrhiæus*), 384.
Stæli (*Chœradodis*), 220.
Stæli (*Forcinella*), 19.
Stæli (*Heterolampra*), 121.
Stæli (*Medaura*), 341.
STÆLONCHODES, 317.
STAGMATOPTERA, 299.
STAGMOMANTIS, 252.
Stanleyana (*Euchomena*), 263.
Staphylinoides (*Olyntha*), 6.
Staphylinoides (*Pygidierana*), 6.
STATILIA, 236.
Steira (*Lonchodes*), 317.
Steira (*Stælonchodes*), 317.
STELEOPYGA, 137.
Stella (*Chætospania*), 22.
Stella (*Spongiphora*), 30.
Stellata (*Panesthia*), 202.
Stellenboschus (*Bacillus*), 332.
Stellenboschus (*Phthoa*), 332.
STENOBLATTA, 179.
STENOMANTIS, 256.
STENOPHYLLA, 306.
STENOPILEMA, 186.
STENOPYGA, 237.
Steotarsis (*Miopanesthesia*), 205.
STENOVATES, 306.
Sternosticta (*Hierodula*), 247.
STHENOBEEA, 323.
Stigma (*Psalidophora*), 31.
Stigma (*Spongiphora*), 31.
Stigmata (*Hierodula*), 247.
Stigmatica (*Mantis*), 275.
Stigmatica (*Miomantis*), 275.
Stigmatica (*Miopteryx*), 275.
Stigmatica (*Stgomantispis*), 275.
Stigmosa (*Derovalymma*), 188.
Stigmosa (*Epilampra*), 127.
Stigmosa (*Houalo-demas*), 188.
STILPNOBLATTA, 191.
Stilpnoides (*Baculum*), 327.
Stilpnoides (*Clitumnus*), 327.
Stilpnus (*Baeulum*), 327.
Stilpnus (*Lonchodes*), 327.
Stipata (*Epilampra*), 123.
Stipata (*Heterolampra*), 123.
Stolida (*Periplaneta*), 141.
STOLLIA, 231.
Stollii (*Anchiale*), 392.
Stollii (*Blabera*), 164.
Stollii (*Coptopteryx*), 268.
Stollii (*Empusa*), 312.
Stollii (*Mantis*), 303.
Stollii (*Metriotes*), 415.
Stollii (*Phyllium*), 423.
Stollii (*Phyllovesates*), 303.
Stollii (*Platycerana*), 415.
Stollii (*Stagmomantis*), 253.

- Stomphax* (*Lonchodes*), 318.
Stomphax (*Staelon-chodes*), 318.
Strachani (*Pseudochæta*), 307.
Stramineus (*Bacunculus*), 346.
Stramineus (*Pseudo-sermyle*), 346.
STRATOCLES, 409.
Striata (*Bacteria*), 348.
Striata (*Heteronemia*), 348.
Striata (*Leucophæa*), 151.
Striata (*Mantis*), 240, 250.
Striata (*Polyspilota*), 240.
Striatocollis (*Ophierania*), 386.
Stricta (*Mantis*), 262.
Stricta (*Schizocephala*), 262.
Strigata (*Blatta*), 96.
Strigata (*Ischnoptera*), 96.
Strigata (*Phyllodromia*), 96.
Strigata (*Pseudosermyle*), 345.
Strigata (*Sermyle*), 345.
Strigiceps (*Diapheromera*), 346.
Strigiceps (*Pseudo-sermyle*), 346.
Strigifrons (*Epilampra*), 115.
Strigipennis (*Oxypilus*), 286.
Strigiventris (*Bacteria*), 345.
Strigiventris (*Libethra*), 345.
Strigosa (*Blatta*), 80.
Strigosa (*Iris*), 260.
Strigosa (*Ischnoptera*), 80.
Strigosa (*Mantis*), 260.
Striolatus (*Oligonyx*), 278.
STRONGYLOPSALIS, 15.
Strumaria (*Chœradodis*), 219.
Strumaria (*Churradodis*), 220.
Strumaria (*Mantis*), 219, 220.
Strumarius (*Gryllus*), 219.
- Strumarius* (*Mantis*), 219.
Strumosa (*Rormetica*), 197.
Strumosus (*Carausius*), 320.
Struthioneus (*Lonchodes*), 360.
Struthioneus (*Phaenopharos*), 360.
Stygia (*Nyctibora*), 107.
Stygium (*Arrhidæus*), 384.
Stygium (*Neeroscia*), 384.
Stylifera (*Hyposphæria*), 193.
Stylifera (*Lioblatta*), 193.
Stylifera (*Perisphæria*), 193.
Stylera (*Necroscia*), 377.
STYLOPYGA, 137.
Styxius (*Neeroscia*), 384.
Suava (*Compsoblatta*), 181.
Suava (*Eustegasta*), 181.
Suavis (*Hierodula*), 235.
Subanea (*Ellipsica*), 183.
Subalata (*Eurycotis*), 144.
Subaptera (*Aphlebia*), 70.
Subaptera (*Apterygida*), 45.
Subaptera (*Blatta*), 70.
Subaptera (*Brunneria*), 264.
Subaptera (*Hololampra*), 70.
Subaptera (*Platyzosteria*), 131.
Subaptera (*Polyzosteria*), 70, 131.
Subaptera (*Sphingolabis*), 45.
Subarmata (*Anisolabis*), 19.
Subarmata (*Labia*), 19.
Subbifasciata (*Cutilia*), 134.
Subbifasciata (*Drymaplaneta*), 134.
Subcineta (*Brachycola*), 197.
Subcincta (*Periplaneta*), 141.
Subcinctum (*Ellipsidium*), 77.
Subcolorata (*Ischnoptera*), 91.
Subcolorata (*Phyllodromia*), 91.
- Subconspersa* (*Epilampra*), 126.
Subcornuta (*Aeroman-tis*), 280.
Subfasciata (*Blatta*), 88.
Subfoliata (*Mantis*), 305.
Subfoliata (*Vates*), 305.
Subfoliatus (*Pygirhyn-chus*), 408.
Subgenitalis (*Blatta*), 92.
Subgenitalis (*Phyllo-dromia*), 92.
Subgenitalis var. *Ob-scurior* (*Phyllodromia*), 92.
Subhyalina (*Oligonyx*), 277.
Subhyalina (*Thesprotia*), 277.
Sublobata (*Cardioptera*), 297.
Sublobata (*Mantis*), 297.
Sublobata (*Zetobora*), 159.
Sublucida (*Ectobia*), 63.
Submarginata (*Allacta*), 99.
Submarginata (*Blatta*), 99.
Submarginata (*Cutilia*), 134.
Submarginata (*Dryma-planeta*), 134.
Submarginata (*Pau-chlora*), 151.
Subnematodes (*Bacteria*), 328.
Subnematodes (*Baculum*), 328.
Subnobilis (*Polyzosteria*), 128.
Subornata (*Polyzosteria*), 142.
Subpectinata (*Pseudec-tobia*), 66.
Subpectinata (*Theganopteryx*), 66.
Subreflexa (*Polyzosteria*), 128.
Subreticulata (*Blatta*), 90.
Subrotundata (*Allacta*), 99.
Subrotundata (*Blatta*), 99.
Subscribea (*Paratropa*), 109.
Subserviceus (*Paratropes*), 109.
Subserrata (*Labia*), 26.

- Subsparsa* (*Epilampra*), 120.
Subsparsa (*Heterolampra*), 120.
Subsparcata (*Blabera*), 164.
Substrigata (*Epilampra*), 127.
Subterranea (*Typhlolobia*), 56.
Subterraneus (*Japyx*), 57.
Subtilis (*Phyllodromia*), 92.
Subtruncata (*Temnelytra*), 137.
Subtruncata (*Zonioploca*), 137.
Subverrucosa (*Blatta*), 128.
Subverrucosa (*Polyzosteria*), 128.
Subzonata (*Cosmозos-teria*), 133.
Subzonata (*Platyzos-teria*), 133.
Suffusa (*Blatta*), 93.
Suffusa (*Phyllodromia*), 93.
Suleatifrons (*Solygia*), 263.
Suleatifrons (*Thespis*), 263.
Sulzeri (*Blabera*), 165.
Sumatrana (*Creoboter*), 291.
Sumatrana (*Creoboter*), 291.
Sumatrana (*Echino-sona*), 8.
Sumatrana (*Forficula*), 8.
Sumatrana (*Gonolabis*), 16.
Sumatrana (*Harpax*), 291.
Sumatrana (*Mantis*), 291.
Sumatranum (*Echino-sona*), 8.
Sumatranum (*Forficula*), 8.
Sumatranum (*Phasma*), 321.
Sumatranus (*Dixippus*), 321.
Sumatranus (*Lonchodes*), 321.
Sumatrensis (*Marmessoidea*), 371.
Sumichrasti (*Cardioptera*), 254.
Sumichrasti (*Mantis*), 254.
Sumichrasti (*Phasmomantis*), 254.
Sumichrasti (*Temnopteryx*), 105.
Sundaica (*Ceratinoptera*), 98.
Supellectilium (*Blatta*), 88.
Supellectilium (*Phyllo-dromia*), 88.
Superba (*Chelisochella*), 35.
Superba (*Epilampra*), 124.
Superba (*Hagiomantis*), 270.
Superba (*Liturgusa*), 270.
Superba (*Lobophora*), 35.
Superbus (*Chelisoches*), 35.
Superciliaris (*Danuria*), 309.
Superciliaris (*Mantis*), 309.
Superstitiosa (*Mantis*), 238.
Superstitiosa (*Tenodera*), 238.
Superstitiosa (*Tenodera*), 238.
*Superstitiosa var. *Madarasztensis** (*Tenodera*), 238.
Supplicaria (*Mantis*), 299.
Supplicaria (*Stigmato-ptera*), 299.
Surinama (*Chorisoneura*), 72.
Surinama (*Hormetica*), 197.
Surinama (*Musonia*), 277.
Surinama (*Thespis*), 277.
Surinamensis (*Blatta*), 151, 165.
Surinamensis (*Hagiomantis*), 271.
Surinamensis (*Leuco-phæa*), 151.
Surinamensis (*Litur-gousa*), 271.
Surinamensis (*Mionyx*), 277.
Surinamensis (*Panchlora*), 151.
Surinamensis (*Theodystes*), 304.
Spectra (*Hemithyrso-cera*), 78.
Suteri (*Acanthoderus*), 340.
Suteri (*Maeracantha*), 340.
Satoria (*Libethra*), 345.
Suturalis (*Apterygida*), 48.
Suturalis (*Forficula*), 11, 48.
Suturalis (*Labidura*), 11.
Suturalis (*Sphingolabis*), 48.
Sylvaticus (*Argosarchus*), 341.
Syleaticus (*Bacillus*), 341.
Sylvestrii (*Gonolabis*), 16.
Sylvestris (*Blatta*), 61.
SYNTOMAPTERA, 129.
Syriaca (*Fischeria*), 268.
Syriaca (*Iris*), 268.
Syriaca (*Polyphaga*), 172.
Systropedon (*Lonchodes*), 341.
Systropedon (*Manduria*), 341.
Taczanowskii (*Ischnoptera*), 84.
Tæniata (*Apterygida*), 48.
Tæniata (*Chorisoneura*), 72.
Tæniata (*Forficula*), 47.
Tæniata (*Sphingolabis*), 47, 48.
TENIOSOMA, 361.
Tagalica (*Epilampra*), 121.
Tagalica (*Heterolampra*), 121.
Tugalicus (*Lonchodes*), 318.
Tagalicus (*Stælonchodes*), 318.
TAGALINA, 4.
Tages (*Calvisia*), 370.
Tages (*Necroscia*), 370.
Talea (*Clonaria*), 337.
Talea (*Gratidia*), 337.
Talpoïdes (*Hemimerus*), 59.
Talpoïdes (*Hemimerus*), 59.
Tamerlana (*Anisogamia*), 173.
Tamolana (*Rhombodera*), 249.

- Tamul (Neolobophora), 29.
Tamyris (*Cyphocrania*), 369.
Tamyris (*Sosibia*), 369.
Taprobanæ (*Hierodula*), 248.
Taprobanæ (*Lonchodes*), 323.
Taprobanæ (*Rhombo-dera*), 248.
Taprobanæ (*Sthenobœa*), 323.
Taprobanarum (*Thecopompa*), 214.
TARACHODES, 215.
TARACHOMANTIS, 241.
Tarasca (*Blatta*), 105.
Tarasea (*Temnopteryx*), 105.
Targionii (*Forficula*), 50.
TARRAGA, 163.
Tarsalis (*Perisphæria*), 190.
Tarsalis (*Platyzosteria*), 130.
Tarsalis (*Polyzosteria*), 130.
Tarsata (*Forcipula*), 9.
Tarsata (*Forficula*), 9.
Tarsata (*Labidura*), 9.
Tartara (*Aphlebia*), 71.
Tartara (*Hololampra*), 71.
Tartara (*Loboptera*), 102.
Tartara (*Periplaneta*), 141.
Tartarea (*Cutilia*), 134.
Tartarea (*Lobophora*), 33.
Tasmanica (*Anisolabis*), 20.
Tasmanica (*Chelisoches*), 35.
Tasmanica (*Ectobia*), 64.
Tasmanica (*Forficula*), 35.
Tasmaniensis (*Paraoxy-pilus*), 207.
Tatei (*Ataxigamia*), 174.
Tatei (*Calolampra*), 118.
Tatei (*Epilampra*), 118.
Taurica (*Anisolabis*), 18.
Taurica (*Forficula*), 18.
Taurica (*Paraneles*), 231.
Taurina (*Thliptoblatta*), 194.
Taurns (*Toxoderopsis*), 285.
Tectiformis (*Hierodula*), 248.
Tectiformis (*Rhombo-dera*), 248.
TEDDIA, 264.
Telephoroides (*Allacta*), 100.
Telephoroides (*Blatta*), 100.
Telephorus (*Anophelepis*), 382.
TEMNELYTRA, 137.
TEMNOPTERYX, 103.
Templetonii (*Homalopteryx*), 115.
Tenebrator (*Chelisoches*), 33.
Tenebrigera (*Leucophæa*), 151.
Tenebrigera (*Panchlora*), 151.
Tenebrosa (*Necroscia*), 378.
Tenebrosa (*Nyctibora*), 108.
Tenebrosa (*Panchlora*), 193.
Tenebrosa (*Pœciliblatta*), 193.
Tenella (*Blatta*), 89.
Tenella (*Forficula*), 39.
Tenella (*Opisthocosmia*), 39.
Tenella (*Phyllodromia*), 89.
Tenera (*Mantis*), 227.
Tenera (*Tropidomantis*), 227.
TENODERA, 238.
Tenuescens (*Bacunculus*), 348.
Tenuescens (*Heteronemnia*), 348.
Tenuicornis (*Labidura*), 12.
Tenuidentata (*Hierodula*), 244.
Tennidentata (*Sphodromantis*), 244.
Tenuipes (*Heterochæta*), 306, 307.
Tenuipes (*Heterochæta*), 307.
Tenuipes (*Toxodera*), 306.
Tenuis (*Bacteria*), 349.
Tenuis (*Chætessa*), 209.
Tenuis (*Galepus*), 216.
Tenuis (*Heteronemnia*), 349.
Tenuis (*Hoplophora*), 209.
Tenuis (*Mantoida*), 209.
Tenuissima (*Leptocola*), 263.
Tepperi (*Calolampra*), 118.
Tepperi (*Ectobia*), 63.
Tepperi (*Panesthia*), 203.
Tepperi (*Syntomaptera*), 130.
Terminalis (*Forficesila*), 11.
Terminalis (*Ischnoptera*), 82.
Terminalis (*Labidura*), 11.
Terminalis (*Phyllo-dromia*), 93.
Termitta (*Ischnoptera*), 82.
Ternatensis (*Salganea*), 200.
Terranea (*Ischnoptera*), 192.
Terranea (*Perisphæria*), 124.
Terranea (*Rhiacoda*), 124.
Terranea (*Trichoblatta*), 192.
Terrestris (*Elliptoblatta*), 184.
Terrestris (*Nyctobora*), 108.
Terrestris (*Perisphæria*), 184.
TERSOMIA, 352.
Tertiata (*Hierodula*), 247.
Tessellata (*Acanthops*), 283.
Tessellata (*Acrophylla*), 389.
Tessellata (*Ctenomorpha*), 389.
Tessellata (*Decimia*), 283.
Tessellata (*Mantis*), 239.
Tessellata (*Parastagmatoptera*), 299.
Tessellatus (*Oligonyx*), 278.
Tessellatus (*Stratoecles*), 410.
Tessulata (*Anchiiale*), 393.
Tessulata (*Ctenomorpha*), 389.

- Tessulata (Mantis)*, 393.
Tessulata (Phasma), 410.
Testacea (Apolyta), 79.
Testacea (Epilampra), 126.
Testacea (Nanphœta), 155.
Testaceicornis (Forficula), 17.
Testacium (Ellipsoidion), 79.
Tetra (Periplaneta), 139.
Texensis (Chorisoneura), 71.
Texensis (Tenuopteryx), 105.
Thalassina (Mantis), 254.
Thalassina (Panchlora), 152.
Thalassina (Stagmomantis), 254.
Thalassina (Tropidomantis), 227.
THEGANOPTERYX, 64.
THEOCLYTES, 302, 305.
Theopila (Stagmomantis), 252.
THEOPOMPA, 213.
THEOPROPUS, 203.
Theoriae (Leptisolabis), 21.
ATHERAMENES, 399.
ATHERMASTRIS, 7.
THESPIS, 264.
THESPIS, 263.
THESPOTIA, 277.
Thesprotia (Bacteria), 344.
Thesprotia (Caulonia), 344.
Thisbe (Aruanoidea), 378.
Thisbe (Necroscia), 378.
THLIPTOBLATTA, 194.
Thomæ (Pygirhynchus), 408.
Thomsonii (Heteroplana), 205.
Thoon (Vetilia), 393.
Thoracica (Blabera), 165.
Thoracica (Chelidura), 43.
Thoracica (Cylindrogaster), 3.
Thoracica (Euchomema), 236.
Thoracica (Forficula), 14.
Thoracica (Kakerlac), 143.
Thoracica (Mantis), 236.
Thoracica (Perisphecia), 185.
Thoracica (Pilema), 185.
Thoracica (Platylabia), 22.
Thoracica (Psalis), 14.
Thoracica (Rhyparobia), 150.
Thoracica (Thespis), 236.
THORACOPYGA, 195.
THORAX, 111.
THRASYLLUS, 319.
THRINACONYX, 279.
Thunbergii (Blabera), 162.
Thunbergii (Blatta), 162.
Thunbergii (Byrsotria), 162.
Thunbergii (Danuria), 309.
Thunbergii (Monachoda), 162.
THYRSOCERA, 78.
THYRSOCERA, 74.
THYSANOBALATTA, 185.
THYSANURA, 55.
Tiarata (Bactrododema), 366.
Tiaratum (Bactrododema), 366.
Tiaratum (Ectatosoma), 380.
Tiaratum (Extatosoma), 380, 381.
Tiaratum (Phasma), 380, 381.
Tiaratus (Palophus), 366.
Tigrina (Hapalopeza), 221.
TIMEMA, 401.
Timorensis (Hierodula), 245.
Tinorensis (Mantis), 245.
TIRACHOIDEA, 359.
Tirachus (Phibalosoma), 359.
Tirachus (Tirachoidea), 359.
TISAMENUS, 399.
Tisiphone (Acanthoclonia), 407.
Tisiphone (Acanthoderus), 407.
Titan (Aerophylla), 388.
Titan (Cyphocrania), 388.
Titan (Diura), 388.
Titan (Phasma), 388.
Titania (Hierodula), 249.
Titania (Rhombodera), 249.
Titanus (Acrophylla), 388.
Tithonus (Phasma), 410.
Tithonus (Oleophides), 410.
Tithonus (Phasma), 410.
Tithonus (Phocylides), 410.
TITHRONE, 234.
TIVIA, 169.
Togoensis (Ctenisolabis), 21.
Tolima (Acanthoderus), 344.
Tolima (Caulonia), 344.
Tolteca (Anaplecta), 67.
Tolteca (Ancistrogaster), 37.
Tolteca (Bacteria), 348.
Tolteca (Forficula), 37.
Tolteca (Holocompsa), 170.
Tolteca (Ischnoptera), 84.
Tolteca (Latindia), 168.
Tolteca (Mantis), 252.
Tolteca (Panchlora), 154.
Tolteca (Pseudovates), 304.
Tolteca (Stagmatoptera), 252.
Tolteca (Stagmomantis), 252.
Tolteca (Theoclytes), 304.
Tolteca (Thyrsocera), 75.
Tolteca (Vates), 304.
Tolteca (Ancistrogaster), 37.
Tolteca (Bactromantis), 278.
Tolteca (Oligonyx), 278.
Tomentosa (Blatta), 108.
Tomentosa (Nyctibora), 108.
Tomis (Chelidura), 52.
Tomis (Forficula), 52.
Tomis var. Scindus (Chelidura), 52.
Tonkinensis (Corydia), 167.
Tonquinensis (Necroscia), 375.
Torquata (Calvisia), 370.
Torquata (Necroscia), 370.
Tortricoides (Eniocephelia), 228.
Tortricoides (Mantis), 228.

- Tosta (*Theopompa*), 213.
Totonaca (*Blatta*), 95.
Totonaca (*Phyllodromia*), 95.
Townsendi (*Vates*), 306.
TOXODERA, 285.
TOXODEROPSIS, 285.
Trachelophylla (*Empusa*), 311.
Trachelophyllus (*Gongylus*), 311.
Tranquebaricus (*Bacillus*), 335.
Transcaucasica (*Hierodula*), 244.
Transcaucasica (*Sphodromantis*), 244.
Translucida (*Blatta*), 72.
Translucida (*Cardioptera*), 273.
Translucida (*Choriso-neura*), 72.
Translucida (*Ischnoptera*), 85.
Translucida (*Panchlora*), 153.
Transvaalicensis (*Aphlebia*), 103.
Transvaaliensis (*Tenno-pteryx*), 103.
Transversa (*Panesthia*), 203.
Transversa (*Panesthia*), 203, 204.
Transversa (*Zetobora*), 157.
Transversalis (*Allacta*), 99.
Transversalis (*Blatta*), 99.
Trapezoidea (*Blabera*), 164.
TRIENOCORYPHA, 287.
Triangulariter - vittata (*Phyllodromia*), 91.
TRIBONIDIUM, 157.
TRIBONIUM, 157.
TRICHOBLATTA, 191.
TRICHOCOMA, 194.
Trichoderma (*Dero-calymna*), 185.
Triodiiderma (*Thysanoblatta*), 185.
TRICHOMERA, 148.
Trichoprocta (*Steleo-pygia*), 171.
Tricolor (*Caloblatta*), 86.
Tricolor (*Chrastoblatta*), 86.
Tricolor (*Gryllus*), 295.
Tricolor (*Harpago-mantis*), 295.
Tricolor (*Harpax*), 295.
Tricolor (*Heterochæta*), 307.
Tricolor (*Heterochætula*), 307.
Tricolor (*Labia*), 28.
Tricolor (*Loboptera*), 102.
Tricolor (*Majanga*), 270.
Tricolor (*Mantis*), 233, 295.
Tricolor (*Pantelica*), 270.
Tricolor (*Thegano-pteryx*), 64.
Tricornis (*Empusa*), 312.
Tricornis (*Mantis*), 312.
Tridens (*Bacteria*), 346.
Tridens (*Pseudosermyle*), 346.
Tridens (*Sibylla*), 289.
Tridens (*Sigerpes*), 289.
Tridentina (*Ectobia*), 62.
Triedrica (*Caulonia*), 344.
Trifaria (*Prosoplecta*), 177.
Trifasciata (*Cosmozosteria*), 133.
Trifasciata (*Gonatista*), 270.
Trifasciata (*Mantis*), 270.
Trifasciata (*Platyzosteria*), 133.
Trifasciata (*Thespis*), 265.
Trigona (*Phasma*), 361.
Trigonalis (*Ligaria*), 226.
Trigonalis (*Phyllo-dromia*), 89.
Trigonodera (*Dero-platus*), 281.
TRIGONODERUS, 380.
TRIGONOPHASMA, 372.
Trigonus (*Hermarchus*), 361.
Triimpressa (*Pseudoderopeltis*), 147.
Trilineata (*Macynia*), 336.
Trilineata (*Maransis*), 336.
Trilobata (*Epilamptra*), 123.
Trilobata (*Hetero-lampra*), 123.
Trilobita (*Hormetica*), 197.
Trimacula (*Hierodula*), 243, 244.
Trimacula (*Sphodromantis*), 244.
Tripartita (*Panchlora*), 155.
Triopolitanum (*Bacillus*), 334.
Triopolitanum (*Phasma*), 334.
Triopolitanus (*Bacillus*), 334.
Tripunktata (*Mantis*), 254.
Tripunktata (*Stagmomantis*), 254.
Triramosa (*Ischnoptera*), 82.
Trispinosa (*Forcipula*), 9.
Trispinosa (*Labidura*), 9.
Tristicula (*Pseudomops*), 76.
Tristicula (*Thyrsocera*), 77.
Tristis (*Mantis*), 242.
Tristis (*Sphodropoda*), 242.
Trivialis (*Epilamptra*), 121.
Trivialis (*Heterolampra*), 121.
Trivittata (*Aphlebia*), 70.
Trivittata (*Blatta*), 70, 102.
Trivittata (*Clonaria*), 338.
Trivittata (*Hololampra*), 70.
Trivittata (*Loboptera*), 102.
Trivittatus (*Bacillus*), 338.
Trollius (*Lonchodes*), 318.
Trollius (*Stelonchodes*), 318.
Trophinus (*Bacteria*), 327.
Trophinus (*Bactricia*), 327.
TROPIDODERUS, 380.
TROPIDOMANTIS, 227.

- Truncata* (*Acontista*), 233.
Truncata (*Blatta*), 104.
Truncata (*Calolampra*), 118.
Truncata (*Chæradodis*), 282.
Truncata (*Deroplatys*), 282.
Truncata (*Epilampra*), 118, 122.
Truncata (*Heminyctibora*), 108.
Truncata (*Heterolampra*), 122.
Truncata (*Labidura*), 11.
Truncata (*Mantis*), 232.
Truncata (*Nyctobora*), 108.
Truncata (*Periplaneta*), 142.
Truncata (*Platyzosteria*), 137.
Truncata (*Polyzosteria*), 137.
Truncata (*Pseudosermyle*), 345.
Truncata (*Tenuopteryx*), 104.
Truncata (*Zonioploca*), 137.
Truncatipennis (*Poly-spilota*), 241.
Tuberculata (*Acanthops*), 283.
Tuberculata (*Blatta*), 196.
Tuberculata (*Brachycola*), 196.
Tuberculata (*Hormetica*), 196.
Tuberculata (*Sthenobœa*), 323.
Tuberculatus (*Acanthops*), 283.
Tuberculatus (*Hyrtacus*), 331.
Tuberous (*Myrcinus*), 228.
Tumidiceps (*Compso-thespis*), 208.
Tumulosa (*Parahor-netica*), 198.
Tunetana (*Discothera*), 207.
Tunisinus (*Japyx*), 56.
Turcica (*Eremiaphila*), 211.
Turcomaniae (*Oxyo-thespis*), 255.
Turgida (*Bacteriæ*), 350.
Turgida (*Bostra*), 350.
TYPHLOLABIA, 55.
Typhaus (*Diura*), 380.
Typhon (*Eremiaphila*), 210.
Typhon (*Eremiaphila*), 210.
Typhon (*Podacanthus*), 379.
Tyrræus (*Euryceantha*), 396.
Uhleri (*Oligonyx*), 278.
Uhleriana (*Ischnoptera*), 82.
Ulula (*Acanthoderus*), 400.
Ulula (*Dares*), 400.
Umbretta (*Necroscia*), 411.
Umbretta (*Phasma*), 414.
Umbretta (*Prexaspes*), 414.
Undata (*Allacta*), 100.
Undata (*Mantis*), 308.
Undata (*Popa*), 308.
Undata (*Popa*), 309.
Undata (*Theoclytes*), 308.
Undata var. *Pallida* (*Popa*), 309.
Undulata (*Craspedonia*), 387.
Undulata (*Diapherodes*), 387.
Undulata (*Epaphrodita*), 284.
Undulata (*Monandroptera*), 387.
Undulata (*Phyllocrania*), 284.
Undulifera (*Ischnoptera*), 85.
Undulivitta (*Periplaneta*), 137.
Unguiculatus (*Onychostylus*), 96.
Unicolor (*Anaplecta*), [66].
Unicolor (*Anaplecta*), 177.
Unicolor (*Anisomorpha*), 402.
Unicolor (*Autolycea*), 402.
Unicolor (*Hypocrita*), 101.
Unicolor (*Ischnoptera*), 84.
Unicolor (*Melanosilpha*), 193.
Unicolor (*Paraloboptera*), 101.
Unicolor (*Perisphearia*), 193.
Unicolor (*Phasma*), 402, 411.
Unicolor (*Phoraspis*), 112.
Unicolor (*Phyllodromia*), 92.
Unicolor (*Platamodes*), 84.
Unicolor (*Plecoptera*), 177.
Unicolor (*Podacanthus*), 379.
Unicolor (*Pseudophasma*), 411.
Unicornis (*Empusa*), 312.
Unicornis (*Empusa*), 313.
Unicornis (*Gryllus*), 312.
Unidentata (*Forficula*), 28.
Unidentata (*Labia*), 28.
Unifoliata (*Bacteria*), 349.
Unifoliatus (*Baculumulus*), 349.
Uniforme (*Lonchodes*), 321.
Uniforme (*Phasma*), 321.
Uniformis (*Dixippus*), 321.
Uniformis (*Elliptoblatta*), 183.
Uniformis (*Lonchodes*), 321.
Unimaculata (*Hierodula*), 246.
Unimaculata (*Mantis*), 246.
Unipunctata (*Mantis*), 298.
Unipunctata (*Parastagmatoptera*), 298.
Unipunctata (*Parastagmatoptera*), 299.
Urazi (*Phasma*), 412.
Urazi (*Pseudophasma*), 412.
Urbana (*Creoboter*), 290, 291.
Urbana (*Creoboter*), 291.
Urbana (*Harpax*), 290, 291.
Urbana (*Mantis*), 290, 291, 301.
Urbanus (*Creoboter*), 291.

- Ursina* (*Heterogamia*), 172.
Ursina (*Polyphaga*), 172.
Usambarana (*Leptisoblabis*), 21.
Ustulata (*Homalosilpha*), 143.
Ustulata (*Periplaneta*), 143.

Vacillans (*Ischnoptera*), 94.
Vacillans (*Phylodromia*), 94.
Valdiriana (*Polyzosteria*), 193.
Valgius (*Cladoxerus*), 358.
Valgius (*Phasma*), 358.
Valgum (*Phasma*), 374.
Valgus (*Hermagoras*), 323.
Valgus (*Lonchodes*), 323.
Valida (*Chæteesa*), 209.
Valida (*Hierodula*), 248.
Valida (*Hoplophora*), 209.
Valida (*Mantis*), 248.
Valida (*Periplaneta*), 141.
Valida (*Pygidierana*), 5.
Valida (*Rhombodera*), 248.
Validispinus (*Dares*), 400.
Validissima (*Poly- spilota*), 239.
Valularia (*Archiblatta*), 148.
Vara (*Chelidura*), 55.
Vara (*Forficula*), 55.
Vara (*Pseudochelidura*), 55.
Varia (*Epilampra*), 121.
Varia (*Heterolampra*), 121.
Varia (*Mantis*), 240.
Variana (*Forficula*), 49.
Varians (*Blabera*), 164.
Varicornis (*Anisolabis*), 19.
Varicornis (*Blatta*), 96.
Varicornis (*Phylodromia*), 96.
Variegata (*Ancistro- gaster*), 36.
Variegata (*Anisomorpha*), 402.
Variegata (*Blatta*), 79, 98.
Variegata (*Forficula*), 46.
Variegata (*Mantis*), 239, 240.
Variegata (*Opisthocosmia*), 36.
Variegata (*Phasma*), 410.
Variegata (*Phyllodromia*), 91.
Variegata (*Polyspilota*), 239.
Variegata (*Pseudophylodromia*), 98.
Variegata (*Sphingolabis*), 46.
Variegata (*Temnopteryx*), 103.
Variegatum (*Ellipsidion*), 79.
Variegatum (*Phasma*), 410.
Variegatus (*Ancistrogaster*), 36.
Varicornis (*Forficula*), 37.
Variipennis (*Musonia*), 256.
Variipennis (*Nanomantis*), 256.
Variolosa (*Platyzosteria*), 131.
Variolosa (*Polyzosteria*), 131.
Variopictus (*Chelisoches*), 34.
VASILISSA, 382.
Vasta (*Epilampra*), 115.
Vasta (*Homalopteryx*), 115.
VATES, 305.
VATES, 302.
VATINÆ, 297.
Veliei (*Diapheromera*), 347.
Velii (*Diapheromera*), 347.
Vellicans (*Forficula*), 47.
Vellicans (*Sphingolabis*), 47.
Veneratoria (*Stagmatoptera*), 246.
Venilia (*Oleypthides*), 411.
Venilia (*Phasma*), 411.
Venosa (*Blatta*), 97.
Venosa (*Ilierodula*), 246.
Venosa (*Mantis*), 246.
Venosa (*Metriotes*), 414.
Venosa (*Pseudophylodromia*), 97.
Venosum (*Phasma*), 414.
Venosus (*Prexaspes*), 414.
Ventrale (*Ellipsidium*), 78.
Ventralis (*Hormetica*), 197.
Ventralis (*Pachnepteryx*), 78.
Venusta (*Compsoblatta*), 180.
Venusta (*Eustegasta*), 180.
Venusta (*Hedaia*), 123.
Venusta (*Stagmomantis*), 253.
Venustula (*Diapherodes*), 362.
Venustula (*Platyerana*), 362.
Venustum (*Diapherodes*), 362.
Venustum (*Phasma*), 362.
Vernicularis (*Phasma*), 401.
Verreauxii (*Paraoxy- pilus*), 207.
Verrueifer (*Lonchodes*), 322.
Verrucosa (*Hormetica*), 197.
Verrucosa (*Zetobora*), 158.
Verrucosum (*Acanthoderus*), 322.
Verrucosum (*Phasma*), 322.
Verrucosum (*Prisonera*), 322.
Verrueosus (*Hermagoras*), 322.
Verrueulosa (*Gratidia*), 330.
Versicolor (*Angela*), 265.
Versicolor (*Apterygida*), 48.
Versicolor (*Deroctyloma*), 185.
Versicolor (*Forficula*), 48.
Versicolor (*Mantis*), 264.
Versicolor (*Perisphaeria*), 185.
Versicolor (*Sphingolabis*), 48.

- Versicolor* (*Thysanoblatta*), 185.
Versifasciata (*Cyphocerana*), 391.
Versifasciata (*Euryenema*), 391.
Versirubra (*Cyphocerana*), 391.
Versirubra (*Euryenema*), 391.
Verticalis (*Deropeltis*), 176.
Verticalis (*Epilampra*), 118.
Verticalis (*Perispheeria*), 145, 176.
Verticalis (*Pœcilocerhisi*), 118.
Vestita (*Apolyta*), 80.
Vestita (*Blatta*), 80.
Vestita (*Paratropæa*), 107.
Vestitum (*Ellipsoidion*), 80.
Vestitus (*Paratropæa*), 47.
VETILIA, 393.
Vetula (*Gyna*), 149.
Vexillum (*Chlidonoptera*), 292.
Vicaria (*Forficula*), 50.
Vicina (*Forficula*), 12.
Vicina (*Gonypteta*), 224.
Vicina (*Homalosilpha*), 143.
Vicina (*Labidura*), 12.
Vicina (*Mantis*), 241.
Vicina (*Musonia*), 276.
Vicina (*Paranauphoeta*), 180.
Vicina (*Periplaneta*), 143.
Vicina (*Phyllodromia*), 92.
Vicina (*Polyspilota*), 241.
Vicina (*Stagmomantis*), 252.
Vicina (*Thespis*), 276.
Victorina (*Pseudomantis*), 235.
Vidua (*Chroicoptera*), 227.
Vidua (*Mantis*), 227.
Vidua (*Thesprotia*), 277.
Vigilans (*Acanthoderus*), 355.
Vigilans (*Ceroys*), 355.
Vigilans (*Forficula*), 39.
Vigilans (*Opisthosomia*), 39.
Vigilax (*Oxypilus*), 286.
Vilis (*Ischnoptera*), 85.
Vilis (*Phyllodromia*), 92.
Villana (*Pelmatosilpha*), 143.
Vineta (*Carvilia*), 266, 267.
Vineta (*Mantis*), 266, 267.
Vinosa (*Necroscia*), 372.
Vinosa (*Trigonophasma*), 372.
Vinosum (*Necroscia*), 372.
Vinosum (*Phasma*), 372.
Vinula (*Phyllodromia*), 89.
Violacea (*Metalleutica*), 208.
Violacea (*Metallyticus*), 208.
Violascens (*Acrophylla*), 381.
Violascens (*Cyphocrania*), 381.
Violascens (*Diura*), 381.
Violascens (*Didymuria*), 381.
Violascens (*Phasma*), 381.
Vipera (*Necroscia*), 369.
Vipera (*Sosibia*), 369.
Virbius (*Necroscia*), 370.
Virens (*Necroscia*), 375.
Virescens (*Blatta*), 73, 152.
Virescens (*Chorisoneura*), 73.
Virescens (*Derocalymma*), 191.
Virescens (*Ellipsica*), 183.
Virescens (*Harpar*), 296.
Virescens (*Melanoblatta*), 191.
Virescens (*Panchlora*), 152.
Virescens (*Pseudolampra*), 296.
Virga (*Bactromantis*), 278.
Virgatus (*Lonchodes*), 318.
Virgatus (*Stelonchodes*), 318.
Virga (*Bactria*), 358.
Virgus (*Lonchodes*), 358.
Virginea (*Didymuria*), 381.
Virginea (*Diura*), 381.
Virginica (*Tennopteryx*), 105.
Virgulata (*Aphlebia*), 70.
Virgulata (*Hololampra*), 70.
Viridana (*Mantis*), 385.
Viridana (*Platycera*), 385.
Viridana (*Platyterania*), 385.
Viridanum (*Cyphocerana*), 385.
Viridanum (*Phasma*), 385.
Viridi-auratus (*Metallyticus*), 208.
Viridilineata (*Calvisia*), 370.
Viridilinata (*Necroscia*), 370.
Viridimarginatum (*Ascephasma*), 419.
Viridimarginatum (*Aschipasma*), 419.
Viridimarginatum (*Phasmæ*), 419.
Viridimarginatus (*Presbistus*), 419.
Viridimargo (*Mantis*), 253.
Viridinervis (*Arrhidaeus*), 384.
Viridiroseus (*Podacanthus*), 379.
Viridis (*Bacterio*), 329, 347.
Viridis (*Blatta*), 153.
Viridis (*Lonchodes*), 322.
Viridis (*Mantis*), 251, 385.
Viridis (*Necroscia*), 378.
Viridis (*Panchlora*), 152, 153.
Viridis (*Polyspilota*), 240.
Viridis (*Rumulus*), 329.
Viridis (*Tropidoderus*), 378.
Viridissima (*Euryenema*), 391.
Viridula (*Blatta*), 154.
Viridula (*Panchlora*), 154.
Vitellina (*Panchlora*), 150.
Vitellina (*Rhyparobia*), 150.
Vitrata (*Mantis*), 258.
Vitreæ (*Acontista*), 234.
Vitreæ (*Blatta*), 95.
Vitreæ (*Cardiopætra*), 273.
Vitreæ (*Hierodula*), 246.
Vitreæ (*Hierodula*), 246.

- Vitrea* (*Mantis*), 246, 273.
Vitrea (*Photina*), 273.
Vitrea (*Phyllodromia*), 95.
Vitreola (*Ardesca*), 274.
Vitrifera (*Blatta*), 73.
Vitrifera (*Chorisoneura*), 73.
Vitripennis (*Cardioptera*), 274.
Vitripennis (*Metalleutica*), 208.
Vitripenus (*Photina*), 274.
Vitrocincta (*Blatta*), 73.
Vitrocincta (*Chorisoneura*), 73.
Vittata (*Anophelepis*), 343.
Vittata (*Hemithyrsocera*), 77.
Vittata (*Hornuetica*), 197.
Vittata (*Necroscia*), 375.
Vittata (*Phantasis*), 343.
Vittata (*Sipyloidea*), 376.
Vittata (*Thyrsocera*), 77.
Vittatum (*Hesperophasma*), 343.
Vitticollis (*Forficula*), 4.
Vitticollis (*Pydierana*), 4.
Vitticollis (*Pygidierana*), 4, 5.
Vittifrons (*Eurycotis*), 144.
Vittigera (*Chelidura*), 54.
Vittipennis (*Arrhidaeus*), 384.
Vittiventris (*Blatta*), 63.
Vittiventris (*Ectobia*), 63.
V-nigrum (*Forficula*), 6.
V-nigrum (*Pygidierana*), 6.
Voeltzkowi (*Blatta*), 138.
Voeltzkowi (*Stylopelta*), 138.
Voeltzkowiana (*Hierodula*), 244.
Voeltzkowiana (*Pseudectobia*), 66.
Voeltzkowiana (*Sphodromantis*), 244.
Voeltzkowiana (*Theganoptynx*), 66.
Volsella (*Neolobophora*), 29.
Wagneri (*Mantis*), 231.
Wagneri (*Pseudoyer-sinia*), 231.
Wagneri (*Yersinia*), 231.
Wahlbergi (*Deropeltis*), 146.
Wahlbergi (*Deropeltis*), 146.
Wahlbergi (*Echinosoma*), 8.
Wahlbergi (*Empusa*), 314.
Wahlbergi (*Periplaneta*), 146.
Wahlbergi (*Pseudocreobota*), 293.
Wahlbergi (*Fates*), 314.
Walcei (*Panesthia*), 204.
Walkeri (*Forcipula*), 9.
Walkeri (*Labidura*), 9.
Walkeri (*Pseudomops*), 75.
Walkeri (*Vasilissa*), 382.
Wallacei (*Acanthoderus*), 326.
Wallacei (*Forficula*), 45.
Wallacei (*Labia*), 27.
Wallacei (*Panesthia*), 204.
Wallacei (*Promachus*), 326.
Warasaca (*Necroscia*), 375.
Wayi (*Bactredodema*), 366.
Welwitschi (*Bactrododema*), 366.
Westermanni (*Calvisia*), 370.
Westermanni (*Echinosoma*), 8.
Westermanni (*Necroscia*), 370.
Westwoodii (*Aeontista*), 233.
Westwoodii (*Bacillus*), 328.
Westwoodii (*Baculum*), 328.
Westwoodii (*Corydia*), 167.
Westwoodii (*Damasippus*), 407.
Westwoodii (*Haaniella*), 398.
Westwoodii (*Heteropteryx*), 398.
Westwoodii (*Hierodula*), 247.
Westwoodii (*Lonechodes*), 328.
Westwoodii (*Necroscia*), 376.
Westwoodii (*Phibalosoma*), 359.
Westwoodii (*Phyllium*), 423.
Westwoodii (*Phyllo-crana*), 289.
Westwoodii (*Phyllo-thelys*), 289.
Westwoodii (*Theopompa*), 213.
Westwoodii (*Tirachoidea*), 359.
Wheelerii (*Mantis*), 253.
Wheelerii (*Stagmomantis*), 253.
Whiteheadi (*Lonchodes*), 319.
Whiteheadi (*Mithrenes*), 319.
Wilkinsoni (*Podacanthus*), 379.
Willeyi (*Euryeantha*), 396.
WODONGIA, 119.
Wollastoni (*Iapyx*), 56.
Woodfordi (*Chondrostethus*), 319.
Wrayi (*Mylacrina*), 205.

Xanthomela (*Phasma*), 413.
Xanthomela (*Pseudo-phasma*), 413.
Xanthophila (*Blattu*), 78.
Xanthophila (*Thyrsocera*), 78.
Xanthoptera (*Mantis*), 269.
Xanthoptera (*Sphendale*), 269.
Xanthopus (*Demogorgon*), 12.
Xanthopus (*Forficula*), 12.
Xanthopus (*Forficula*), 12.
Xanthostictus (*Damasippoides*), 404.
Xenia (*Anisolabis*), 20.
XENOMACHES, 383.
NERANTHERIX, 403.
XERODERUS, 383.
XEROSOMA, 416.
XEROSOMA, 417.
Xiphias (*Anophelepis*), 388.
Xiphias (*Orxines*), 388.

- XYLICA, 404.
 XYLODUS, 357.

Yersini (*Forficula*), 51.
YERSINIA, 229.
YERSINIA, 231.
Yersiniana (*Bacteria*), 346.
Yersiniana (*Epilampra*), 124.
Yersiniana (*Hedaia*), 124.
Yersiniana (*Pseudobacteria*), 346.
Yorkense (*Echinosoma*), 8.

Zabou (*Mantis*), 243.
Zamorensis (*Blatta*), 139.
- Zamorensis* (*Stylopyga*), 139.
Zapoteca (*Blatta*), 95.
Zapoteca (*Holocompsa*), 170.
Zapoteca (*Phyllocladus*), 95.
Zebra (*Cosmoclosteria*), 133.
Zebra (*Polyzosteria*), 133.
Zebrata (*Mantis*), 235.
Zebrata (*Omomantis*), 235.
Zebrata (*Pseudomantis*), 235.
Zehntueri (*Methana*), 136.
Zendala (*Panellora*), 154.
ZETOBORA, 158.
- ZETOBORA**, 159.
Zetterstedtii (*Eremophilus*), 212.
Zetterstedtii (*Eremophilus*), 211.
Zeuxis (*Necroscia*), 367.
Zeuxis (*Oxynes*), 367.
Zonata (*Cosmoclosteria*), 133.
Zonata (*Periplaneta*), 141.
Zonata (*Polyzosteria*), 133.
ZONIOPLOCA, 137.
ZOLEA, 302.
Zubovskii (*Anechura*), 40.
Zymbræus (*Damasippus*), 407.
Zymbræus (*Dinelytron*), 407.